

Part Number Index

Symbols

4.6" HG1F
 OI Touchscreens 44

5.7" HG2G
 OI Touchscreens 44

6mm Interface Relays
 RV8H series 756

8.4" HG3G
 OI Touchscreens 44

8-16mm
 AP series 452

8mm
 A8 series 456

10.4" HG3G
 OI Touchscreens 44

12.1" HG4G
 OI Touchscreens 44

16mm
 HA1B/HA1E E-stops 505
 L6 series 502
 LB series 468
 XA E-Stops 444, 461

22mm
 CW series 531
 FB series enclosures 652
 HW series 549
 TW series 611
 XW E-stops 525
 XW E-Stops 263, 444

30mm
 ARN series 697
 CS series 690
 TWTD series 660
 XN E-stops 654

A

A2A-L 504

A8 Series - 8mm 456
 accessories 459
 dimensions 460
 miniature switches & pilot devices
 8mm 456
 part numbers 457
 specifications 456

AB6 496

AB8 457, 459

ABD 663, 664

ABD1BN 664

ABD2BN 664

ABD3BN 664

ABD4BN 664

ABFD 663, 664

ABFW 615

ABFW1 614

ABFW2 614

ABG 663

ABGD 664

ABGW 615

ABGW4 614

ABN4F 682

ABN4G 682

ABPD 663

ABQW 615

ABQW1 614

ABQW1B 615

ABQW2 614

ABQW2B 615

ABW 615

ABW1 614

ABW1B 615

ABW2 614

ABW2B 615

ABW3 614

ABW3B 615

ABW4 614

ABW4B 615

ACSNK 690

ACSNO 690

AKW 615

AKW2 614

AKW2B-B 643

AL6 496

AL8 458

AL-B , 454, 518

AL-B8 454, 459

AL-C8 459

AL-C8V 459

ALD 671, 672

ALFD 671, 672

ALFW 625

AL-K 459, 492

ALN3LU 672

ALN06LU 672

ALQW 625

ALQW2 644

ALQW2B 624

ALQW2BLU 625

AL-V8 459

ALW 625

ALW2 624, 644

ALW2BLU 625

ALW2LU 625

ALW3 624, 625, 644

ALW3BLU 625

ALW3LU 625

ALW4 624

ALW4BLU 569, 625

ALW4LU 625

Analog Timers
 GT3A Series 843
 RTE Series 836

AOD 663, 664

AOF 663

AOFD 663, 664

AOFW 615

AOFW1 614

AOFW2 614

AOGD 663, 664

AOGW 615

AOGW4 614

AOLD 671, 672

AOLFD 671, 672

AOLFW 625

AOLQW 625

AOLQW2B 624

AOLW 625

AOLW2 624

AOLW3 624, 625

AOLW4 624

AOPD 663

AQQW 615

AQQW1 614

AQQW2 614

AOW 615

AOW1 614

AOW2 614

AOW3 614

AOW4 614

AP1 453, 454

AP2 453, 454

AP2-0 453

AP6 453, 454

AP8 453

APD 672

APD- 669

APD1 668

APD-F 667, 669, 678, 682

APD-P 683

APN1 669

Approvals & Standards 945
 definitions 945
 hazardous location definitions 946

APQW1 621, 644

APQW1BLU 622

AP Series - 8 to 16mm 452
 accessories 454
 dimensions 455
 part numbers 453
 specifications 452

APS-P 644

APW00L 643

APW-1 622

APW1 621

APW1BLU 622

APW1LU 622

APW2 621

APW2LU 622

ARN 697

ARNO- 698

ARNB-B 698

ARN-BL 698

ARNLO- 698

ARNL-BL 698

ARNSO-1 698

ARNSO-2 698

ARN Series 697
 dimensions 699
 mono-lever switches 697
 replacement parts 698
 part numbering guide 697
 specifications 697

AS6 496

ASD 675

ASHHL- 675

ASHHY- 675

AS-Interface
 module
 MicroSmart PLCs 75
 safety at work
 accessories 445
 dimensions 447
 E-Stops 444
 operating instructions 448
 part numbers 80, 444
 RV8H 80
 specifications 445

AS-Interface Communication Module
 specifications 119

AS-Interface Overview 216

ASLD 678

ASLD2 677

ASLD3 677

ASLNHU- 678

ASLW 633

ASLW2 632

ASLW3 632

ASLWLU- 633

ASW 630

ASW2 628

ASW3 629

ASW4 629

ASW5 629

ASWHHL- 571, 573, 575, 630

ASWHHY- 630

Automation Organizer Suite 36, 82, 123
 part number 36, 82
 WindCFG 133
 WindLDR 129
 WindO/I-NV2 124

Automation Software
 Automation Organizer Suite 123
 selection guide 122

WindCFG 133

WindLDR 129

WindO/I-NV2 124

WindSRV 135

AVD 666, 667

AVLD 666

AVLD3 667

AVLN 667

AVLW3 617, 619

AVLW3- 618

AVLW4 617, 619

AVN 667

AVW- 618

AVW3 617

AVW3B 618

AVW4 617

AVW4B 618

AW-R 643

AXW- 618

AXW4 617

AXW4B 618

AYD 666, 667

AYD3BN 667

AYLD 666, 667

AYLD2L 667

AYLD3L 667

AYLD22TK962 667

AYLW4 619

AYLW4- 618

AYW- 618

AYW4 617

AYW4B 618

B

BA 907

BA211T 907

BA311T 907

BA411S 907

BAF111SDU 908

BAF111SNU 908

BAF111SU 908

Barriers 222
 general information 248
 lamp barriers
 EB3L 234
 relay barriers
 EB3C 224
 EB3N 229
 selection guide 222
 lamp barrier 223
 relay barrier 222

BA Series 907
 dimensions 909
 instructions 915
 specifications 907
 terminal blocks 907
 BN 902, 911
 BN150W 902
 BN200 905
 BN400 905
 BNC 911
 BND 911
 BNDH 902
 BNDL2 910
 BNDN1000 142, 150, 152, 416, 760, 770,
 775, 784, 793, 800, 811, 841,
 860, 868, 873, 878, 910, 918
 BNE 910
 BNF1 903
 BNF10DW 903
 BNF10NW 903
 BNH1 901
 BNH5 902
 BNH15LW 901
 BNH15MW 901
 BNH30W 901
 BNH/BN Series 901
 dimensions 904
 instructions 915
 specifications 901
 terminal blocks 901
 BNJ 911
 BNL5 142, 150, 152, 760, 770, 775, 784,
 793, 800, 811, 910
 BNL6 152, 416, 811, 910, 918
 BNL8 910
 BNM2 749
 BN Power Block Series 905
 dimensions 906
 instructions 915
 specifications 905
 terminal blocks 905
 BNR 911
 BNS 910
 BR- 698
 Break-Out Modules
 BX series 917
 BST-0 664, 667, 672, 675, 678
 BST-D 664, 667, 672, 675, 678
 BX1D- 918
 BX1D-S 79
 BX1D-T 79
 BX9Z-H 245
 BX Series 917
 dimensions 920
 part numbers 918
 specifications 917
 terminal arrangements 919
 terminal blocks 917

Compact Sensors
 SA9F 213
 Configuration Tool 133
 Contactor Reset Button 595
 Contactors 881
 selection guide 882
 YC1N(K) mini contactors 883
 YC1N series (AC coil) 894
 YC1U series (AC coil) 887
 CQ 695
 CQM 695
 CQN 695
 CSH- 695
 CS Series 690
 accessories 695
 contact arrangements 692
 contact ratings 690
 dimensions 696
 heavy duty cam switches 690
 nameplates 695
 order form 694
 part numbers 690
 terminal arrangements 696
 CW1B 535
 CW1K 542
 CW1L 533, 534
 CW1P 536
 CW1S 539
 CW4B 535
 CW4K 542
 CW4L 533, 534
 CW4P 536
 CW4S 539
 CW9Z 545
 CW9Z-L 534, 595
 CWAM 545
 CWAM- 546
 CW-CN 534, 535, 536, 542
 CW-DB 534, 535, 536, 542, 545
 CW-E 545
 CW-EAQ 534, 536
 CW Series 531
 accessories 545
 contact ratings 531
 dimensions 543
 illuminated pushbuttons 533
 key selector switches 540, 542
 LED module 532, 545
 nameplates 546
 nameplates order form 546
 non-illuminated pushbuttons 535
 operating instructions 547, 548
 pilot lights 536
 replacement parts 545
 safety precautions 547
 selector switches 537
 specifications 531

D
 Door Handle Actuator 354
 HS5B/HS5E Series 354
 Drivers
 OI Touchscreens 37
 Dual Pushbutton Switches 590
 Dual Time Range Timers
 GT3W Series 856

E
 EB3C 222

EB3C-R 225
 EB3C Series 224
 accessories 225
 circuit diagrams 227
 dimensions 228
 features 251
 part numbers 225
 specifications 226
 wiring examples 227
 EB3C-T 225
 EB3L 223
 EB3L-S 237
 EB3L Series 234
 accessories 237
 dimensions 240
 features 251
 part numbers 237
 precautions 246
 specifications 235
 wiring examples 243
 EB3N 222, 229
 EB3N Series 229
 dimensions 231
 instructions 232
 specifications 230
 EB3P-LAD 238
 EB3P-LAN 238
 EB3P-LAW 238
 EB3P-LBA 239
 EB3P-LBH 239
 EB3P-LBL 239
 EB3P-LHW 238
 EB3P-LSA 239
 EB3P-LSH 239
 EB3P-LSL 239
 EB3P-LUN 238
 EB3P-LUW 238
 EB3P-ZUN 239
 EB9Z-LDS1 239
 EF1A Series 21
 dimensions 24
 LED optical specifications 23
 part numbers 21
 specifications 23
 Enabling Switches
 basic switch
 HE1B Series 366
 HE6B Series 377
 grip style switch
 HE1G-L Series 384
 HE1G Series 380, 384, 387
 HE2G Series 387
 housing 391
 pushbutton switch
 HE3B Series 371
 HE5B Series 374
 redundant contact pushbutton enabling
 switch 374
 HR5B Series 374
 redundant contact switch 371
 HE3B Series 371
 redundant (double) basic switch
 HE2B Series 368
 selection guide 365
 Enclosures
 E-Stops 444
 XW, HW & TW 652
 Engraving
 see also Nameplates 745
 Engraving Information
 SLC40 Series 745
 E-Stops 665, 666, 667

3 position push-pull 666
 FB series enclosures 444, 652
 HA1B 505
 HA1E 505
 HW series
 pushbuttons 558
 push pull & unibody 560
 nameplates 266, 465, 505, 528, 546, 596,
 640, 657, 684
 safe break action design 260
 stations 562
 TW series 616
 TWTD series 665
 unibody E-stops 666
 XA series 444
 dimensions 447
 part numbers 444, 462
 specifications 445
 XA Series 461
 XN series 654
 accessories 657
 contact ratings 656
 dimensions 657
 part numbers 655
 specifications 654
 terminal arrangements 656
 XN Series 654
 XW series 444
 dimensions 447
 part numbers 444
 specifications 445
 XW Series 525
 E-Stop Stations 562

F
 FB1W-1 652
 FB1W-H 562
 FB1W-X 444, 526
 FB2W-2 652
 FB2W-3 652
 FB3W-4 652
 FB3W-5 652
 FB9Z-C 445
 FB9Z-P 652
 FB Series Enclosures 444, 652
 accessories 652
 AS-Interface
 safety at work 444
 dimensions 653
 part numbers 652
 specifications 652
 FC2A-K 79
 FC4A-A 75
 FC4A-C 67
 FC4A-D 68, 80
 FC4A-ENET 73
 FC4A-H 77, 78
 FC4A-J 73
 FC4A-K 73, 79
 FC4A-M 71
 FC4A-N 69
 FC4A-P 77, 80
 FC4A-R 70
 FC4A-T 70, 71
 FC4A-U 79
 FC5A-C 66
 FC5A-D 66
 FC5A-S 76
 FC5A-SIF2 76
 FC9Y-B 80
 FC9Y-QS100-0 73

- FC9Z-H 79, 245
Fiber Optic Sensors
 analog 196
 high-speed
 SA1C-F 199
FL1B-M 112
FL1E-B 112
FL1E-H 112
FL1E-R 112
FL9Y-LP1CDW 114
Force Guided Relays 810
 RF1V series 810
FS1A-C 416
FS1A Series 416
 LEDs 425
 optional parts 416
 part numbers 416
 specifications 419, 423, 428
FS9Z-CN 416
FS9Z-MT 416
FS9Z-SD 416
Full Size Interlock Switches 283, 287
 HS1B series 287
 HS2B series 283
Full Size NEMA Pushbuttons 660. *See*
 also TWT Series
Full Size Solenoid Locking Switches 321
 HS1E Series 315
- G**
- GE1A-B 867
GE1A-C 867
GE1A Series 866
 accessories 868
 dimensions 869
 instructions 880
 ON delay timers 866
 part numbers 867
 sockets 868
 specifications 866
 timing diagrams 867
 timing diagrams overview 832
GE9Z-A 868
GE9Z-C 868
General Purpose Relays
 RF1V series 810
 RH series 773
 RJ series 759
 RQ series 769
 RR series 783
 RU series 790
 RV8H series 756
 RY/RM series 799
General Purpose Terminal Blocks
 BA series 907
 BNH/BN series 907
 BN series 905
General Terms & Conditions 949
GT3A-1 844, 850
GT3A-2 844, 850
GT3A-3 844, 850
GT3A-4 844, 850
GT3A-5 844, 850
GT3A-6 844, 850
GT3A Series 843
 analog timers 843
 instructions 850, 880
 part numbers 844
 setting timers 850
 specifications 843
 timing diagrams 845–849
 timing diagrams overview 832
GT3D Series
 instructions 880
GT3F-1 852
GT3F-2 852
GT3F Series 851
 instructions 854, 880
 part numbers 852
 setting GT3F timers 854
 specifications 851
 timing diagrams 852
 timing diagrams overview 832
 true OFF delay timers 851
GT3 Series 860
 accessories 860
 DIN rail mounting accessories 860
 panel mounting accessories 861
 dimensions 864
 mounting hole layout 865
 panel mount adapter 864
 instructions 862, 880
 wiring inputs 862
GT3 Series Timers
 timing diagrams overview 832
GT3W-A 857
GT3W Series 856
 contact ratings 856
 dual time range timers 856
 instructions 859, 880
 part numbers 857
 safety precautions 859
 setting GT3W timer 859
 specifications 856
 timing diagrams 858
 timing diagrams overview 832
GT5P-N 871
GT5P Series 870
 accessories 873
 instructions 880
 ON delay timers 870
 part numbers 871
 sockets 873
 specifications 870
 timing diagram 872
 timing diagrams overview 832
GT5Y-2 876
GT5Y-4 876
GT5Y Series 875
 accessories 878
 DIN rail mounting accessories 878
 panel mounting accessories 878
 PCB mounting accessories 878
 dimensions 879
 electrical life curves 877
 instructions 880
 ON delay timers 875
 part numbers 876
 sockets 878
 specifications 875
 timing diagram 877
 timing diagrams overview 832
 timing ranges 876
- H**
- H6-PVL 518
H6-VL2 518
HA- 504
HA1A 509
HA1A-B 504
HA1A-F 515
HA1A-L 504
HA1A-P 507
HA1B 509
HA1B-A 503, 504
HA1B-V 505
HA1E-V 505
HA1F 515
HA1F-2 514
HA1F-3 514
HA1K 513
HA1K-2 512
HA1K-3 512
HA1L 509
HA1L-A 508
HA1P-0 507
HA1P-1 506
HA1R-2 516
HA1R-3 516
HA1S 511
HA1S-2 510
HA1S-3 510
HA2A 509
HA2A-B 504
HA2A-P 507
HA2B-A 503, 504
HA2B-M 503, 504
HA2L 509
HA2L-A 508
HA2L-M 508
HA2P-0 507
HA2P-1 506
HA9Z-AH 507, 509, 515
HA9Z-H 518
HA9Z-K 518
HA9Z-L 518
HA9Z-LS 504, 507, 509, 511, 513, 515
HAAV-0 465, 505
HAAV4-0 465
HAAV4-27 465
HAAV-27 465, 505
HA-C 507, 509, 511, 513, 515
Hazardous Location Definitions 946
Hazardous Location Products 943
HE1B-M 366
HE1B Series 366
 basic enabling switch 366
 current ratings 367
 dimensions 367
 part numbers 366
 specifications 366
HE1G-2 380
HE1G-L 384
HE1G-L Series 384
 contact ratings 386
 dimensions 386
 grip style enabling switch 384
 operating characteristics 386
 part numbers 384
 specifications 385
HE1G Series 380
 accessories 380
 contact ratings 381
 dimensions 382
 grip style enabling switch 380
 operation characteristics 382
 part numbers 380
 specifications 380
 wiring precautions 383
HE2B-M 368
HE2B Series 368
accessories 368
circuit diagrams 370
contact ratings 369
dimensions 370
operating characteristics 370
part numbers 368
redundant (double) basic enabling switch
 368
 specifications 368
HE2G-2 387
HE2G Series 387
 compact grip enabling switch 387
 contact ratings 389
 dimensions 390
 operation characteristics 390
 part numbers 387
 specifications 388
HE3B-M 371
HE3B Series 371
 accessories 371
 circuit diagrams 372
 contact ratings 372
 dimensions 373
 operating characteristics 373
 part numbers 371
 pushbutton enabling switch 371
 specifications 371
HE5B Housing 391
 dimensions 392
 part numbers 391
 specifications 391
HE5B-M 374
HE5B Series 374
 accessories 374
 circuit diagrams 375
 current ratings 375
 dimensions 376
 operating characteristics 376
 part numbers 374, 391
 redundant contact pushbutton enabling
 switch 374
 specifications 374, 391
HE6B-M 377
HE6B Series 377
 accessories 377
 current ratings 379
 dimensions 379
 operating characteristics 379
 part numbers 377
 specifications 378
HE9Z-D 368, 371, 374, 377
HE9Z-G 374, 380, 391
Heavy Duty Cam Switches 690. *See*
 also CS Series
 CS series 690
Heavy Duty Photoelectric Sensors 187
 SA1U 187
HG1F Series (4.6" Display)
 OI Touchscreens 44
HG2G Series (5.7" Display)
 OI Touchscreens 44
HG3G Series (8.4" & 10.4" Displays) 44
 OI Touchscreens 44
HG4G Series (12.1" Display)
 OI Touchscreens 44
HN1E-B 666
HN1E-L 666
HNAV 684
HNAV-0 657
HNAV-27 657
HR1S-AC 395

- HR1S-AC Series 395
 - dimensions 395
 - part numbers 395
 - specifications 395
- HR1S-AF 342, 398
- HR1S-AF Series 398
 - dimensions 398
 - part numbers 398
 - specifications 398
- HR1S-ATE 403
- HR1S-ATE Series 403
 - dimensions 403
 - operation chart 405
 - part numbers 403
 - specifications 403
- HR1S-D 342
- HR1S-DM 401
- HR1S-DM Series 401
 - dimensions 401
 - operation chart 402
 - part numbers 401
 - specifications 401
- HR2S-301P/HR2S-301N Series 406
 - dimensions 407
 - operation chart 408, 410
 - part numbers 406
 - specifications 406
 - terminal arrangement 407
- HR2S-332N 411
- HR2S-332N-T075/T15/T30 Series 411
 - dimensions 412
 - maintenance parts 415
 - operation chart 414
 - part numbers 411
 - specifications 411
 - terminal arrangement 413
- HR9Z-P 415
- HS1B-0 287
- HS1B-1 287
- HS1B Series 287
 - accessories 287
 - actuator keys 287
 - application examples & circuit diagrams 288
 - dimensions 289
 - full size interlock switch 287
 - part numbers 287
 - specifications 287
- HS1C-R 321
- HS1C Series
 - accessories 322, 325
 - actuator keys 322
 - contact ratings 323
 - dimensions 324
 - full size solenoid locking switches 321
 - part numbers 321
 - specifications 322
- HS1E-1 315
- HS1E-2 315
- HS1E-3 315
- HS1E-4 315
- HS1E Series 315
 - accessories 315, 319
 - actuator keys 315
 - application examples & circuit diagrams 317
 - contact ratings 316
 - dimensions 319
 - full size solenoid locking switches 315
 - part numbers 315
 - specifications 316
- HS1L-R 326
- HS1L Series 326
 - contact ratings 327
 - dimensions 327
 - part numbers 326
 - specifications 327
- HS2B-1 283
- HS2B Series 283
 - accessories 283
 - actuator keys 283
 - application examples & circuit diagrams 285
 - dimensions 285
 - full size interlock switch 283
 - part numbers 283
 - specifications 284
- HS3A-H 350
- HS3A Series 350
 - accessories 350
 - dimensions 351
 - specifications 351
- HS5B/HS5E Series 354
 - dimensions 358
 - part numbers 354
 - specifications 355
- HS5D-02 276
- HS5D-03 276
- HS5D-11 276
- HS5D-12 276
- HS5D Series
 - actuator keys 276
 - contact configuration 277
 - contact ratings 278
 - dimensions 278
 - part numbers 276
 - specifications 277
 - terminal arrangement 277
- HS5E-A 300
- HS5E-B 300
- HS5E-C 300
- HS5E-D 300
- HS5E-F 300
- HS5E-G 300
- HS5E-H 300
- HS5E-J 300
- HS5E-K 330
- HS5E-K Series 329
 - accessories 330
 - actuator keys 330
 - contact ratings 331
 - dimensions 333
 - operating instructions 336
 - specifications 331
- HS5E Series 299
 - accessories 302
 - actuator keys 302
 - dimensions 304
 - miniature solenoid locking switches 299
 - operating instructions 312
 - part numbers 300
 - dual safety circuit type 300
 - four-circuit independent output type 301
 - solenoid lock type 302
 - spring lock type 300
- HS6B-0 271
- HS6B-1 271
- HS6B Series 271
 - actuator keys 271
 - contact configuration 271
 - contact ratings 272
- dimensions 273
- part numbers 271
- specifications 272, 277
- wiring designations 273
- HS6E-L 290
- HS6E-M 290
- HS6E-N 290
- HS6E-P 290
- HS6E Series 290
 - actuator keys 291
 - application examples & circuit diagrams 295
 - contact ratings 292
 - dimensions 293
 - operating instructions 297
 - part numbers 290
 - specifications 291
 - subminiature interlock switches with solenoid 290
- HS7A-DMC 342
- HS7A-DMC Series
 - accessories 342
 - dimensions 343
 - operating instructions 345
 - part numbers 342
 - specifications 343
- HS7A-DMP 346
- HS7A-DMP Series
 - accessories 346
 - dimensions 347
 - operating instructions 349
 - part numbers 346
 - specifications 347
- HS9Z-A1 283, 287, 322, 327
- HS9Z-A2 283, 287, 322, 327
- HS9Z-A3 283, 287, 322, 327
- HS9Z-A5 315
- HS9Z-A5P 276, 302, 315, 330
- HS9Z-A51 276, 302, 330
- HS9Z-A51A 276
- HS9Z-A52 276, 302, 315, 330
- HS9Z-A52A 276
- HS9Z-A53 302, 315, 330
- HS9Z-A55 276, 302, 315
- HS9Z-A61 271, 291
- HS9Z-A62 271, 291
- HS9Z-A62S 291
- HS9Z-A65 271, 291
- HS9Z-A66 271, 291
- HS9Z-DH 354
- HS9Z-FL 354
- HS9Z-H3 350, 352
- HS9Z-P1 283, 287, 322, 327
- HS9Z-PH5 276, 302, 315, 330
- HS9Z-SH 302
- HS9Z-SH5 276, 315, 330
- HS9Z-SP 302, 315, 330
- HS9Z-T 291, 302, 315, 330
- HS9Z-T1 287, 322, 327
- HS9Z-Z 350
- HW- 565
- HW1A 717
- HW1A- 600
- HW1A-B 536, 553, 555
- HW1A-B1- 589
- HW1A-P 563, 565, 721
- HW1B 553, 555, 559, 561, 595
- HW1B-A 552, 554
- HW1B-M 552, 554, 595
- HW1B-V 558
- HW1B-X 559
- HW1B-Y 560
- HW1E-B 560
- HW1E-L 560
- HW1E-T 560
- HW1F-2 580, 581
- HW1F-3 582, 583
- HW1K-2 338, 576, 577
- HW1K-3 339, 578, 579
- HW1L 567, 569
- HW1L-A 566, 568
- HW1L-M 566, 568
- HW1M 585
- HW1M-F 584, 586
- HW1M-L 584, 586
- HW1P 565
- HW1P-1 564
- HW1P-2 564
- HW1P-5 563, 721
- HW1R 589
- HW1R-2 588
- HW1S-2 570, 571
- HW1S-3 572, 573
- HW1S-4 574, 575
- HW1S-5 574
- HW2A 569
- HW2A-B 557
- HW2B 557
- HW2B-M 556
- HW2L-A 568
- HW2L-M 568
- HW2P-1 564
- HW4B 553, 558, 559, 561, 595
- HW4B-A 552, 554
- HW4B-M 552, 554, 595
- HW4B-Y 560
- HW4F-2 580, 581
- HW4F-3 582, 583
- HW4K-2 576, 577
- HW4K-3 578, 579
- HW4L 567, 569
- HW4L-A 566, 568
- HW4L-M 566, 568
- HW4P 565
- HW4P-2 564
- HW4S-2 570, 571
- HW4S-3 572, 573
- HW4S-4 574, 575
- HW4S-5 574
- HW7D 592
- HW7D-B 590
- HW7D-L 591
- HW9Z 589
- HW9Z-A 599
- HW9Z-B 585, 587, 592
- HW9Z-C 585, 587
- HW9Z-D 600
- HW9Z-EMO- 600
- HW9Z-FDY- 581, 583
- HW9Z-K 266, 528, 599, 600, 644
- HW9Z-KG 266
- HW9Z-KL1 341
- HW9Z-L 592, 599
- HW9Z-LS 340, 553, 555, 557, 559, 561, 567, 569, 571, 573, 575, 577, 579, 581, 583, 585, 587, 589, 592, 599
- HW9Z-P 563, 600, 652, 721
- HW9Z-R 595, 599
- HW9Z-RL 340, 553, 555, 557, 559, 561, 567, 569, 571, 573, 575, 577, 579, 581, 583, 585, 587, 592, 599

- HW9Z-S 599
 HW9Z-WM 340
 HWAM 341
 HWAM- 596
 HWAQ-O 596
 HWAS- 596
 HWAV-0 266, 528
 HWAV5-0 266, 528, 596
 HWAV5-2 596
 HWAV5-27 266, 528
 HWAV-27 266, 528, 596
 HWAV-0 596
 HW-C 555, 557, 559, 561, 567, 569, 571, 573, 575, 577, 579, 581, 583, 585, 587, 592, 600, 615, 619, 626, 630, 634
 HW-CB2C 553, 555, 557, 559, 561, 571, 573, 575, 577, 579, 585, 587, 589, 592
 HW-CBL 567, 569, 581, 583, 592
 HW-D 567, 569, 581, 583, 592, 619, 626, 634
 HW-F 553, 555, 557, 559, 561, 565, 567, 569, 571, 573, 575, 577, 579, 581, 583, 585, 587, 589, 592, 600, 601, 615, 619, 626, 630, 634
 HW-G 340, 553, 555, 557, 567, 569, 571, 573, 575, 577, 579, 581, 583, 585, 587, 589, 592
 HW-L 567, 569, 581, 583, 592, 634
 HW-LH3 619, 625
 HWLV-LENSR 600
 HWM-WASHER 599
 HWNP 546, 596
 HW Series 338, 549
 accessories 340, 599
 dimensions 607
 contact assemblies 600
 contactor reset button 595
 dimensions 339, 601-606
 dual pushbutton selectors 590
 part numbers 590
 E-stop stations 562
 FB series enclosures 652
 general instructions 609
 dual pushbutton instructions 609
 IEC style global pushbuttons 549
 illuminated mushroom & square pushbuttons 568
 replacement parts 569
 illuminated round pushbuttons 566
 replacement parts 567
 illuminated selector switches 2-position 580
 replacement parts 581
 illuminated selector switches 3-position 582
 replacement parts 583
 jumbo dome pilot lights 563
 replacement parts 563
 key switches 2-position 576
 replacement parts 577
 key switches 3-position 578
 replacement parts 579
 mono lever switches 2-position 584
 part numbers 584
 replacement parts 585
 mono lever switches 3- & 4-position 586
 part numbers 587
 replacement parts 587
 nameplates 596
 nameplates order form 597
- non-illuminated E-stop pushbuttons 558
 replacement parts 559
 non-illuminated mushroom head pushbuttons 554
 replacement parts 555
 non-illuminated round pushbuttons 552
 replacement parts 553
 non-illuminated square pushbuttons 552, 556
 replacement parts 553, 557
 operating instructions 341
 operator truth tables 608
 part numbers 552
 pilot lights 564
 replacement parts 565
 pushbutton selectors 588
 push pull & unibody E-stop pushbuttons 560
 replacement parts 561
 replacement parts 340
 safety precautions 609
 selector switches 2-position 570
 replacement parts 571
 selector switches 3-position 572
 replacement parts 573
 selector switches 4- & 5-position 574
 replacement parts 575
 shrouds 600
 specifications 531, 549
 standard legend codes 546, 596
 switch engraving order form 598
 transformer contact assemblies 601
 HW-T 569, 581, 583
 HW-V 644, 749
 HW-VG1 600
 HW-VL1 599
- I**
- IEC SmartRelay
 accessories 113
 function blocks 120
 software
 WindLGC 114
 specifications 115
 starter kits 113
 IEC Style Global Pushbuttons
 HW series 549
 Illuminated Pushbuttons 458, 470, 508, 533, 623, 670
 mushroom & square 568
 round 566
 Illuminated Selector Switches 514, 631, 676, 678
 2-Position 580
 3-Position 582
 Interlock Switches
 full size
 HS1B series 287
 HS2B Series 283
 full size solenoid locking
 HS1C series 321
 HS1E series 315
 miniature solenoid locking
 HS5E Series 299
 selection guide 270
 subminiature
 HS6B series 271
 subminiature with solenoid
 HS6E Series 290
 with solenoid
 HS1L Series 326
- IPL1- 238
 IS- 565, 567, 569, 581, 583, 592, 618, 622, 625, 633, 667, 669, 672, 678, 748
- J**
- Jumbo Dome Pilot Lights 563, 721
 lamp ratings 721
 replacement parts 721
- K**
- K301 695
 Key Locking Safety Interlock Switches 329
 HS5E-K Series 329
 Key Selector Switches 478, 540
 2-Position 576
 3-Position 578
 Key Switch 338
 ø22 HW 338
 Key Switches 512
 KG9Z-SK 518
- L**
- L6 Series 502
 accessories 518
 dimensions 519
 general instructions 524
 illuminated pushbuttons 508, 509
 illuminated selector switches 514, 515
 key switches 512
 miniature switches & pilot devices 468, 502
 non-illuminated pushbuttons 503, 504
 part numbers 503
 pilot lights 506, 507
 pushbutton selectors 516
 selector switches 510, 511, 513
 specifications 502
 switch engraving order form 517
 LA1A-F 515
 LA1F 515
 LA1F-2 514
 LA1F-3 514
 LA1T-2 516
 LA1T-3 516
 LA2F 515
 LA2F-2 514
 LA2F-3 514
 LA3F 515
 LA3F-2 514
 LA3F-3 514
 LA3Z-1 505
 LA9Z 492, 496, 545
 LA9Z-K 519
 LA9Z-S 519
 LAD- 459
 Lamp Barriers 234
 EB3L 234
 LB1A 471, 473, 475
 LB1K 480
 LB1L 471, 475
 LB1P 473
 LB1S 477
 LB2A 471, 473, 475
 LB2K 480
 LB2L 471, 475
 LB2P 473
 LB2S 477
 LB3A 473, 475
 LB3K 480
 LB3L 471, 475
 LB3P 473
 LB3S 477
 LB6GL 471, 475
 LB6K 480
 LB6L 471, 475
 LB6MK 480
 LB6ML 471, 475
 LB6MP 473
 LB6MS 477
 LB6P 473
 LB6S 477
 LB7GL 471, 475
 LB7K 480
 LB7L 471, 475
 LB7MK 480
 LB7ML 471, 475
 LB7MP 473
 LB7MS 477
 LB7P 473
 LB7S 477
 LB8GL 471, 475
 LB8K 480
 LB8L 471, 475
 LB8MK 480
 LB8ML 471, 475
 LB8MP 473
 LB8MS 477
 LB8P 473
 LB8S 477
 LB9Z 493, 496
 LB9Z-L 471
 LB Series 468
 accessories 492, 493
 accessory dimensions 494, 495
 contact ratings 469
 dimensions 483
 illuminated pushbuttons 470, 471
 key selector switches 478, 479, 480
 LED ratings 469
 non-illuminated pushbuttons 474, 475
 part numbers 470, 474
 PC board drilling layout 482
 pilot lights 472, 473
 replacement parts 496
 safety precautions 497
 selector switches 476, 477
 specifications 468
 LB-T 475, 477, 480
 LB-T00 473
 LB-T00V 473
 LD6A 704, 705
 LD6A Series 704
 base module 705
 dimensions 708
 instructions 710
 LED module 705
 mounting parts 705
 replacement parts 706
 specifications 707
 wiring example 708
 LD9Z 705, 706
 LE 748
 LED Machine Lighting 1
 LED SignalLight Towers 704
 LF1A Series 9
 dimensions 10
 illuminance chart 10
 LED optical specifications 10

part numbers 9
 specifications 10

LF1B-N Series 3
 brilliance distribution 5
 dimensions 5
 LED optical specifications 4
 part numbers 3
 specifications 4

LF1D 11

LF1D & LF2D Series 11
 dimensions 14
 illuminance charts 13
 LED optical specifications 12
 part numbers 11
 specifications 12

LF1E Series 17
 dimensions 19
 illuminance charts 19
 LED optical specifications 18
 part numbers 17
 specifications 18

LF1F Series 20
 dimensions 20
 LED optical specifications 20
 part numbers 20
 specifications 20

LF2B Series 6
 accessories 7
 diagrams 8
 illuminance charts 8
 LED optical specifications 7
 part numbers 6
 specifications 7

LF2D 11

LFTD- 507, 509, 515, 518

LH- 507, 515, 518

LH1D 716

LH9Z 717

LH Series
 dimensions 719
 instructions 720
 internal circuit 718
 lens colors 718
 part numbers 716
 replacement parts 717
 specifications 717

Light Curtains 430
 mounting brackets and accessories 439
 selection guide 430
 Type 2 SG2 Series 431
 Type 4 SG4 Series 435

Lighting
 flat panel inspection
 LF1F Series 20
 general machine
 LF1A Series 9
 LF1B-N Series 3
 LF2B Series 6
 hazardous location
 EF1A Series 21
 heavy duty machine tool
 LF1D/2D Series 11
 refrigeration & freezer
 LF1E Series 17

Light Towers
 LT7 Series 713

LSB-2 563, 721

LSTD- 565, 567, 569, 581, 583, 592, 618, 622, 625, 633, 667, 672, 678

LSTD-1 669

LSTD-2 669

LSTD-6 669

LSTDB 563

LSTDB-2 563, 600, 721

LSTD-H2 669

LSTD-M4 669

LT7A- 713

LT7A-X 713

LT7B- 713

LT7 Series 713
 accessories 714
 dimensions 715
 part numbers 713
 replacement parts 714
 specifications 714
 wiring examples 715

LT9Z-7 714

LT9Z-H 714

LT9Z-M 714

LT9Z-O 714

LT9Z-S 714

Lumifa 1
 selection guide 2

LW9Z 545

LW9Z-B 599, 643

LW9Z-L 599

LW9Z-SK 340

M

Magnetic Safety Switches 346
 HS7A-DMP Series 346

Mature Product List 947

MicroSmart 67
 cables 79
 modules
 analog I/O expansion 72
 communication
 AS-Interface 75
 web server module 73
 digital I/O expansion 69
 optional 77
 web server module 73
 part numbers 67

MicroSmart Pentra 60
 cables 79
 modules
 analog I/O expansion 72
 communication
 AS-Interface 75
 web server module 73
 digital I/O expansion 69, 72
 optional 77
 web server module 73
 part numbers 66

Miniature Interlock Switches
 HS5D 276

Miniature Interlock Switches with Solenoid 299
 HS5E Series 299

Miniature Photoelectric Switches 171
 SA1E 171

Miniature Pilot Lights
 AP series 452

Miniature Relays
 RY/RM series 799

Miniature Switches and Pilot Devices
 A8 Series 456
 L6 series 502
 LB series 468

Mini Contactors. *See also* YC1N(K) Series
 MMIT-1 445
 MM-SMART 81

Mono Lever Switches
 2-Position 584
 3- & 4-Position 586
 Mono-Lever Switches 698
 ARN series 697
 MT-001 371, 374, 454, 492, 518
 MT-002 454
 MT-003 454
 MT-004 454, 459
 MT-100 454
 MT-101 459, 492, 518
 Multi-function Safety Relay 416
 FS1A 416
 MW9Z 545
 MW9Z-T 599
 MW9Z-T1 340

N

NAKD 684

NALD 684

Nameplates
 CS series 695
 HW Series 546, 596
 TW series 640
 TWTD series 684
 XN E-Stops 657
 XW E-Stops 266, 528

Nameplates Order Form
 HW Series 546, 597
 TW series 641
 TWTD series 685

NAQD 684

NC1V-1 925

NC1V-2 925

NC1V-3 925

NC1V-AUX-CV 932

NC1V Series
 accessories 932
 dimensions 929
 instructions 931
 models 925
 specifications 924
 time delay curves 927

NC9Z 932

NEMA Style Pushbuttons
 TW series 611

Non-contact RFID Safety Switches 350
 HS3A Series 350

Non-Illuminated E-Stop Pushbuttons 558

Non-Illuminated Pushbuttons 457, 474, 504, 535, 613, 662
 mushroom head 554
 round 552
 square 556

N-V 683

NWAL 640

NWAQL 640

NWAR 640

NWAS 640

O

OCW-1 643

OG-81 682

OG-82 682

OG-83L 682

OGL-31 643

OGL-D 682

OGP11B 682

OL-K 682

OLW-C 643

ON Delay Timers
 GE1A Series 866
 GT5P Series 870
 GT5Y Series 875

Operator Interface Touchscreens
 4.6" HG1F 44
 5.7" HG2G 44
 8.4" HG3G 44
 10.4" HG3G 44
 12.1" HG4G 44
 accessories 46
 automation solution packages 45
 Basic Series 35
 Automation Organizer Suite 36
 dimensions & panel cutouts 55
 display specifications 51
 general specifications 51
 specifications 51
 cables 48
 drivers 37
 expansion modules 47
 High Performance Series 30
 dimensions & panel cutouts 54
 display specifications 49
 general specifications 50
 specifications 49
 part numbers 44
 selection guide 28
 starter kits and solution packages 45
 supported drivers 37
 touchscreen starter kits 45

Operator Truth Tables
 HW series 608
 TW series 639
 TWTD series 681

OR-5 643

OR-44 518

OR-55 599, 682, 749

OR-66 459

P

Panel Mounted Annunciators
 SLC30-IPS Series 730
 SLC30 Series 722
 SLC40 Series 737

PCB Relays
 RQ series 769

Pilot Devices
 miniature
 A8 series 8mm 456

Pilot Lights
 CW series 536
 HW series 564
 jumbo dome 563
 L6 series 506
 LB series 472
 miniature
 A6 series 8mm 452
 TW series 620
 TWTD series 668

PLCs
 cables 79

- communication modules 73
AS-Interface 75
web server module 73
MicroSmart 67
MicroSmart Pentra 60
modules
analog I/O expansion 72
communication
AS-Interface 75
web server module 73
digital I/O expansion 69, 72
optional 77
web server module 73
selection guide 58, 122, 123
software
WindLGC 114
specifications 83
starter kits and solution packages 81
web server module 73
Power Relays
RR Series 783
Power Supplies
PS3X series 152
PS5R slim line 141
PS5R standard 147
selection guide 140
Programmable Logic Controllers
see also PLCs 57
PS3X-B 152
PS3X-C 152
PS3X-D 152
PS3X-E 152
PS3X-Q 152
PS3X Standard Series
part numbers 152
PS5R
slim line 141
standard 147
PS5R-A 147
PS5R-B 147
PS5R-C 147
PS5R-D 147
PS5R-E 147
PS5R-F 147
PS5R-G 147
PS5R-Q 147
PS5R-SB 142
PS5R-SC 142
PS5R-SD 142
PS5R-SE 142
PS5R-SF 142
PS5R-SG 142
PS5R Slim Line Series 141
accessories 142
dimensions 145
mounting bracket dimensions 146
part numbers 142
specifications 143
switching power supplies 141
temperature derating curves 144
PS5R Standard Series 147
accessories 150
dimensions 151
installation instructions 150
overcurrent protection characteristics 150
part numbers 147
specifications 148, 153
switching power supplies 147
temperature derating curves 149
PS9Z-3 152
PS9Z-5 142
Pushbutton Selectors 516, 588
Push Pull & Unibody E-Stop Pushbuttons 560
R
Relay Barriers 224
EB3C 224
EB3N 229
Relays & Sockets
compact power relays
RH series 773
force guide relays 810
miniature relays
RY/RM series 799
PCB relays
RQ Series 769
power relays
RR series 783
RF1V series 810
RH series 773
RJ series 759
RQ series 769
RR series 783
RSC series 819
RSS series 822
RU series 790
RV8H series 756
RY/RM series 799
selection guide 754
solid state relays
RSC series 819
RSS series
DIN panel mount 822
universal relays
RU series 790
RF1V 810
RF1V Series
accessories 811
coil ratings 811
dimensions
RF1V 814
SF1V
DIN rail mount sockets 815
PC board mount sockets 816
operating instructions 817
part numbers 810
safety precautions 818
sockets 810
socket specifications 813
specifications 812
RH1B-U 773
RH2B-U 773
RH3B-D 773
RH3B-U 773
RH4B-L 773
RH4B-U 773
RH Series 773
accessories 774
characteristics 777
coil ratings 775
compact power relays 773
contact ratings 775
dimensions 779-782
operating instructions 817
part numbers 773
safety precautions 818
sockets 774
socket specifications 775
specifications 776
RJ1S-C 759
RJ1V-A 759
RJ1V-C 759
RJ2S-C 759
RJ2V-A 759
RJ2V-C 759
RJ Series
accessories 760
coil ratings 762
contact ratings 762
dimensions 766-768
electrical life curve 764
operating instructions 817
part numbers 759
safety precautions 818
sockets 760
socket specifications 763
specifications 761
RM2 800
RM2S-U 799
RM2V-U 799
RQ1V-C 769
RQ Series 769
accessories 770
coil ratings 771
dimensions 772
electrical life curves 771
operating instructions 817
part numbers 769
PCB relays 769
safety precautions 818
sockets 770
socket specifications 771
specifications 770
RR1BA-U 783
RR2BA-U 783
RR2P-U 783
RR3B-U 783
RR3PA-U 783
RR Series 783
accessories 784
characteristics 787
coil ratings 785
contact ratings 786
dimensions 788
operating instructions 817
part numbers 783
power relays 783
safety precautions 818
sockets 783
socket specifications 786
specifications 785
RSCA1N- 819
RSCA2N- 819
RSCDN- 819
RSC Series 819
dimensions 821
part numbers 819
solid state relays 819
specifications 819
RSSAN- 822
RSSDN- 822
RSS Series 822
dimensions 827
DIN panel mount solid state relays 822
internal circuit block diagram 824
part numbers 822
recommended loads 823
specifications 822
technical notes 825
temperature derating curves 826
RTB-G01 841, 861
RTE-B 837, 841
RTE-P 837, 841
RTE Series 836
accessories 841
analog timers 836
contact ratings 836
dimensions 842
instructions 880
part numbers 837
sockets 841
specifications 836
temperature derating curves 840
timing diagrams 838
timing diagrams overview 832
RU2S- 791
RU2S-C 791
RU2S-M 791
RU2V-N 791
RU4S- 791
RU4S-C 791
RU4S-M 791
RU4V-N 791
RU9Z-P 792
RU42S- 791
RU42S-D 791
RU42S-M 791
RU42S-R 791
RU42V-N 791
RU Series 790
accessories 792, 793
coil ratings 793
contact ratings 793
dimensions 796-798
electrical life curves 794
operating instructions 817
part numbers 791
safety precautions 818
sockets 791
socket specifications 794
specifications 792
universal relays 790
RV1H 756
RV8H 80, 756
part numbers 80
RV8H Series
coil ratings 757
contact ratings 757
dimensions 758
operating instructions 817
part numbers 756
safety precautions 818
specifications 757
RY2S 800
RY2S-U 799
RY2V-U 799
RY4S 800
RY4S-U 799
RY4V-U 799
RY/RM Series 799
accessories 800
characteristics 804
coil ratings 802
contact ratings 802
dimensions 807-809
miniature relays 799
operating instructions 817
part numbers 799
safety precautions 818
sockets 800
socket specifications 803
specifications 801

S

S9Z-A55 330
 SA1C-FK Series 196
 dimensions 197
 part numbers 196
 specifications 197
 SA1C-F Series 200
 dimensions 202
 high-speed fiber optic sensor 199
 part numbers 200
 specifications 201
 SA1E 171
 characteristics 179
 dimensions 176
 instructions 184
 Miniature Photoelectric Switches 171
 output circuit & wiring diagram 176
 part numbers 171
 specifications 174
 SA1E-B 172
 SA1E-D 172
 SA1E-G 173
 SA1E-L 171
 SA1E-N 172
 SA1E-P 172
 SA1E-T 171
 SA1E-X 173
 SA1U 187
 descriptions 190
 dimensions 191
 instructions 193
 part numbers 187
 specifications 188
 SA1U-B 187
 SA1U-D 187
 SA1U-P 187
 SA1U-T 187
 SA9F 204, 205
 Safe Break Action Design 260
 Safety
 components 258
 overview 256
 selection guide 262
 Safety Control 394
 Selection Guide 394
 Safety Relay 395
 FS1A 416
 HR1S-AC 395
 HR1S-AF 398
 HR1S-ATE 403
 HR1S-DM 401
 HR2S-301P/HR2S-301N 406
 HR2S-332N-T075/T15/T30 411
 Selector Switches 476, 510, 537, 627, 673
 2-Position 570
 3-Position 572
 4- & 5-Position 574
 Sensors
 fiber optic analog 196
 heavy duty photoelectric 187
 high-speed fiber optic 199
 miniature photoelectric switches 171
 SA1C-FK series 196
 SA1C-F series 199
 SA1E series 171
 SA1U series 187
 selection guide
 Datalogic Sensors 163
 IDEC Sensors 160
 SF1V 810

SFA-101 774, 792, 800
 SFA-202 774, 792, 800, 841, 860, 878
 SFA-203 784, 841, 860
 SFA-301 774, 792, 800
 SFA-302 774, 792, 800, 878
 SFA-402 , 861
 SG2-30 431
 SG2-50 431
 SG2-90 431
 SG2 Series
 light curtains 431. *See also* Type 2 SG2 Series
 SG4 Series
 light curtains. *See also* Type 4 SG4 Series
 SH1B-05 774
 SH1B-51 774
 SH1B-62 774
 SH1B-05C 774
 SH2B-05 774
 SH2B-05C 774
 SH2B-51 774
 SH2B-62 774
 SH3B-05 774
 SH3B-05C 774
 SH3B-05F1 774
 SH3B-51 774
 SH3B-62 774
 SH4B-02F1 774
 SH4B-05 774
 SH4B-05C 774
 SH4B-51 774
 SH4B-62 774
 Shrouds
 HW series 600
 XA E-Stops 465, 505
 XW E-Stops 266, 528
 Signaling Lights
 jumbo dome pilot lights 721
 LD6A Signalight Towers 704
 LH Series Surface Mount Indicators 716
 LT7 Series Light Towers 713
 panel mounted annunciators
 SLC30-IPS series 730
 SLC30 series 722
 SLC40 series 737
 selection guide 702
 SLC30-IPS series 730
 SLC30 series 722
 SLC40 series 737
 SJ1S-05B 760
 SJ1S-07L 760
 SJ1S-61 760
 SJ2S-05B 760
 SJ2S-07L 760
 SJ2S-61 760
 SJ9Z 760
 SJ9Z-C 760
 SJ9Z-J 760
 SLC 748
 SLC-3 747, 748
 SLC-4 747, 748
 SLC30-IPS Series 730
 contact operations 736
 dimensions 735
 order form 733
 instructions 732, 734
 panel mounted annunciators 730
 part numbers 732
 specifications 731
 SLC30 Series
 dimensions 727-729

order form 725
 instructions 726
 panel mounted annunciators 722
 part numbers 724
 specifications 723
 window dimensions 727
 SLC30-V 749
 SLC40N 739
 SLC40 Series 737
 accessories 747
 dimensions 742-744
 engraving information 745
 installation instructions 750
 instructions 744
 order form 740
 instructions 741
 panel mounted annunciators 737
 part numbers 739
 replacement parts 748
 specifications 738
 window dimensions 742
 SLC40-V 749
 SLC-J 749
 SLCN 748, 749
 SLC Series
 installation instructions 750
 SLDN 748
 Slim Power Relays
 RJ series 759
 SM2S-05 800
 SM2S-05C 800
 SM2S-51 800
 Sockets
 GE1A series timers 868
 GT3 series timers 860, 861
 GT5P series timers 873
 GT5Y series timers 878
 RF1V series relays 810
 RH series relays 774
 RJ series relays 760
 RQ series relays 770
 RR series relays 783
 RTE series timers 841
 RU series relays 791
 RV8H series relays 756
 RY/RM series relays 800
 Software
 Automation Organizer Suite 123
 selection guide 122
 WindCFG 133
 WindLDR 129
 WindO/I-NV2 124
 WindSRV 135
 Solid State Relays
 RSC series 819
 RSS series
 panel mount 822
 SQ1V-07B 760, 770
 SQ1V-63 760, 770
 SQ2V-07B 760, 770
 SQ2V-63 760, 770
 SQ9Z-C 760, 770
 SQ9Z-J 770
 SQ9Z-L 770
 SQ9Z-P 770
 SR2B-02F1 784
 SR2P 873
 SR2P-05 783, 860, 860
 SR2P-05C 783, 841, 860
 SR2P-06 783, 841, 860, 873
 SR2P-51 783, 861, 873

SR3B-02F1 784
 SR3B-05 783, 841
 SR3B-51 783
 SR3P-01F1 784
 SR3P-05 783, 841, 860
 SR3P-05C 783, 841, 860
 SR3P-06 783, 860
 SR3P-51 783, 861
 SR6P-M08G 841, 861, 868
 SR6P-M11G 841, 861
 SR6P-S08 841, 861
 SR6P-S11 841, 861
 Subminiature Interlock Switch 271
 HS6B series 271
 Subminiature Interlock Switches with Solenoid 290
 HS6E Series 290
 Supported Drivers
 Operator Interface 37
 SV1H 756
 SV9Z 756
 Switch Engraving Order Form
 HW series 598
 L6 Series 517
 TW series 642
 TWTD series 686
 Switches & Pilot Devices
 A8 series 456
 AP series 452
 ARN series 697
 CS Series 690
 CW series 531
 E-Stops
 XA series 461
 XN series 654
 XW series 263, 525
 FB series enclosures 652
 full size NEMA pushbuttons
 TWTD series 660
 heavy duty cam switches
 CS series 690
 HW series 531, 549
 IEC style global pushbuttons
 HW series 549
 L6 Series 502
 LB Series 468
 miniature pilot lights
 AP series 452
 miniature switches & pilot devices
 A8 Series 456
 L6 series 502
 LB series 468
 mono-lever switches
 ARN series 697
 NEMA style pushbuttons
 TW series 611
 selection guide 450
 TW series 611
 TWTD series 660
 XA E-Stops 461
 XN E-Stops 654
 XW E-Stops 263, 525
 SX9Z-A 445
 SY2S-02F1 774, 800
 SY2S-05 800
 SY2S-05C 800
 SY2S-51 800
 SY2S-61 800
 SY4S-02F1 774, 792, 878
 SY4S-05 800, 878
 SY4S-05C 800, 878
 SY4S-51 800, 878

SY4S-51F1 774, 792, 800
 SY4S-61 800, 878
 SY4S-62 800, 878

T

Terminal Blocks
 BA series 907
 BNH/BN series 901
 BN series 905
 BX series 908
 selection guide 900

Terms & Conditions 949

Timers
 analog timers
 GT3A Series 843
 RTE Series 836
 dual time range timers
 GT3W Series 856
 ON delay timers
 GE1A Series 866
 GT5P Series 870
 GT5Y Series 875
 selection guide 830
 timing diagrams overview 832
 True OFF Delay Timers
 GT3F Series 851

True OFF Delay Timers
 GT3F Series 851

TW-D 567, 569, 577, 579, 581, 583,
 587, 589, 592, 615, 619, 626,
 630, 634

TWD-0 667, 669, 672, 678

TW-DB 340, 561

TW-F 567, 569, 581, 583, 592, 619, 622,
 634, 644, 682, 749

TW-FA1 599

TW-H 630

TW-HC1- 571, 573, 575, 675

TW-K 643

TW-KC1 340

TW-L 619, 625, 634

TWN-A 644

TW Series - 22mm 611
 accessories 643
 contact arrangement charts 635
 custom selector switch building guide
 638
 dimensions 645
 FB series enclosures 652
 general instructions 649
 nameplates 640
 nameplates order form 641
 NEMA style pushbuttons 611
 operator truth tables 639
 part numbers 614
 specifications 612
 switch engraving order form 642

TW-SK 643, 682

TWST-T1 657

TW-T 567, 569, 581, 583, 619, 622,
 626, 634

TWTD Series 660
 accessories 682
 contact arrangement charts 679
 contact ratings 661
 dimensions 687
 nameplates 684
 nameplates order form 685
 non-illuminated pushbuttons 662, 664
 operating instructions 689

operator truth tables 681
 specifications 661
 standard legend codes 684
 switch engraving order form 686

Type 2 SG2 Series 431
 accessories 432
 dimensions 434
 laser pointer 432
 mounting brackets 432
 specifications 433

Type 4 SG4 Series 435
 accessories 436
 dimensions 438
 laser pointer 436
 mounting bracket 439
 mounting brackets 436
 part numbers 435
 specifications 437

U

UCSQM 690
UCSQO 690
Universal Relays
 RU series 790
UPQW-1 622

W

W4P-1 564
Web Server Module 73
W-G 559
WindCFG 133
WindLDR 129
WindLGC 138
 software for IDEC SmartRelay 114
WindMSG
 software for HG1X character display 124
WindO/I-NV2 124
WindSRV 135

X

XA1E-B 444, 462, 463
XA1E-L 462
XA9Z-K 465, 505
XA9Z-L 465
XA9Z-V 465
XA E-Stops 444, 461
 accessories 465
 AS-Interface
 safety at work 444
 contact ratings 464
 dimensions 447, 465, 758
 nameplates 465
 operating instructions 448, 466
 part numbers 444, 462, 756
 shroud 465
 specifications 445, 461, 757

XN1E 655
XN1E-B 655
XN1E-L 655
XN4E 655
XN4E-B 655
XN4E-L 655
XN5E 655
XN5E-B 655
XN5E-L 655
XN9Z-HASP 657
XN9Z-T 657

XN E-Stops 654
 accessories 657
 contact ratings 656
 dimensions 657
 nameplates 657
 operating instructions 658
 part numbers 655
 specifications 654
 terminal arrangements 656

XW1E-B 264, 444, 526
XW1E-L 264, 526
XW9Z-C 445
XW9Z-V 266, 528, 657
XW E-Stops 263, 444, 525
 accessories 266, 528
 AS-Interface
 safety at work 444
 dimensions 266, 447, 528, 758
 EMO switches 264
 FB enclosures 264
 FB series enclosures 444, 652
 nameplates 266, 528
 operating instructions 267, 448, 529
 part numbers 264, 444, 526, 756
 selection guide 262
 shrouds 266, 528
 specifications 263, 445, 525, 757

XW Series 525
 dimensions 528
 part numbers 526
 Specifications 525

Y

Y703-1 784
Y778-0 775, 784, 793, 800
YC1K-5 884
YC1K-5B 884
YC1K-6 884
YC1K-6B 884
YC1N-5 883, 884
YC1N-5B 883, 884
YC1N-6 883, 884
YC1N-6B 883, 884
YC1N-100 894, 895
YC1N-125 894, 895
YC1N-150 894, 895
YC1N-180 894, 895
YC1N-220 894, 895
YC1N-300 894, 895
YC1N(K) Series 883
 accessories 885
 dimensions 886
 electrical diagrams 886
 part numbers 883
 by amp rating (AC coil) 884
 by amp rating (DC coil) 884
 by horsepower rating (AC coil) 883
 by horsepower rating (DC coil) 884
 by kilowatt rating (AC coil) 884
 by kilowatt rating (DC coil) 884
 specifications 885

YC1N Series 894
 accessories 895
 dimensions 897
 electrical diagram 898
 part numbers 894
 by amp rating 895
 by horsepower rating 894
 by kilowatt rating 895
 specifications 896

YC1U-9 887, 888
YC1U-9B 887, 888
YC1U-11 887, 888
YC1U-11B 887, 888
YC1U-16 887, 888
YC1U-16B 887, 888
YC1U-18 887, 888
YC1U-27 887, 888
YC1U-32 887, 888
YC1U-38 887, 888
YC1U-50 887, 888
YC1U-65 887, 888
YC1U-80 887, 888
YC1U Series 887
 accessories 889
 dimensions 891
 electrical diagrams 893
 part numbers 887
 by amp rating 888
 by horsepower rating 887
 by kilowatt rating 888
 specifications 890

YC9Z-CI6 885
YC9Z-CI18 889
YC9Z-CI35 889
YC9Z-CI100 895
YC9Z-CNA 885
YC9Z-CNA111BC 895
YC9Z-CNA111SR 889
YC9Z-CUA 889
YC9Z-LCN 895
YC9Z-LCU 889
YC9Z-RHN 895
YC9Z-RHU 889
YC9Z-RHU5 885
YC9Z-SS 885, 889, 895
YW 534
YW-E 535, 539, 542, 545

Index

Hazardous Location

Approvals & Standards

Mature Product List

Terms