




TURCK



**PROCESS
AUTOMATION**



**THE FULL RANGE FOR
PROCESS
AUTOMATION**

www.turck.com

Glossary

Abrasion Resistance

Ability of wire, cable or material to resist surface wear.

ABS

American Bureau of Shipping. Establishes and administers standards for the design, construction, and operational maintenance of marine vessels and structures.

AC Alternating Current

Current in which the charge-flow periodically reverses and is represented by: $I = I_0 \cos(2\pi f + \phi)$ [$I = I_m \cos(\omega t + \phi)$] where I is the current, I_0 is the amplitude, f the frequency, ϕ the phase angle.

Active Hub

A multiple port repeater or amplifier that lengthens the branching ability of a bus.

Address

A unique logical point on the bus.

Ambient Temperature

The temperature of a medium (gas or liquid) surrounding an object.

Ampere (A)

The unit of current. One ampere is the current flowing through one ohm of resistance at one volt potential.

Amplifier

A product that strengthens a signal in real time, precisely copying the old signal. Links two portions of the same bus together when the signal is weakened by electrical losses as it travels down a wire. An amplifier is used when the signal is weak, but not distorted.

Analogue I/O

Variable 2-wire continuous low level current or voltage signal.

ANSI

Abbreviation for American National Standards Institute.

Armored Cable

A cable provided with a wrapping of metal for mechanical protection.

armorfast®

TURCK's brand name for a cordset with metal clad cable (NEC type MC)

AWG (American Wire Gauge)

The standard system used for designating wire diameter. The lower the AWG number, the larger the diameter. Also called the Brown and Sharpe (B&S) wire gauge.

AWM (Appliance Wiring Material)

A UL designation covering insulated wire and cable for internal wiring of appliances and equipment.

Axial Approach

The approach of the target with its center maintained on the sensor reference axis.

Axially Polarized Ring Magnet

A ring magnet whose poles are the two flat sides of the disk. Mounted on pistons for *permaprox*® cylinder position sensing through nonmagnetic cylinder walls.

BA - Bitwise Arbitration

A form of collision detection on a network. All senders must also be receivers. Bus line must be a specific length or less so all nodes hear the bit at the same time.

Barrier Box

Limits current voltage to an area.

Binder

A spirally served tape or thread used for holding assembled cable components in place awaiting subsequent manufacturing operations.

Bit Encoding

A time reference placed on an electrical or light signal to distinguish high and low bits.

Bit

One piece of data that means either 'High-Low' or 'ON-OFF'.

Braid

A fibrous or metallic group of filaments interwoven in cylindrical form to form a covering over one or more wires.

Branch

One type is a double-sided node that connects two connects two a segments together that are the same protocol but different transmission speeds. The other is a smart repeater that only repeats the data between two bus segments when the source and destination are in different protocols.

Bus Junction

TURCK's designation for a Connectorized passive hub.

Bus Module

TURCK's designation for any field node, whether it uses terminal screws, connectors, or a combination of connecting means.

Bus Occupant

Any active or passive device on a network.

Bus Station

TURCK's designation for a fully Connectorized field node, but not a master or gateway.

Bus

A simple straight-line topology.

Busline

Any group of wires that carries data from node to node.

Byte

8 bits of information.

Cable

A stranded conductor with or without insulation and other coverings (single-conductor cable), or a combination of conductors (multiple-conductor cable).

Capacitive Proximity Sensor

A proximity sensor producing an electrostatic field that senses conductive targets and nonconductive materials having a dielectric constant of >1 within its sensing zone.

Carrier

The bit encoded signal carrying the data can ride on top of an AC or DC carrier. Advantages to using a carrier are that both power and data can be sent on just 2 wires and longer transmission capabilities without distortion.

CD - Collision Detection

A form of collision detection on a network. All senders must also be receivers. If two nodes start talking at the same time they will hear a collision. Both stop talking, wait a random amount of time, then look for a clear line to start talking again.

Checksum

A numerical representation of all the bits that is prepared by the sender and included in the message. The receiver performs the same calculation and compares the results. If they are not equal the data is considered bad and not used.

Client/Server

Upload/download information, set point changes, alarm management, remote diagnostics and one-to-one communications.

Color Code

Wire or circuit identification by color, utilizing solid colors, tracers, braids, surface printing, etc.

Complementary Output

Two outputs, one N.O. and one N.C., that can be used simultaneously. **The sum of both load currents cannot exceed the sensor's rated Continuous Load Current.**

Conductivity

The ability of a material to allow electrons to flow, measured by the current per unit of voltage applied. It is the reciprocal of resistivity.

Conductor

A wire (or combination of wires not insulated from one another) suitable for carrying electric current.

Conduit

A tube or trough in which insulated wires and cables are run.

Connector

A device used to provide rapid connect / disconnect service for electrical cable and wire terminations.

Contact Holder

Insulating device that holds the contacts in their proper position

Contact

The parts of a connector that actually carry the electrical current and that are touched together or separated to control the flow.

Continuous Load Current

The maximum current allowed to continuously flow through the sensor output in the ON state.

Cord

A small, flexible insulated cable.

Cordset

Portable cord fitted with a wiring device at one or both ends.

Correction Factors

Percentage of the rated operating distance (Sn) that represents the operating distance for targets constructed from materials other than mild steel (mild steel's correction factor is 1.0).

CPE (Chlorinated Polyethylene)

A flexible material with high tear strength and good resistance to most inorganic chemicals. It is inherently difficult to ignite. A Thermoset plastic.

Creepage

The conduction of electricity across the surface of a dielectric.

Crimp Termination

A connection in which a metal sleeve is secured to a conductor by mechanically crimping the sleeve with pliers, presses or automated crimping machines.

Current (I)

The rate of transfer of electricity. Practical unit is the ampere, which represents the transfer of one coulomb per second. In a simple circuit, current (I) produced by a cell or electromotive force (E) when there is an external resistance (R) and internal resistance (r) is: $I = E / (R + r)$

Current Carrying Capacity

The maximum current an insulated conductor can safely carry without exceeding its insulation and jacket temperature limitations.

Cut-Through Resistance

The ability of a material to withstand mechanical pressure, usually a sharp edge or small bending radius, without separation.

Dielectric Strength

The voltage that an insulator can withstand before breakdown occurs. Usually expressed as a voltage gradient (such as volts per mil).

Differential Travel (Hysteresis)

The difference between the operating point as the target approaches the sensor face, and the release point as the target moves away. Given as a percentage of the operating distance (Sn).

Direct Current (DC)

An electric current that flows in only one direction.



Discrete I/O

Signaling where the supply is typically switched to designate a change of state.

DNV

Det Norske Veritas. Management system certification body.

Drain Wire

In a cable, the bare wire laid over the component or components and used as a ground connection.

Dropline

A reduced branch (spur) from a trunk line.

Dynamic Output

A sensor output that stays energized for a set duration of time, independent of the time the target is present (one-shot).

Earth

British terminology for zero-reference ground.

EDS - Electronic Data Sheet

Electronically readable ASCII text files that contain both general and device-specific parameters for communication and network configuration (DeviceNet™).

EIA RS-485

A standard that defines the number of signal generators (the components that create the signal), the receiver and a combination of the called a transceiver. It also defines the electrical signal.

Embeddable (Shielded) Proximity Sensor

A sensor that can be flush-mounted in any material without that material influencing the sensing characteristics.

End of Message

Lets other occupants of the bus know the transmission is over and other messages can be sent.

EPDM

Ethylene-propylene-diene monomer rubber. A material with good electrical insulating properties. A Thermoset plastic.

eurofast®

M12x1 threads, single key, 2 - 6, 8, 10, 12-pin

Explicit Message

A command from another node.

Exposed Run/Direct Burial

Cable construction meeting the crush and impact requirements of metal clad cables without metal clad. For use as exposed wiring between cable tray and equipment.

extremelife™

Heavy duty cable for extreme temperature environments. These cables provide excellent resistance to extreme cold temperatures and oilfield drilling muds.

Extruded Cable

Cable with conductors that are uniformly insulated and formed by applying a homogeneous insulation material in a continuous extrusion process.

Fillers

Non-conducting components cabled with the insulated conductors or optical fibers to impart roundness, flexibility, tensile strength, or a combination of all three, to the cable.

firefast®

High temperature protective sleeving.

FKS - Frequency Shift Key

A common bit encoding method for modulated signals.

flexlife-10®

Unique cable designed for robotic and other continuous motion applications.

Free Zone

The space around a proximity sensor that must be kept free of any material capable of affecting the sensing characteristics.

Gateway

A node on two different buses that serves as a signal and data translator between the buses.

Ground Loop

A completed circuit between shielded pairs of a multiple pair created by random contact between shields. An undesirable circuit condition in which interference is created by ground currents when grounds are connected at more than one point.

Ground Potential

The potential of the earth. A circuit, terminal or chassis is said to be at ground potential when it is used as a reference point for other potentials in the system.

Ground

An electrical connection to the earth, generally through a ground rod. Also a common return to a point of zero potential, such as the metal chassis of equipment.

GSD - General Station Description

Electronically readable ASCII text files that contain both general and device-specific parameters for communication and network configuration (PROFIBUS).

HART

Two-way digital communication protocol for process measurement.

Hygroscopic

Capable of absorbing moisture from the air.

IEC

European Standardization agency; International Electrotechnical Commission.

IEEE

Institute of Electrical and Electronics Engineers

Inductive Magnet Operated Sensor (permaprox®)

A solid-state sensor consisting of a sensing element susceptible to magnetic field strengths of 20-350 Gauss, and switching circuitry similar to that of an inductive proximity sensor.

Inductive Proximity Sensor

A proximity sensor producing an electromagnetic field that senses only metal targets within its sensing zone.

Input

A signal (or power) which is applied to a piece of electrical apparatus or the terminals on the apparatus to which a signal or power is applied.

Inrush Current

The maximum short-term load current that the output of a sensor can tolerate.

Insulation

A material having good dielectric properties that is used to separate close electrical components, such as cable conductors and circuit components.

IP Rating

Ingress Protection rating per IEC 529.

Irradiation

In insulation, the exposure of the material to high-energy emissions for the purpose of favorably altering the molecular structure.

ITC

Instrument Tray Cable. NEC classification for cable resistant to the spread of fire and suitable for use in cable trays. 150 V rating.

Jacket

Pertaining to wire and cable, the outer protective covering, may also provide additional insulation.

LAS - Link Active Scheduler

Controls communication on the bus. Creates a token circulation list that defines access on the bus. Multiple devices may have LAS but only one can communicate at a time.

Lateral Approach

The approach of a target perpendicular to the sensor reference axis.

LED

Light Emitting Diode used to indicate device status.

Limited Peer-to-Peer

An exclusive one-to-one relationship between the input node and the output node. Also called exclusive peer-to-peer.

Line Voltage

The value of the potential existing on a supply or power line.

Load

A device that consumes power from a source and uses that power to perform a function.

lokfast™ Guard

Guards for minifast and eurofast connections in hazardous locations. The guard requires a tool to remove.

M Threading

ISO 68 Metric straight threading, designated as "Nominal Size" X "Pitch", in mm. (Ex. M5X0.5)

Manchester

A common bit encoding for digital signals.

MC

Metal Clad Cable. NEC classification for cable resistant to crush and impact based on an outer covering of metal.

Media Access

The "right-of-way" for talking on the bus.

Message Collision Avoidance

A process for eliminating communication collisions on a network. The two major ways to handle a potential collision are CD (Collision Detection) and BA (Bitwise Arbitration).

Messaging

Ways to communicate on the network. The three major types in the run mode are Solicited, Unsolicited and Explicit.

microfast®

½"-20UNF threads, dual key, 2 - 6-pin

microfast®

½"-20UNF threads, dual key, 2 - 6 pin

minifast®

7/8"-16UN threads, 2 - 6-pin

minifast B size

1"-16UN threads, 6 - 8 pin

minifast C size

1 1/8"-16UN threads, 9, 10, 12-pin

Minimum Load Current

The minimum amount of current that is required by the sensor for reliable operation.

Moisture Resistance

The ability of a material to resist absorbing moisture from the air or from water when immersed.

Molded Plug

A connector molded onto either end of a cord or cable.

MOV

Acronym for Metal Oxide Varistor. A solid state device used to suppress voltage surges \ spikes

MSHA

Mine Safety and Health Administration

multibox®

Junction boxes, 4, 6, 8 and 16 port

Glossary

multifast

M23x1 threads, 12, 16 and 19-pin or M27 threads, 26 and 28-pin

Mylar

DuPont trademark for polyester film.

NAMUR Sensor

A 2-wire variable-resistance DC sensor whose operating characteristics conform to DIN 19 234. Requires a remote amplifier for operation. Typically used for intrinsically safe applications.

NAMUR

The acronym for a European standards organization.

National Electrical Code (NEC)

A set of regulations governing construction and installation of electrical wiring and apparatus in the United States, established by the American National Board of Fire Underwriters.

NEMA Rating

An enclosure rating per NEMA Standard 250.

NEMA

National Electrical Manufacturers Association.

Neoprene

A synthetic rubber with good resistance to oil, chemical, and flame. Also called polychloroprene. A Thermoset plastic.

Node

An addressable device on the bus.

Noise

In a cable or circuit, any extraneous signal that tends to interfere with the signal normally present in or passing through the system.

No-Load Current

The current drawn by a DC proximity sensor from the power supply when the outputs are not connected to a load.

Nonembeddable (Nonshielded) Proximity Sensor

A sensor is nonembeddable when a specified free zone must be maintained around its sensing face in order not to influence the sensing characteristics.

Normally Closed (N.C.)

The output is OFF when the target is detected by the sensor.

Normally Open (N.O.)

The output is ON when the target is detected by the sensor.

NPN Output (Current Sinking)

A transistor output that switches the common or negative voltage to the load. Load is between sensor and positive supply voltage.

NPN Output

Transistor output that switches the common or negative voltage to the load (current sinking). Load connected between output and positive supply.

NPSM Threading

American National Standard Straight Pipe Thread for Free-Fitting Mechanical Parts.

NPT Threading

American National Standard Taper Pipe Thread.

NRZ - Non Return to Zero

An encoding method on differential signals such as RS-485 and CANbus.

Off-State (Leakage) Current

The current that flows through the load circuit when the sensor is in the OFF-state. Also known as leakage or residual current.

Ohm (Ω)

The electrical unit of resistance. The value of resistance through which a potential difference of one volt will maintain a current of one ampere.

Ohm's Law

$E = I \times R$. Voltage (E) is directly proportional to the product of current (I) and resistance (R) of circuit.

Operating Distance

A distance at which the target approaching the sensing face along the reference axis causes the output signal to change.

Output

The useful power or signal delivered by a circuit or device.

Overload Protection

The ability of a sensor to withstand load currents between continuous load rating and short-circuit condition with no damage.

PA (Polyamide, Nylon)

An abrasion-resistant thermoplastic with good chemical resistance, also known as polyamide.

Passive Hub

A multi-port tee.

pentafast[®]

M5 threads, 3 and 4-pin

PG Threading

Steel conduit threading per German standard DIN 40 430.

picofast[®]

Snap lock or M8x1 threads, 3, 4 and 6-pin

Plastic

High-polymeric substances, including both natural and synthetic products, but excluding the rubbers, that are capable of flowing under heat and pressure.

PLTC

Power Limited Tray Cable. NEC classification for cable resistant to the spread of fire and suitable for use in cable trays. 300 V rating.

Plug

A connector associated with being attached to a cable.

PNP Output (Current Sourcing)

Transistor output that switches the positive voltage to the load. Load is between sensor and common.

PNP Output

Transistor output that switches the positive voltage to the load (current sourcing). Load connected between output and common.

POM (Polyoxymethylene, Acetal, Delrin)

Polyoxymethylene - a crystalline thermoplastic polymer with a high melting point. It is suitable for mechanical parts or electrical insulators that require structural strength at above normal temperatures.

Potting

The sealing of a cable termination or other component with a liquid that thermosets into an elastomer.

Power Conditioner

Device used to condition the power to be used for a bus segment. Allows power and data to exist on the same wires.

Power Tap

A tee which provides power to the network.

powerfast[®]

1 3/8"-16 threads, 2, 3 and 4 pin or M23 threads, 6, 7 and 9 pins.

Programmable Output

Sensor output whose N.O. or N.C. function can be selected by means of a jumper or specific terminal connection.

Protocol

A small program that is embedded in sending and listening devices to organize the meaning of bits. DeviceNet, AS-interface, PROFIBUS, Ethernet, etc. are all examples of different protocols.

Publisher / Subscriber

Scheduled distribution of data to nodes on the subscriber list.

PUR (Polyurethane)

Broad class of polymers noted for good abrasion and solvent resistance.

PVC (Polyvinyl Chloride)

A general-purpose thermoplastic widely used for wire and cable insulation and jackets.

Radially Polarized Ring Magnet

A ring magnet whose poles are the inner and outer diameter rings.

Rated Operating Distance (Sn)

A conventional quantity used to designate the operating distance. It does not take into account either manufacturing tolerances or variations due to external conditions such as voltage and temperature.

Reference Axis

An axis perpendicular to the sensing face and passing through its center.

Repeatability

The difference between actual operating distances measured at a constant temperature and voltage over an 8-hour period. It is expressed as a percentage (%) of rated operating distance (Sn).

Repeater

Strengthens the bus signal by producing a fresh signal without distortions. It also links two portions of the same bus together. A repeater is used when the signal is weak or distorted.

Resistance (R)

A measure of the difficulty in moving electrical current through a medium when voltage is applied. It is measured in ohms.

Response frequency

The maximum rate that the output can change in response to the input and still maintain linearity.

Response Time

The time required for the device switching element to respond after the target enters or exits the sensing zone.

Retractile Cord

A cord having a specially treated jacket or insulation so that it will retract like a spring. Retractility may be added to all or part of a cord's length.

Reverse Polarity Protection

Internal components that keep the sensor from being damaged by incorrect polarity connection to the power supply.

Ring

A network topology where every node is also a repeater. Information comes into a node, information that pertains to that node is read, new information is added and the message is sent on to the next node.

Ripple

The alternating component remaining on a DC signal after rectifying, expressed in percentage of rated voltage.

RoHS

Restriction of Hazardous Substances

Router

A higher level bridge for connection of wide area networks.

RTD

Resistance Temperature Detector

Rubber

A general term used to describe wire insulation made of thermosetting elastomers, such as natural or synthetic rubbers, neoprene, Hypalon, CPE butyl rubber and others.

Scanner Module

Allen-Bradley's designation for the gateway that plugs into their PLC and interfaces the PLCs bus to the network.

Sensing Face

The surface of the proximity sensor through which the electromagnetic (or electrostatic) field emerges.

Serial Data Communication

"ON-OFF" or "HIGH-LOW" electrical signals.

Serial Data Transfer

Information transmitted one piece at a time in a specific order.

Serve

A filament or group of filaments such as fibers or wires, wound around a central core.

Shield

In cables, a metallic layer placed around a conductor or group of conductors to prevent electrostatic or electromagnetic interference between the enclosed wires and external fields.

Shielded twisted pair

Two conductors twisted together with a metallic covering.

Short-Circuit Protection

The ability of a sensor to withstand a shorted condition (no current-limiting load connected) without damage.

Signal

Any visible or audible indication that can convey information. Also, the information conveyed through a communication system.

Simple Device

Anything that does not have LAS capabilities.

SJOOW

Junior hard service, rubber insulated, portable cord with oil resistant rubber outer jacket. Stranded copper conductors with separator and individual oil and water resistant rubber insulation. Two or more color coded conductors cabled with filler, wrapped with separator and rubber jacketed overall. 300 V.

Slew Rate

The rate of change of the output voltage with respect to a step change in input. A change in output of 0 to 10 volts at a slew rate of 1.25 V/ms would take 8 ms to slew to the new value.

Solicited Message

A response to another node or a response when it is the node's predetermined time to speak.

Solid Conductor

A conductor consisting of a single wire.

Solid State

Pertains to circuits and components using semiconductors without moving parts. Example: transistors, diodes, SCR, etc.

SOOW

Heavy duty, rubber-insulated portable cord with oil resistant rubber outer jacket. Stranded copper conductors with separator and individual oil and rubber insulation. Two or more color-coded conductors cabled with filler, wrapped with separator and rubber jacketed overall. 600 V.

Spanner

TURCK's designation for a double-sided slave node. Unit has bi-directional data from one control area segment to another in a free form format.

Star

Bus lines radiate from a single point.

Start of Message

A certain number of high bits that start a message. These consecutive bits allow the listener time to prepare to receive the data.

Static Output

A sensor output that stays energized as long as the target is present.

STOW

Heavy duty, PVC insulated, portable cord with oil resistant PVC outer jacket. Stranded copper conductors, PVC insulation. Two or more color coded conductors cabled with filler, wrapped with separator and PVC jacketed overall. Approved for outdoor use. 600 V.

Stranded Conductor

A conductor composed of groups of wires twisted together.

Switching Frequency

The maximum number of times per second that the sensor can change state (ON and OFF) under ideal conditions, usually expressed in Hertz (Hz).

System Tee

A field wireable tee.

Tee

Creates a branch or drop from a bus.

Temperature Rating

The maximum temperature at which a material may be used in continuous operation without loss of its basic properties.

Terminating Resistor

A resistor that is put at the beginning and end of the main bus line to stabilize and minimize reflections.

Thermoplastic

A material that will soften, flow or distort appreciably when subjected to heat and pressure.

Thermoset

A material that hardens or sets when heat is applied, and which, once set, cannot be re-softened by heating. The application of heat is called "curing".

Time-Delay Before Availability

The length of time after power is applied to the sensor before it is ready to operate correctly, expressed in milliseconds (ms).

Topology

A bus term that describes how the data lines connect the nodes together.

TPE

Thermo Plastic Elastomer. Broad class of polymers noted for flexibility and weld slag resistance.

TPR

Thermo Plastic Rubber. Another name for TPE.

Trunk line

The main bus line.

Twisted Pairs

A cable composed of two small, insulated conductors twisted together without a common covering.

Unlimited Peer-to-Peer

Output node gets information from several input nodes.

Unsolicited Message

A response to a change-of-state at the node.

Uprox Sensor[®]

An inductive proximity sensor that detects all metals at the same range. Uprox sensors are inherently weld-field immune, operate over a wider temperature range and have a higher switching frequency than standard inductive sensors.

V*fast[®]

DIN 43650, type A, B, I and C

VDE

German approval agency.

versafast[™]

M16 threads, 5, 6, 7, 8, 12, 14 and 19 pin

Versafast[™]

M16 threads, 5, 6, 7, 8, 12, 14 and 19 pin

Volt (V)

A unit of electrical pressure. One volt is the electrical pressure that will cause one ampere of current to flow through one ohm of resistance.

Voltage Rating

The highest voltage that may be continuously applied to a wire in conformance with standards or specifications.

Voltage

The term most often used in place of electromotive force, potential difference, or voltage drop. Designates the electric pressure existing between two points that is capable of producing a current when a closed circuit is connected between these points.

VW-1

A flammability rating established by Underwriters Laboratories for wires and cables that pass a specially designed vertical flame test, formerly designated FR-1.

Weld-Field Immunity (WFI)

The ability of a sensor not to false-trigger in the presence of strong magnetic fields typically produced by resistance welders.

Wicking

The longitudinal flow of a liquid in a wire or cable due to capillary action.

Wire-Break Protection

Results in the output being OFF on a DC sensor if either supply wire is broken.

Word

2 bytes.

TURCK

Process Automation Products

Index

1/2 A4-AK M76	ASI-BM BW1181 G109	ASI-EIPG-SS BW1828 F13
3/8 A4-AK M76	ASI-BM BW1182 G110	ASI-EIPG-SS BW1828 G17
91-SSP 1 Ft. M124	ASI-BM BW1183 G110	ASI-EIPG-SS BW1829 F13
91-SSP 2 Ft. M124	ASI-BM BW1438 G109	ASI-EIPG-SS BW1829 G17
91-SSP 3 Ft. M124	ASI-CCG BW1435 G31, G32	ASI-EIPG-SS BW1833 F13
91-SSP 4 Ft. M124	ASI-CODEBLK BW1527 G73	ASI-EIPG-SS BW1833 G17
91-SSP 5 Ft. M124	ASI-COG-SS BW1821 G25	ASI-EIPG-SS-C1D2 BW1834 F13
91-SSP 6 Ft. M124	ASI-COG-SS BW1822 G25	ASI-EIPG-SS-C1D2 BW1834 G17
AI40EX D11	ASI-COG-SS BW1823 G25	ASI-EIPG-SS-C1D2 BW1835 F13
AI41EX D11	ASI-CPL BW1187 G103	ASI-EIPG-SS-C1D2 BW1835 G17
AIH40EX D11	ASI-CPL BW1280 G103	ASI-EIPG-SS-C1D2 BW1836 F13
AIH41EX D11	ASI-CT BW1203 G108	ASI-EIPG-SS-C1D2 BW1836 G17
A040EX D13	ASI-CT-AB BW1563 G108	ASI-ENG-SS BW1650 F11
A0H40EX D13	ASI-CT-SS BW1602 G108	ASI-ENG-SS BW1650 G15
ASI-AI/DO-2RTD/2R BW1552 G55	ASI-DNG-SS BW1818 J81	ASI-ENG-SS BW1651 F11
ASI-AI-02-M12 BW1894 G65	ASI-DNG-SS BW1818 G13	ASI-ENG-SS BW1651 G15
ASI-AI-02-M12-V3 BW1893 G65	ASI-DNG-SS BW1819 J81	ASI-ENG-SS BW1652 F11
ASI-AI-02RTD-M12-V3 BW1895 G65	ASI-DNG-SS BW1819 G13	ASI-ENG-SS BW1652 G15
ASI-AI-1C BW1711 G71	ASI-DNG-SS BW1820 J81	ASI-ENG-SS-C1D2 BW1659 F11
ASI-AI-1C BW1723 G71	ASI-DNG-SS BW1820 G13	ASI-ENG-SS-C1D2 BW1659 G15
ASI-AI-1SCALE BW1465 G63	ASI-DNG-SS-C1D2 BW1824 J81	ASI-ENG-SS-C1D2 BW1660 F11
ASI-AI-2 BW1232 G51	ASI-DNG-SS-C1D2 BW1824 G13	ASI-ENG-SS-C1D2 BW1660 G15
ASI-AI-2 BW1233 G51	ASI-DNG-SS-C1D2 BW1825 J81	ASI-ENG-SS-C1D2 BW1661 F11
ASI-AI-2 BW1345 G49	ASI-DNG-SS-C1D2 BW1825 G13	ASI-ENG-SS-C1D2 BW1661 G15
ASI-AI-2 BW1447 G49	ASI-DNG-SS-C1D2 BW1826 J81	ASI-EVAL-KIT BW1565 G108
ASI-AI-2A BW1726 G49	ASI-DNG-SS-C1D2 BW1826 G13	ASI-IOM-0006-PCB BW1627 G84
ASI-AI-2C BW1574 G71	ASI-DPG BW1253 H45, H46	ASI-IOM-0202-PCB BW1421 G84
ASI-AI-4 BW1364 G53	ASI-DPG BW1253 G31, G32	ASI-IOM-0202-PCB BW1443 G84
ASI-AI-4 BW1365 G53	ASI-DPG BW1371 H45, H46	ASI-IOM-0202-PCB BW1444 G84
ASI-AI-4C BW1710 G71	ASI-DPG BW1371 G31, G32	ASI-IOM-0202R-PCB BW1101 G89, G90
ASI-AI-4-M12 BW1359 G67	ASI-DPG-SS BW1567 H41	ASI-IOM-0403-PCB BW1386 G84
ASI-AI-4-M12 BW1360 G67	ASI-DPG-SS BW1567 G21	ASI-IOM-0403-PCB BW1387 G84
ASI-AI-4-M12 BW1742 G67	ASI-DPG-SS BW1568 H41	ASI-IOM-0404A-PCB-BW1388 G86
ASI-AI-4PT100 BW1254 G55	ASI-DPG-SS BW1568 G21	ASI-IOM-0404A-PCB-BW1389 G86
ASI-AI-4PT100 BW1368 G53	ASI-DPG-SS BW1569 H41	ASI-IOM-0404A-PCB-L-BW1628 G86
ASI-AI-4PT100-M12 BW1363 G67	ASI-DPG-SS BW1569 G21	ASI-IOM-0404-PCB BW1218 G84
ASI-ANALYSER BW1415 G107	ASI-DPG-SS-B BW1746 H43	ASI-IOM-0404-PCB BW1219 G84
ASI-AO-2 BW1234 G59	ASI-DPG-SS-B BW1746 G23	ASI-IOM-0404-PCB-L BW1470 G84
ASI-AO-2 BW1235 G59	ASI-DPG-SS-C1D2 BW1653 H41	ASI-IOM-0800-PCB BW1351 G84
ASI-AO-2 BW1412 G57	ASI-DPG-SS-C1D2 BW1653 G21	ASI-IOM-0800-PCB BW1352 G84
ASI-AO-2A BW1727 G57	ASI-DPG-SS-C1D2 BW1654 H41	ASI-IOM-0808-PCB -BW1898 G87
ASI-AO-4 BW1366 G61	ASI-DPG-SS-C1D2 BW1654 G21	ASI-IOM-0808-PCB-V3-BW1899 G87
ASI-AO-4 BW1367 G61	ASI-DPG-SS-C1D2 BW1655 H41	ASI-IOM-1616-PCB-BW1900 G87
ASI-AO-4-M12 BW1361 G69	ASI-DPG-SS-C1D2 BW1655 G21	ASI-IOM-1616-PCB-V3-BW1901 G87
ASI-AO-4-M12 BW1362 G69	ASI-DPG-SS-SE BW1773 H41	ASI-IOM-E0202A-PCB-ES BW1751 G101
ASI-AO-4-M12 BW1722 G69	ASI-DPG-SS-SE BW1773 G21	ASI-IOM-E0202A-PCB-ES BW1801 G101
ASI-AO-4-M12 BW1736 G69	ASI-DPG-SS-SE BW1774 H41	ASI-IOM-E0202A-PCB-ES BW1896 G101
ASI-BM BW1180 G109	ASI-DPG-SS-SE BW1774 G21	ASI-MBG-SS BW1641 G27



ASI-MBG-SS BW1642	G27	B 4141-0/13.5	K215	BCA 49SC-M123	E51
ASI-MBG-SS BW1643	G27	B 4141-0/9	K215	BCA 49SC-M223	E51
ASI-MBG-SS-C1D2 BW1656	G27	B 4148-0/13.5	H103	BCA 57-E123	J122
ASI-MBG-SS-C1D2 BW1657	G27	B 4148-0/9	H103	BCA 57-E223	J122
ASI-MBG-SS-C1D2 BW1658	G27	B 4151-0/13.5	K215	BCA 57-M123	J121
ASI-MBPG BW 1583	G30	B 4151-0/13.5/DNET	J143	BCA 57-M223	J121
ASI-MBPG BW1583	G29	B 4151-0/16	K215	BCA 84-E124	F25
ASI-MM232-SS BW1944	G33	B 4151-0/9	K215	BCA 84-E224	F25
ASI-MM232-SS BW1955	G33	B 4151-0/9/DNET	J143	BCS-ASI-CSG22	G47
ASI-MM232-SS-CTL BW1986	G33	B 4231-0/9	K216	Bi 1.5-EG08K-Y1	L49
ASI-MMISA BW1228	G35	B 4241-0/9	K216	Bi 1.5-EG08K-Y1-H1341	L49
ASI-MMPC104 BW1229	G35	B 4251-0/9	K216	Bi 1.5-EG08K-Y1X-H1341	L49
ASI-MMPCB BW1554	G81	B 8141-0	K219	Bi 1.5-EG08-Y1	L49
ASI-MM-PCB BW1588	G81	B 8141-0/PG 9	K219	Bi 1.5-EG08-Y1-H1341	L49
ASI-MM-PCB BW1670	G81	B 8141-0/PG9	H104	Bi 1.5-G08-Y1	L49
ASI-MMPCI BW1195	G35	B 8141-0/PG9	E68	Bi 1.5-GS880-Y0	L49
ASI-MMPCI-V3 BW1911	G35	B 8141-0/PG9	G152	Bi 2.5-EG16CA-FDZ32X2	L21
ASI-MMPCI-V3 BW1922	G35	B 8151-0/PG 9	K219	Bi 2.5-EG16CA-FDZ32X2-B1151	L21
ASI-MON BW1770	G108	B 8151-0/PG9/DNET	J144	Bi 2-EG12-AN6X	L53
ASI-OEM-PWR BW1485	G91	B 8181-0	K219	Bi 2-EG12-AP6X	L53
ASI-PCB-CARRIER BW1484	G91	B 8241-0	K220	Bi 2-EG12-RP6X	L53
ASI-PD BW1646	G107	B 8241-0/PG 9	K220	Bi 2-EG12-Y0X	L49
ASI-PE BW1197	G97	B 8241-0/PG9	H104	Bi 2-EM12-Y0X-H1141	L49
ASI-PE BW1477	G97	B 8241-0/PG9	E68	Bi 2-G08-AN6	L53
ASI-PE-2 BW1943	G98	B 8241-0/PG9	G152	Bi 2-G12-AN6	L53
ASI-PE-2.8A-C1D2 BW1713	G97	B 8251-0/PG 9	K220	Bi 2-G12-AN6X	L53
ASI-PE-4A-C1D2 BW1714	G97	B 8251-0/PG9/DNET	J144	Bi 2-G12-AP6	L53
ASI-PM 41	G142	B3.0/2-PKZO	C55	Bi 2-G12-AP6X	L53
ASI-PM-1 BW1238	G142	B3.0/4-PKZO	C55	Bi 2-G12K-AN6X	L53
ASI-PM-1 BW1239	G142	B3.0/5-PKZO	C55	Bi 2-G12K-AP6	L53
ASI-PNG-SS BW1912	F15	B6S-SBCSBC	C59	Bi 2-G12K-AP6X	L53
ASI-PNG-SS BW1912	G19	B6T-SBCSBC	C59	Bi 2-G12K-RN6X	L53
ASI-PS BW1649	G93	BCA 25-E123	G138	Bi 2-G12K-RP6X	L53
ASI-PS-24/30VDC-2A BW1760	G94	BCA 25-E223	G138	Bi 2-G12-RN6X	L53
ASI-PS-8A BW1997	G93	BCA 25-M123	G137	Bi 2-G12-RP6X	L53
ASI-SCAN-AB BW1416	G11	BCA 25-M223	G137	Bi 2-G12-Y0	L49
ASI-SCAN-AB/ACT BW1610	G11	BCA 25SC-E123	G138	Bi 2-G12-Y0X	L49
ASI-SCAN-AB/ACT BW1611	G11	BCA 25SC-E223	G138	Bi 2-K11-Y1	L49
ASI-SCAN-AB-BW1488	G11	BCA 44-E123	F43	Bi 2-M12-AN6X	L53
ASI-SIM-SW BW1902	G108	BCA 44-E223	F43	Bi 2-M12-AP6X	L53
ASI-SM-1 BW1764	G99	BCA 48-E123	H90	Bi 2-M12E-Y0X-H1141	L49
ASI-SM-2 BW1765	G99	BCA 48-E223	H90	Bi 2-M12-RP6X	L53
ASI-TERM BW1644	G108	BCA 48-M123	H89	Bi 2-M12T-AN6X	L53
ASI-TUNER BW1648	G79	BCA 48-M223	H89	Bi 2-M12T-AP6X	L53
ASI-TUNER-C1D2 BW1715	G79	BCA 49-E123	E52	Bi 2-M12-Y1X-H1141	L49
ASI-TUNER-DIAG BW1843	G79	BCA 49-E223	E52	Bi 2-MT12-Y0X-H1141	L49
B 4131-0/13.5	K215	BCA 49-M123	E51	Bi 2-P12SK-Y1X	L49
B 4131-0/9	K215	BCA 49-M223	E51	Bi 2-P12-Y0	L49

TURCK

Process Automation Products

Index

Bi 2-P12-Y0/S100	L49	Bi 5-P18-Y0	L49	BiD2-G18-Y0-H1141/S212	L49
Bi 2-P12-Y0X	L49	Bi 5-P18-Y0/S100	L49	BK25/3-PKZO	C55
Bi 2-P12-Y1X/S97	L49	Bi 5-P18-Y0X	L49	BK52C 57x-*M	J89
Bi 2-Q08-Y1X	L50	Bi 5-S18-AN6X	L53	BL20-16DI-24VDC-P	C27
Bi 2-Q10S-Y1X	L50	Bi 5-S18-AP6X	L53	BL20-16DO-24VDC-0.5A-P	C29
Bi 2-Q11S-Y1X	L50	Bi 5-S18-RN6X	L53	BL20-1AI-I(0/4...20MA)	C31
Bi 2-Q5.5-Y1X	L50	Bi 5-S18-RP6X	L53	BL20-1AI-U(-10/0...+10VDC)	C31
Bi 2-S12-AN6X	L53	Bi 8-G18-AN6X	L53	BL20-1AO-I(0/4...20MA)	C37
Bi 2-S12-AP6X	L53	Bi 8-G18-AP6X	L53	BL20-1CNT-24VDC	C41
Bi 2-S12-RN6X	L53	Bi 8-G18-RN6X	L53	BL20-1RS232	C39
Bi 2-S12-Y0X-H1141	L49	Bi 8-M18-AN6X	L53	BL20-1RS485/422	C39
Bi 4-EG12-AN6X	L53	Bi 8-M18-AP6X	L53	BL20-1SSI	C39
Bi 4-EM12-AN6X	L53	Bi 8-M18-RN6X	L53	BL20-2AI-I(0/4...20MA)	C31
Bi 4-G12-AN6	L53	Bi 8-M18-RP6X	L53	BL20-2AI-PT/NI-2/3	C35
Bi 4-G12-AN6X	L53	Bi 8-M18T-AN6X	L53	BL20-2AI-THERMO-PI	C35
Bi 4-G12-AP6X	L53	Bi 8-M18T-AP6X	L53	BL20-2AI-U(-10/0...+10VDC)	C31
Bi 4-G12K-AN6X	L53	Bi10-G30-AN6	L53	BL20-2AO-I(0/4...20MA)	C37
Bi 4-G12K-AP6X	L53	Bi10-G30-AN6X	L53	BL20-2AO-U(-10/0...+10VDC)	C37
Bi 4-G12K-RP6X	L53	Bi10-G30-AP6	L53	BL20-2DI-120/230VAC-P	C23
Bi 4-M12-AN6X	L53	Bi10-G30-AP6X	L53	BL20-2DI-24VDC-N	C11
Bi 4-M12-AP6X	L53	Bi10-G30K-AN6	L53	BL20-2DI-24VDC-P	C11
Bi 4-M12-RN6X	L53	Bi10-G30K-AN6X	L53	BL20-2DO-120/230VAC-0.5A	C25
Bi 4-M12-RP6X	L53	Bi10-G30K-AP6X	L53	BL20-2DO-24VDC-0.5A-N	C17
Bi 4-M12T-AN6X	L53	Bi10-G30K-RP6X	L53	BL20-2DO-24VDC-0.5A-P	C17
Bi 4-M12T-AP6X	L53	Bi10-G30-RN6X	L53	BL20-2DO-24VDC-2A-P	C17
Bi 5-CP40-Y1X	L50	Bi10-G30-RP6X	L53	BL20-2DO-R-CO	C21
Bi 5-EG18-AN6X	L53	Bi10-G30-Y0	L49	BL20-2DO-R-NC	C21
Bi 5-EG18-AP6X	L53	Bi10-G30-Y0/S90	L49	BL20-2DO-R-NO	C21
Bi 5-EG18-Y0	L49	Bi10-G30-Y0X	L49	BL20-32DI-24VDC-P	C27
Bi 5-EG18-Y0X	L49	Bi10-M30-RP6	L53	BL20-32DO-24VDC-0.5A-P	C29
Bi 5-G18-AN6	L53	Bi10-M30T-AN6X	L53	BL20-4AI-U/I	C33
Bi 5-G18-AN6X	L53	Bi10-M30T-AP6X	L53	BL20-4DI-24VDC-N	C11
Bi 5-G18-AP6	L53	Bi10-M30-Y1X-H1141	L49	BL20-4DI-24VDC-P	C11
Bi 5-G18-AP6X	L53	Bi10-P30-Y0X	L49	BL20-4DI-NAMUR	C15
Bi 5-G18K-AN6	L53	Bi10-P30-Y1	L49	BL20-4DO-24VDC-0.5A-P	C17
Bi 5-G18K-AN6X	L53	Bi10-Q14-Y0X	L50	BL20-B3S-SBB	C58
Bi 5-G18K-AP6	L53	Bi10-S30-AN6X	L53	BL20-B3S-SBC	C58
Bi 5-G18K-AP6X	L53	Bi10-S30-AP6X	L53	BL20-B3T-SBB	C58
Bi 5-G18K-RN6X	L53	Bi15-G30K-AP6X	L53	BL20-B3T-SBC	C58
Bi 5-G18-RP6X	L53	Bi15-M30-AN6X	L53	BL20-B4S-SBBC	C58
Bi 5-G18-Y0	L49	Bi15-M30-AP6X	L53	BL20-B4T-SBBC	C58
Bi 5-M18-AN6X	L53	Bi15-M30-RP6X	L53	BL20-B6S-SBBSBB	C58
Bi 5-M18-AP6X	L53	Bi15-M30T-AN6X	L53	BL20-B6T-SBBSBB	C58
Bi 5-M18T-AN6X	L53	Bi15-M30T-AP6X	L53	BL20-BR-24VDC-D	C45
Bi 5-M18T-AP6X	L53	Bi15-Q20-Y0X	L50	BL20-E-16DI-24VDC-P	C13
Bi 5-M18T-RP6X	L53	Bi15-Q20-Y0X-H1141	L50	BL20-E-16DO-24VDC-0.5A-P	C19
Bi 5-M18-Y1X-H1141	L49	BIC 84-E424	F26, F45	BL20-E-1SWIRE	C51
Bi 5-P18SK-Y1X	L49	BiD2-G180-Y1/S212	L49	BL20-E-8DI-24VDC-P	C13



BL20-E-8DO-24VDC-0.5A-P	C19	BMSWS 8151-8.5	H63	BTS-DSC26-EB1	L26
BL20-GWBR-DNET	C7	BMSWS 8251-8.5	H63	BTS-DSC26-EB2	L26
BL20-GWBR-DNET	J78	BMWS 8151-8.5	H63	BTS-DSC26-EB3	L26
BL20-GWBR-PBDP	H50	BMWS 8251-8.5	H63	BTS-DSU35-EB1	L25
BL20-GW-DPV1	C8	BPA-44-E113	F44	BTS-DSU35-EBE1	L25
BL20-GW-EN	C9	BPA-45-E113	H66	BTS-DSU35-EBE2	L26
BL20-GW-EN-IP	C10	BPA-57-E113	J123	BTS-DSU35-EU1	L25
BL20-LABEL/BLOCK	C62	BPA-57-M113	J123	BTS-DSU35-Z01	L25
BL20-LABEL/SCHEIBE	C62	BPA-84-E113	F44	BTS-DSU35-Z02	L25
BL20-P3S-SBB	C60	BRPC-49-M213	E53	BTS-DSU35-Z03	L24
BL20-P3S-SBB-B	C60	BS 4131-0/13.5	K217	BTS-DSU35-Z04	L25
BL20-P3T-SBB	C60	BS 4131-0/9	K217	BTS-DSU35-Z05	L25
BL20-P3T-SBB-B	C60	BS 4141-0/13.5	K217	BTS-DSU35-Z06	L25
BL20-P4S-SBBC	C60	BS 4141-0/9	K217	BTS-DSU35-Z07	L24
BL20-P4S-SBBC-B	C60	BS 4148-0/13.5	H103	BU-R16-2x3/4 NPT-SS	M118
BL20-P4T-SBBC	C60	BS 4148-0/9	H103	BV 4149-0/16	E67
BL20-P4T-SBBC-B	C60	BS 4151-0/13.5	K217	BV 4149-0/9	E67
BL20-PF-120/230VAC-D	C43	BS 4151-0/13.5/DNET	J143	BWS 8141-0	K219
BL20-PF-24VDC-D	C43	BS 4151-0/16	K217	BWS 8151-0	K219
BL20-PG-EN	C9	BS 4151-0/9	K217	BWS 8251-0/PG 9	K220
BL20-PG-EN-IP	C10	BS 4151-0/9/DNET	J143	CA GROUND RING - EURO FEMALE	K213
BL20-S3S-SBB	C56	BS 4231-0/9	K218	CA GROUND RING - MINI FEMALE	K213
BL20-S3S-SBC	C56	BS 4241-0/9	K218	CA*E-Q21	L45
BL20-S3T-SBB	C56	BS 4251-0/9	K218	CA-1/CK 12	K212
BL20-S3T-SBC	C56	BS 8141-0	K221	CA-1/CK 19	K212
BL20-S4S-SBBC	C57	BS 8141-0/PG 9	K221	CA-1/CKV 12	K212
BL20-S4S-SBBS	C56	BS 8141-0/PG9	H104	CA-1/CKV 19	K212
BL20-S4S-SBBS-CJ	C56	BS 8141-0/PG9	E68	CA-1/FK 4.5	K211
BL20-S4S-SBCS	C57	BS 8141-0/PG9	G152	CA-1/RKF 30	K209
BL20-S4T-SBBC	C57	BS 8151-0/PG 9	K221	CA-1/RKF 40	K209
BL20-S4T-SBBS	C56	BS 8151-0/PG9/DNET	J144	CA-1/RKF 50	K209
BL20-S4T-SBBS-CJ	C56	BS 8181-0	K221	CA-2/FK 4.5	K211
BL20-S4T-SBCS	C57	BS 8241-0	K222	CA-2/RKF 30	K210
BL20-S6S-SBBSBB	C57	BS 8241-0/PG 9	K222	CA-2/RKF 30/S651	K210
BL20-S6S-SBCSBC	C57	BS 8241-0/PG9	H104	CA-2/RKF 40	K210
BL20-S6T-SBBSBB	C57	BS 8241-0/PG9	E68	CA-2/RKF 40/S651	K210
BL20-S6T-SBCSBC	C57	BS 8241-0/PG9	G152	CA-2/RKF 50	K210
BL20-SWIRE-DIL	C54	BS 8251-0/PG 9	K222	CA-2/RKF 50/S651	K210
BL20-SWIRE-PF	C55	BS 8251-0/PG9/DNET	J144	CBC5 57x-*M	J89
BL67-GW-DN	J76	BSV 4149-0/16	E67	CF-M-3-N1/4-A4	M96
BL67-GW-DP	H48	BSV 4149-0/9	E67	CF-M-3-N1/8-A4	M96
BL67-GW-EN	F6	BSWS 8141-0	K221	CF-M-6-N1/2-A4	M96
BL67-GW-EN-IP	F7	BSWS 8151-0	K221	CF-M-6-N1/4-A4	M96
BL67-GW-EN-PN	F8	BSWS 8241-0	K222	CF-P-3-N1/4-A4	M96
BL67-PG-EN	F6	BSWS 8251-0	K222	CF-P-3-N1/8-A4	M96
BL67-PG-EN-IP	F7	BTS-DS20-KEY	L24	CF-P-6-N1/4-A4	M96
BM 8151-0	K219	BTS-DS20-TK1	L25	CK 12-0	K223
BM1	D21	BTS-DS20-TP1	L25	CK 125-0	K223

TURCK

Process Automation Products

Index

CK 16-0	K223	D9S/T 45x-*M	H55	FDN20-32SN	J65
CK 19-0	K223	D9SM/T 45x-*M	H55	FDN20-4DR	J67
CK-CC	K234	D9T-RS485	D22	FDN20-4S-4XSG	J59
CKF 12-0	K226	D9T-RS485IS	D22	FDN20-4S-4XSG-0189	J61
CKF 16-0	K226	D9T-RS485PG	D22	FDN20-4S-4XSG-DIN	J59
CKF 19-0	K226	DF20EX	D15	FDN20-4S-4XSG-E	J59
CKFD 12-0	K228	DI40EX	D5	FDN20-S0404G-0220	J61
CKFD 16-0	K228	DILM*	C49, C54	FDN-DN1	J53
CKFD 19-0	K228	DM80EX	D9	FDNL-CPG88-T	J15
CKFL 12-0	K227	D040EX	D7	FDNL-CSG88-T	J17
CKFL 16-0	K227	FAS4-CSG43	G39	FDNL-CSG88-T-V	J17
CKFL 19-0	K227	FAS4-CSG43-A	G41	FDNL-L0800-C	J11
CKF-TOOL	K234	FAS4-CSG44	G39	FDNL-L0800-T	J11
CKNM 12-9-*	K191	FAS4-CSG44-A	G41	FDNL-L0800-T-V	J11
CKNM 16-16-*	K191	FAS4-S0003G-A	G45	FDNL-L1600-C	J11
CKNWM 12-9-*	K192	FAS4-S0202G-A	G43	FDNL-L1600-T	J11
CKNWM 16-16-*	K192	FAS4-S0400	G37	FDNL-N0800-T	J13
CK-TOOL	K234	FCI-BP	M75	FDNL-N1600-T	J13
CMBSD 8141-0/PG9	F48	FCI-D04A4P-AP8X-H1141	M65	FDNL-S0800-T	J13
CMBSD 8241-0/PG9	F48	FCI-D08A4P-ARX-H1140/D038	M65	FDNL-S1204H-0142	J21
Connector, RJ45S IDC	F47	FCI-D10A4P-2ARX-H1160/D201	M59	FDNL-S1204H-0153	J21
CORD-DSUB BW1058	G107	FCI-D10A4P-2ARX-H1160/D203	M59	FDNL-S1600-E	J13
CORD-DSUB BW1097	G106	FCI-D10A4P-2ARX-H1160/D205	M59	FDNL-S1600-T	J13
CORD-DSUB BW1226	G107	FCI-D10A4P-AP8X-H1141	M65	FDNL-S1600-T-V	J13
CS 12-0	K225	FCI-D10A4P-ARX-H1140	M65	FDNL-SN0808N-C	J19
CS 125-0	K225	FCI-D15A4P-2ARX-H1160/D209	M59	FDN-MSTR-1220	J49
CS 16-0	K225	FCI-TCDO4A4P-AP8X-H1141	M65	FDN-PCB-22	J69
CS 19-0	K225	FCI-TCDO4A4P-ARX-H1140	M65	FDN-PCB-22-1003-BKT	J71
CS-CC	K234	FCS-50A4-AP8X-H1141/D014	M63	FDN-PCB-22-OEM	J69
CSF 12-0	K226	FCS-G1/2A4-AP8X-H1141	M63	FDNP-CPG88-TT	J25
CSF 16-0	K226	FCS-G1/4A4-ARX-H1140	M63	FDNP-CSG88-TT	J31
CSF 19-0	K226	FCS-G1/4A4-NAEX	M69	FDNP-L0404G-TT	J23
CSFL 12-0	K227	FCS-GL1/2A4-NAEX/D500	M69	FDNP-L0808G-TT	J23
CSFL 16-0	K227	FCS-N1/2A4-AN8X-H1141	M63	FDNP-L0808H-TT	J23
CSFL 19-0	K227	FCS-N1/2A4-AP8X-H1141	M63	FDNP-N1600-TT-0197	J29
CSNM 12-9-*	K191	FCS-N1/2A4-ARX-H1140	M63	FDNP-P0808H-TT	J23
CSNM 16-16-*	K191	FCS-N1/2A4-NA	M67	FDNP-P1204G-TT move	J33
CSNWM 12-9-*	K192	FCS-N1/2A4-NAEX	M69	FDNP-S0008G-TT	J27
CSNWM 16-16-*	K192	FCS-N1/2A4-NAEX-H1141	M69	FDNP-S0008G-TT-V	J27
CSS 12-0	K224	FCS-N1/2A4-NA-H1141	M67	FDNP-S0008H-TT	J27
CSS 125-0	K224	FCS-N1/2A4P-2AP8X-H1140	M61	FDNP-S0016N-TT-0200	J27
CSS 16-0	K224	FCS-N1/2A4P-AP8X-H1141	M61	FDNP-S0404G-TT	J31
CSS 19-0	K224	FCS-N3/4A4-NA-H1141	M67	FDNP-S0808G-ST	J35
CSSNM 12-9-*	K193	FD-G1/2AFM30/34	M76	FDNP-S0808G-TT	J31
CSSNM 16-16-*	K193	FD-G1/4AFM30/34	M76	FDNP-S1204H-TT-0149	J31
CSSNWM 12-9-*	K193	FDN20-16S	J63	FDNP-XSG16-ST	J35
CSSNWM 16-16-*	K193	FDN20-16SN-16XSG	J65	FDNP-XSG16-TT	J31
D9S 45x-*M	H55	FDN20-16XSG	J63	FDNQ-4AI-I-T	J45



FDNQ-4AI-V/I-T	J47	FK-R16-183-SSFE	M118	FS 25-*M/14.75	G145
FDNQ-CSG44-E	J41	FK-R16-202-NSH	M118	FS 25-*M/M20	G145
FDNQ-CSG44-T	J41	FK-R16-205-SSSES	M118	FS 25-*M/NPT	G145
FDNQ-S0002G-T	J39	FK-R16-207-PPS	M118	FS 57 PCB	J135
FDNQ-S0200-T	J37	FKSDD RJ45SF 44	F46	FS 57 PCB KIT	J135
FDNQ-S0201G-T	J41	FKSDE 84x-*M	F19	FS 57-*M	J132
FDNQ-S0400-C	J37	FKSDED 44x-*M	F33	FS 57-*M/14.5	J132
FDNQ-S0400-T	J37	FKSDWE D9S FKSDE 45x-*M-*M	H56	FS 57-*M/14.75	J132
FDNQ-S0404G-MM	J43	FKSDWE D9S/T 45x-*M	H55	FS 57-*M/M20	J132
FDNQ-S0404G-T	J41	FKSDWE D9SM/T 45x-*M	H55	FS 57-*M/NPT	J132
FDNQ-S0800-T	J37	FKSDWE SD9S FKSDE 45x-*M-*M	H56	FS 84 PCB	F27
FDNQ-XSG08-T	J41	FKV 48-*M	H98	FS 84 PCB KIT	F27
FDP20-16S	H35	FKV 48-*M/14.5	H98	FS-CC	K232
FDP20-16XSG	H35	FKV 48-*M/14.75	H98	FSFD 25x-*M	G114
FK 25-*M	G146	FKV 48-*M/M20	H98	FSFD 57 PCB	J136
FK 25-*M/14.5	G146	FKV 48-*M/NPT	H98	FSFD 57x-*M	J88
FK 25-*M/14.75	G146	FKV 49-*M	E62	FSFD 84 PCB	F28
FK 25-*M/M20	G146	FKV 49-*M/14.5	E62	FSFD 84x-*M	F18
FK 25-*M/NPT	G146	FKV 49-*M/14.75	E62	FSFD BK52C 57x-*M	J90
FK 57 PCB	J135	FKV 49-*M/M20	E62	FSFD CBC5 57x-*M	J90
FK 57 PCB KIT	J135	FKV 49-*M/NPT	E62	FSFDD 44x-*M	F32
FK 57-*M	J133	FKV FSV 48/M12	H74	FSFDL 57	J136
FK 57-*M/14.5	J133	FKV FSV 49/M12	E23	FSFDL 84	F28
FK 57-*M/14.75	J133	FKV-CC	K232	FSFDLW 45	H64
FK 57-*M/M20	J133	FKW FSW 45/M12	H61	FSFDV 48x-*M	H70
FK 57-*M/NPT	J133	Flange, 2 inch Tri-clamp	M117	FSFDV 49x-*M	E18
FK 57-IDC	J94	Flange, 2.5 inch Tri-clamp	M117	FSFDW 45 PCB	H64
FK 57-IDC ET	J94	Flange, 3 inch Tri-clamp	M117	FSK-CC	K232
FK 84 PCB	F27	Flange, 4 inch Tri-clamp	M117	FSSDE 84x-*M	F19
FK 84 PCB KIT	F27	FLDP-IM 16-0001	H11	FSSDED 44x-*M	F33
FK-CC	K232	FLDP-IM 32-0001	H13	FSSDWE D9S FKSDE 45x-*M-*M	H56
FKFD 25x-*M	G114	FLDP-IM 8-0001	H11	FSSDWE D9S FSSDWE 45x-*M-*M	H56
FKFD 57 PCB	J136	FLDP-IOM 1616-0001	H25	FSSDWE D9S/T 45x-*M	H55
FKFD 57x-*M	J88	FLDP-IOM 2012-0001	H27	FSSDWE D9SM/T 45x-*M	H55
FKFD 84 PCB	F28	FLDP-IOM 248-0001	H25	FSSDWE SD9S FKSDE 45x-*M-*M	H56
FKFD 84x-*M	F18	FLDP-IOM 84-0001	H21	FSSDWE SD9S FSSDWE 45x-*M-*M	H56
FKFD BK52C 57x-*M	J90	FLDP-IOM 88-0001	H21	FSSDWE SD9S/T 45x-*M-*M	H56
FKFD CBC5 57x-*M	J90	FLDP-IOM 88-0002	H21	FSV 48-*M	H97
FKFDD 44x-*M	F32	FLDP-IOM 88-0002-ST	H23	FSV 48-*M/14.5	H97
FKFDL 57	J136	FLDP-IOM 88-0004	H21	FSV 48-*M/14.75	H97
FKFDL 84	F28	FLDP-IOM124-0001	H29	FSV 48-*M/M20	H97
FKFDLW 45	H64	FLDP-IOM124-0002	H29	FSV 48-*M/NPT	H97
FKFDV 48x-*M	H70	FLDP-OM 16-0001	H17	FSV 49-*M	E61
FKFDV 49x-*M	E18	FLDP-OM 8-0001	H17	FSV 49-*M/14.5	E61
FKFDW 45 PCB	H64	FLDP-OM 8-0002	H17	FSV 49-*M/14.75	E61
FKK-CC	K232	FM-Q21	L45	FSV 49-*M/M20	E61
FKM FS 57/M12	J96	FS 25-*M	G145	FSV 49-*M/NPT	E61
FK-R16-183-SSSES	M118	FS 25-*M/14.5	G145	FSV-CC	K232

TURCK

Process Automation Products

Index

FSV-D06/M12	M75	IM1-22Ex-T	B17	JBBS-48SC-M613	H75
FSV-D08/M12	M75	IM1-451Ex-R	B27	JBBS-48SC-M813	H75
FSV-D10/M16	M75	IM1-451Ex-T	B29	JBBS-49-E413	E41
FSV-D12/M16	M75	IM31-11Ex-i	B33	JBBS-49-E414	E41
FSV-D3/8-M16	M75	IM31-11Ex-U	B35	JBBS-49-E423	E47
FSV-SS 1/2 KIT (2 sets)	M76	IM31-12Ex-i	B37	JBBS-49-E424	E47
FSV-SS 1/2 TS-NPT	M76	IM31-22Ex-i	B39	JBBS-49-E613/3GD	E41
FSV-SS 3/4 KIT (2 sets)	M76	IM31-22Ex-U	B41	JBBS-49-E614	E41
FSV-SS 3/4 TS-NPT	M76	IM33-11Ex-Hi/24 VDC	B47	JBBS-49-E623	E47
FSV-SS 3/8 KIT (2 sets)	M76	IM33-12Ex-Hi/24 VDC	B49	JBBS-49-E624	E47
FSV-SS 3/8 TS-NPT	M76	IM33-22Ex-Hi/24 VDC	B51	JBBS-49-E813	E41
FSV-SS-1/2X1/4	M75	IM34-11Ex-Ci	B59	JBBS-49-E814	E41
FSV-SS-1/4X1/4	M75	IM34-11Ex-I	B55	JBBS-49-E823	E49
FSV-SS-1/8X1/4	M75	IM34-12Ex-Cri	B61	JBBS-49-E824	E49
FSV-SS-3/8X1/4	M75	IM34-12Ex-Ri	B57	JBBS-49-M413	E29
FTCI-1/2D10A4P-2UP8X-H1141	M53	IM35-11Ex-Hi/24 VDC	B73	JBBS-49-M414	E29
FTCI-1/2D10A4P-4UP8X-H1160	M55	IM35-22Ex-Hi/24 VDC	B75	JBBS-49-M423	E33
FTCI-1/2D10A4P-LI-UP8X-H1141	M57	IM72-11Ex/L	B79	JBBS-49-M424	E33
FTCI-3/4D15A4P-2UP8X-H1141	M53	IM72-22Ex/L	B81	JBBS-49-M613	E29
FTCI-3/4D15A4P-4UP8X-H1160	M55	JBBS-25-E413	G125	JBBS-49-M613/EX	E35
FTCI-3/4D15A4P-LI-UP8X-H1141	M57	JBBS-25-E613	G127	JBBS-49-M614	E29
FTCI-3/8D10A4P-2UP8X-H1141	M53	JBBS-25-E623	G131	JBBS-49-M623	E33
FTCI-3/8D10A4P-4UP8X-H1160	M55	JBBS-25-E812	G117	JBBS-49-M624	E33
FTCI-3/8D10A4P-LI-UP8X-H1141	M57	JBBS-25-E813	G129	JBBS-49-M813	E29
FTCS-N1/2A4P-2AP8X-H1140	M61	JBBS-25-M414	G119	JBBS-49-M814	E29
FW5/101-150	C62	JBBS-25-M613	G119	JBBS-49-M823	E33
FW5/1-50	C62	JBBS-25-M614	G119	JBBS-49-M824	E33
FW5/151-200	C62	JBBS-25-M814	G119	JBBS-49SC-E413	E43
FW5/51-100	C62	JBBS-25SC-E413	G133	JBBS-49SC-E613	E43
FXDP-CSG 88-0001	H31	JBBS-25SC-E613	G135	JBBS-49SC-E813	E45
FXDP-IM 16-0001	H15	JBBS-25SC-M413	G121	JBBS-49SC-M413	E31
FXDP-IM 8-0001	H15	JBBS-25SC-M613	G123	JBBS-49SC-M413/EX	E37
FXDP-IOM 88-0001	H31	JBBS-48-E413	H79	JBBS-49SC-M613	E31
FXDP-OM 16-0001	H19	JBBS-48-E414	H85	JBBS-49SC-M613/EX	E37
FXDP-OM 8-0001	H19	JBBS-48-E613	H79	JBBS-49SC-M813	E31
FXDP-XSG 16-0001	H31	JBBS-48-E614	H85	JBBS-49SC-T415B/EX	E39
GDP1.5	D4	JBBS-48-E813	H81	JBBS-49SC-T615B/EX	E39
GUARD-DSU35-AD	L27	JBBS-48-E814	H87	JBBS-57-DGM	J115
GUARD-DSU35-DC	L27	JBBS-48-M413	H75	JBBS-57-E1001	J113
GUARD-DSU35-DCS	L27	JBBS-48-M423	H77	JBBS-57-E401	J107
IC-232-485 BW1094	G105	JBBS-48-M613	H75	JBBS-57-E403	J107
IM1-121Ex-R	B11	JBBS-48-M623	H77	JBBS-57-E411	J107
IM1-121Ex-T	B13	JBBS-48-M813	H75	JBBS-57-E421	J107
IM1-12Ex-MT	B25	JBBS-48SC-E413	H79	JBBS-57-E601	J109
IM1-12Ex-R	B21	JBBS-48SC-E613	H79	JBBS-57-E621	J109
IM1-12Ex-T	B23	JBBS-48SC-E613/EX	H83	JBBS-57-E801	J111
IM1-22Ex-MT	B19	JBBS-48SC-E813	H81	JBBS-57-E803	J111
IM1-22Ex-R	B15	JBBS-48SC-M413	H75	JBBS-57-E811	J99



JBBS-57-E812	J99	LPRE-M30-AP6X2-H1141	M107	MK91-12-R/24VDC	M127
JBBS-57-E821	J111	LPRE-T50-UP6X3-H1151	M107	MK91-R11/24VDC	M125
JBBS-57-M401	J101	LT*E-Q21-DQL*N*X2-H11121	L43	MK96-11-R/24VDC	M71
JBBS-57-M413	J101	LT*E-Q21-DQR*N*X2-H11121	L43	MK96-LI01	M71
JBBS-57-M601	J101	LT*E-Q21-DQR*V*X2-H11121	L43	MK96-VN01	M71
JBBS-57-M613	J101	LT*E-Q21D-RS-X3-H1161	L43	MK96-VP01	M71
JBBS-57-M623	J105	LT*E-Q21D-VPE-X3-H1161	L43	MODEX-FILTER	D22
JBBS-57-M801	J103	LT*E-Q21D-VPI*-X3-H1161	L43	MS91-12-R/115VAC	M127
JBBS-57-M813	J103	LT*E-Q21-LI0X3-H1141	L41	MS91-12-R/230VAC	M127
JBBS-57-SM01	J117	LT*E-Q21-LI1X3-H1141	L41	MS91-12-R/24VDC	M127
JRBS-40-4/EX	E25	LT*E-Q21-LU0X3-H1141	L41	MS96-11Ex-R/115VAC	M73
JRBS-40-6/EX	E25	LT*E-Q21-LU1X3-H1141	L41	MS96-11Ex-R/24VDC	M73
JRBS-40-8/EX	E25	LT*E-Q21-LU2X3-H1141	L41	MS96-12R/115VAC	M73
JRBS-40SC-4/EX	E25	LT*E-Q21-LU3X3-H1141	L41	MS96-12R/24VDC	M73
JRBS-40SC-6/EX	E25	LT*E-Q21-LU4X3-H1141	L41	MS-CO BW1453	G106
JRBS-40SC-8/EX	E25	LT*E-Q21-LU5X3-H1141	L41	MS-DN BW1420	G106
JRBS-49SC-8	E27	LT*E-Q21-LU6X3-H1141	L41	MS-DN BW1625	G106
JRBS-57-4	J97	LT*E-Q21-LU7X3-H1141	L41	MS-DP BW1131	G105
JRBS-57-6	J97	LT*E-Q21R-LI0X3-H1151	L41, L49	MS-DP BW1257	G105
JRBS-57-8	J97	LT*E-Q21R-LI1X3-H1151	L41	MS-DP BW1258	G105
LOCK-EURO-FW	K208	LT*E-Q21R-LU0X3-H1151	L41	MT18-R024	D19
LOCK-EURO-FW (10/BAG)	K208	LT*E-Q21R-LU1X3-H1151	L41	MT9/FM	D19
LOCK-EURO-G	K208	LT*E-R16-3*LI0-EX-B1140	M113	N1/2-G1/2-BT	M76
LOCK-EURO-G (10/BAG)	K208	LT*E-R16-3*LI0-EX-D	M113	N1/2-G1/2-SST	M76
LOCK-EURO-R	K208	LT*E-R16-3*LI1-EX-B1140	M113	NHI-E-10L-PL20	C54
LOCK-EURO-R (10/BAG)	K208	LT*E-R16-3*LI1-EX-D	M113	Ni 1.5-EG08K-Y1-H1341	L49
LOCK-MINI	K207	LT*E-R16-3LI0-EX-B1140	M113	Ni 1.5-EG08K-Y1X-H1341	L49
LOCK-MINI (10/BAG)	K207	LT*E-R16-3LI0-EX-D	M113	Ni 1.5-EG08-Y1-H1341	L49
LOCK-MINI-ANGLE	K207	LT*E-R16-3LI1-EX-B1140	M113	Ni 2-G08-Y1	L49
LOCK-MINI-ANGLE (10/BAG)	K207	LT*E-R16-3LI1-EX-D	M113	Ni 3-EG08K-Y1	L49
LOCK-MINI-B&C	K207	LT*E-R16-F*LI0-EX-B1140	M113	Ni 4-DS20-2AP6X2	L19
LOCK-MINI-B&C (10/BAG)	K207	LT*E-R16-F*LI1-EX-B1140	M113	Ni 4-DS20-2AP6X2-H1141	L19
LOCK-MINI-B&C-ANGLE	K207	LT*E-R16-PCLIO-EX-S	M115	Ni 4-DS20-2AZ31X2-B3151	L19
LOCK-MINI-B&C-ANGLE (10/BAG)	K207	LT*E-R16-PCLI1-EX-S	M115	Ni 4-DS20-2Y1X2	L19
LOCK-MINI-FW	K207	LT*E-R16-PLIO-EX-D	M115	Ni 4-DS20-2Y1X2-H1140	L19
LOCK-MINI-FW (10/BAG)	K207	LT*E-R16-PLIO-EX-S	M115	Ni 4-DSC26-2AP6X2-H1141	L15
LP-Clamping Adapter	M109	LT*E-R16-PLI1-EX-D	M115	Ni 4-DSU26-2ADZ30X2	L17
LP-MS-T50-K	M109	LT*E-R16-PLI1-EX-S	M115	Ni 4-DSU26-2AP4X2-H1141	L15
LP-MS-T50-S	M109	LT*E-R16-S*LI0-EX-B1140	M113	Ni 4-DSU26-2ASIX4-H1140	L15
LP-MZ-M30-B1000	M109	LT*E-R16-S*LI0-EX-B1140/3A	M115	Ni 4-DSU26-2Y1X2-H1140	L15
LP-MZ-M30-B250	M109	LT*E-R16-S*LI1-EX-B1140	M113	Ni 4-DSU26TC-2ADZ30X2	L17
LP-MZ-M30-B500	M109	LT*E-R16-S*LI1-EX-B1140/3A	M115	Ni 4-DSU35-2ADZ30X2	L9
LP-MZ-M30-SB	M109	MB-Q21	L45	Ni 4-DSU35-2ADZ30X2-B1151	L13
LP-MZ-M30-T50	M109	MK91-121-R/115VAC	M125	Ni 4-DSU35-2ADZ35X2-B1151	L13
LPMZ-T50-CS	M109	MK91-121-R/230VAC	M125	Ni 4-DSU35-2AN4X2	L9
LP-MZ-T50-D	M109	MK91-121-R/24VDC	M125	Ni 4-DSU35-2AN4X2-H1141	L13
LP-MZ-T50-SR	M109	MK91-12-R/115VAC	M127	Ni 4-DSU35-2AP4X2	L9
LP-OKS1110	M109	MK91-12-R/230VAC	M127	Ni 4-DSU35-2AP4X2-B1160-FKE4.5	L13

TURCK

Process Automation Products

Index

Ni 4-DSU35-2AP4X2-B1160-FKE45	L13	Ni10-G18K-AN6X	L53	P-4 RKF 40-415-*/C	K79
Ni 4-DSU35-2AP4X2-H1141	L13	Ni10-G18K-AP6X	L53	P-4 RKF 40-960-*	K79
Ni 4-DSU35-2ASIX4-H1140	L13	Ni10-G18K-RP6X	L53	P-4 RKF 40-978-*	K81
Ni 4-DSU35-2DNETX5-H1150	L13	Ni10-G18-RN6X	L53	P-4 RKF 40-978-*/C	K81
Ni 4-DSU35-2Y0X2-H1140	L13	Ni10-G18-RP6X	L53	P-4 RKF 40-CS12	K83
Ni 4-DSU35-2Y1X2	L9	Ni10-G18-Y0	L49	P-4 RKF 40-CS12/C	K83
Ni 4-DSU35TC-2ADZ30X2	L11	Ni10-G18-Y0X	L49	P-4 RKF 56-CS19	K171
Ni 4-DSU35TC-2AP4X2	L11	Ni10-K18-Y1	L49	P-4 RKF 66-CS19	K171
Ni 4-DSU35TC-2ASIX4	L11	Ni10-K20-Y1	L49	P-4 RKFV 40-415-*/C	K79
Ni 4-DSU35TC-2Y1X2	L11	Ni10-M18-Y1X-H1141	L49	P-4 RKFV 40-960-*	K79
Ni 4-M12-AP6X	L53	Ni10-P18SK-Y1X	L49	P-4 RKFV 40-978-*	K81
Ni 4-M12T-AN6X	L53	Ni10-P18-Y0/S100	L49	P-4 RKFV 40-978-*/C	K81
Ni 4-M12T-AP6X	L53	Ni10-P18-Y0X	L49	P-4 RKFV 40-CSV12	K83
Ni 4-S12-AN6X	L53	Ni10-P18-Y1	L49	P-4 RKFV 40-CSV12/C	K83
Ni 4-S12-AP6	L53	Ni15-G30-Y0	L49	P-4 RKFV 56-CSV19	K171
Ni 4-S12-AP6X	L53	Ni15-G30-Y0X	L49	P-4 RKFV 66-CSV19	K171
Ni 5-G12-AN6	L53	Ni15-M30T-AN6X	L53	P-4MB12-4-415-*/C	K33
Ni 5-G12-AN6X	L53	Ni15-M30T-AP6X	L53	P-4MB12-4-960-*	K33
Ni 5-G12-AP6	L53	Ni15-P30-Y0X	L49	P-4MB12-4-978-*	K35
Ni 5-G12-AP6X	L53	Ni15-P30-Y1	L49	P-4MB12-4-978-*/C	K35
Ni 5-G12K-AN6X	L53	Ni15-S30-AN6X	L53	P-4MB12-4-CS12	K39
Ni 5-G12K-AP6	L53	Ni20-CP40-Y1X	L50	P-4MB12-4-CS12/C	K39
Ni 5-G12K-AP6X	L53	Ni20-K40-Y1	L49	P-4MBV12-4-415-*/C	K33
Ni 5-G12K-RN6X	L53	Ni40-CP40-Y1	L50	P-4MBV12-4-960-*	K33
Ni 5-G12K-RP6X	L53	Ni50-CP40-Y1	L50	P-4MBV12-4-978-*	K35
Ni 5-G12-RN6X	L53	Ni50-K90SR-Y1/M20	L50	P-4MBV12-4-978-*/C	K35
Ni 5-G12-RP6X	L53	Ni60-Q80-Y0X	L50	P-4MBV12-4-CSV12	K39
Ni 5-G12-Y0	L49	OC11EX/2G	D23	P-4MBV12-4-CSV12/C	K39
Ni 5-G12-Y0-H1141	L49	OC11EX/3G	D23	P-8 RKF 40-416-*/C	K79
Ni 5-G12-Y0X	L49	ODNA-4S-4XSG-E	J73	P-8 RKF 40-959-*	K79
Ni 5-K11-Y0	L49	P-2RKFV-40BEX-*/14.5/NPT	K77	P-8 RKF 40-977-*	K81
Ni 5-M12-Y1X-H1141	L49	P-2RKFV-40BEX-*/14.75/NPT	K77	P-8 RKF 40-977-*/C	K81
Ni 5-P12SK-Y0X	L49	P-2RKFV-40BEX-*/M20	K78	P-8 RKF 40-CS19	K83
Ni 5-P12-Y0/S100	L49	P-2RKFV-40EX-*/14.5/NPT	K77	P-8 RKF 40-CS19/C	K83
Ni 5-P12-Y0X	L49	P-2RKFV-40EX-*/14.75/NPT	K77	P-8 RKFV 40-416-*/C	K79
Ni 5-P12-Y1	L49	P-2RKFV-40EX-*/M20	K78	P-8 RKFV 40-959-*	K79
Ni 5-S12-Y0X-H1141	L49	P-2RKFV-44EX-*/14.5/NPT	K169	P-8 RKFV 40-977-*	K81
Ni 8-M18-AP6X	L53	P-2RKFV-44EX-*/14.75/NPT	K169	P-8 RKFV 40-977-*/C	K81
Ni 8-M18T-AN6X	L53	P-2RKFV-44EX-*/M20	K170	P-8 RKFV 40-CSV19	K83
Ni 8-M18T-AP6X	L53	P-2RSFV-40BEX-*/14.5/NPT	K77	P-8 RKFV 40-CSV19/C	K83
Ni 8-S18-AN6X	L53	P-2RSFV-40BEX-*/14.75/NPT	K78	P-8MB12-4-416-*/C	K33
Ni 8-S18-AP6	L53	P-2RSFV-40BEX-*/M20	K78	P-8MB12-4-959-*	K33
Ni 8-S18-AP6X	L53	P-2RSFV-40EX-*/14.5/NPT	K77	P-8MB12-4-977-*	K35
Ni 8-S18-RN6X	L53	P-2RSFV-40EX-*/14.75/NPT	K78	P-8MB12-4-977-*/C	K35
Ni10-G18-AN6	L53	P-2RSFV-40EX-*/M20	K78	P-8MB12-4-CS19	K39
Ni10-G18-AN6X	L53	P-2RSFV-44EX-*/14.5/NPT	K169	P-8MB12-4-CS19/C	K39
Ni10-G18-AP6	L53	P-2RSFV-44EX-*/14.75/NPT	K170	P-8MBV12-4-416-*/C	K33
Ni10-G18-AP6X	L53	P-2RSFV-44EX-*/M20	K170	P-8MBV12-4-959-*	K33



Index

P-8MBV12-4-977-*	K35	P-CKWM 19-959-*	K87	P-FK 4.4-698-*/M20	K107
P-8MBV12-4-977-*/C	K35	P-CKWM 19-977-*	K91	P-FK 4.61-124-*/14.5/NPT	K21
P-8MBV12-4-CSV19	K39	PCS-AB-KIT	M35	P-FK 4.61-124-*/14.75/NPT	K23
P-8MBV12-4-CSV19/C	K39	P-CSFL 12-*	K96	P-FK 4.61-124-*/M20	K25
PC.../S1049	M31	P-CSFL 12-229-*	K94	P-FK 4.6-124-*/14.5/NPT	K21
PC.../S1593	M31	P-CSFL 12-960-*	K94	P-FK 4.6-124-*/14.75/NPT	K23
PC.../S160	M29	P-CSFL 19-*	K96	P-FK 4.6-124-*/M20	K25
PC.../S1605	M29	P-CSFL 19-230-*	K94	P-FK 4.6D-*/14.5/NPT	K31
PC.../S1685	M31	P-CSFL 19-959-*	K94	P-FK 4-162-*/14.5/NPT	K21
PC.../S1689	M30	PCS-G1/4A4	M35	P-FK 4-162-*/14.75/NPT	K23
PC.../S1691	M29	P-CSM 12-088-*	K174	P-FK 4-162-*/M20	K25
PC.../S1692	M29	P-CSM 12-229-*	K86	P-FK 4-330-*/14.5/NPT	K21
PC.../S1693	M30	P-CSM 12-415-*	K86	P-FK 4-330-*/14.75/NPT	K23
PC.../S1694	M30	P-CSM 12-960-*	K86	P-FK 4-330-*/M20	K25
PC.../S1695	M30	P-CSM 12-978-*	K90	P-FK 4-949-*/14.5/NPT	K21
PC.../S1700	M31	P-CSM 19-230-*	K86	P-FK 4-949-*/14.75/NPT	K23
PC.../S1701	M32	P-CSM 19-416-*	K86	P-FK 4-949-*/M20	K25
PC.../S1702	M32	P-CSM 19-959-*	K86	P-FK 4-950-*/14.5/NPT	K21
PC.../S1704	M33	P-CSM 19-977-*	K90	P-FK 4-950-*/14.75/NPT	K23
PC.../S1705	M33	PCS-MBT	M35	P-FK 4-950-*/M20	K25
PC.../S1731	M32	P-CSWM 12-088-*	K174	P-FK 4D-*	K29
PC.../S1733	M32	P-CSWM 12-229-*	K88	P-FK 4D-*/14.5/NPT	K31
PCO01-N3/4A4P-2AP8X-H1141	M21	P-CSWM 12-415-*	K88	P-FK 4D-*/14.75/NPT	K31
PCO01-N3/4A4P-LIX-H1141	M21	P-CSWM 12-960-*	K88	P-FK 4D-*/M20	K31
PCO16-N3/4A4P-2AP8X-H1141	M21	P-CSWM 12-978-*	K92	P-FK 5.1-*/14.5/NPT	K110
PCO16-N3/4A4P-LIX-H1141	M21	P-CSWM 19-230-*	K88	P-FK 5.1-*/14.75/NPT	K110
P-CKFL 12-*	K95	P-CSWM 19-416-*	K88	P-FK 5.1-*/M20	K110
P-CKFL 12-229-*	K93	P-CSWM 19-959-*	K88	P-FK 5.1-108-*/14.5/NPT	K106
P-CKFL 12-960-*	K93	P-CSWM 19-977-*	K92	P-FK 5.1-108-*/14.75/NPT	K106
P-CKFL 19-*	K95	PCV-G1/2A4	M34	P-FK 5.1-108-*/M20	K106
P-CKFL 19-230-*	K93	PCV-G1/4A4	M34	P-FK 5.3-*/14.5/NPT	K112
P-CKFL 19-959-*	K93	PCV-G1/8A4	M34	P-FK 5.3-*/14.75/NPT	K112
P-CKM 12-088-*	K173	PCV-N1/2A4	M34	P-FK 5.3-*/M20	K112
P-CKM 12-229-*	K85	PCV-N1/4A4	M34	P-FK 5.3-095-*/14.5/NPT	K108
P-CKM 12-415-*	K85	PCV-N1/8A4	M34	P-FK 5.3-095-*/14.75/NPT	K108
P-CKM 12-960-*	K85	PCV-N3/8A4	M34	P-FK 5.3-095-*/M20	K108
P-CKM 12-978-*	K89	PCV-S7/16A4	M34	P-FKP 4-*	K29
P-CKM 19-230-*	K85	PDP-Connector/SD9S	H58	P-FKP 4D-*	K29
P-CKM 19-416-*	K85	PDP-TRA	H60	PF-R16	M118
P-CKM 19-959-*	K85	P-FK 4-*	K29	P-FS 4-*	K30
P-CKM 19-977-*	K89	P-FK 4-*/14.5/NPT	K31	P-FS 4-*/14.5/NPT	K32
P-CKWM 12-088-*	K173	P-FK 4-*/14.75/NPT	K31	P-FS 4-*/14.75/NPT	K32
P-CKWM 12-229-*	K87	P-FK 4-*/M20	K31	P-FS 4-*/M20	K32
P-CKWM 12-415-*	K87	P-FK 4.4-*/14.5/NPT	K31, K111	P-FS 4.4-*/14.5/NPT	K32, K111
P-CKWM 12-960-*	K87	P-FK 4.4-*/14.75/NPT	K111	P-FS 4.4-*/14.75/NPT	K111
P-CKWM 12-978-*	K91	P-FK 4.4-*/M20	K111	P-FS 4.4-*/M20	K111
P-CKWM 19-230-*	K87	P-FK 4.4-698-*/14.5/NPT	K107	P-FS 4.4-698-*/14.5/NPT	K107
P-CKWM 19-416-*	K87	P-FK 4.4-698-*/14.75/NPT	K107	P-FS 4.4-698-*/14.75/NPT	K107

TURCK

Process Automation Products

Index

P-FS 4.4-698-*/M20	K107	P-RKF 30-026-*/14.75/NPT	K58	P-RKF 45-098-*/14.5/NPT	K56
P-FS 4.61-124-*/14.5/NPT	K22	P-RKF 30-026-*/M20	K60	P-RKF 45-098-*/14.75/NPT	K58
P-FS 4.61-124-*/14.75/NPT	K24	P-RKF 30D-*	K65	P-RKF 45-098-*/M20	K60
P-FS 4.61-124-*/M20	K26	P-RKF 30D-*/14.5/NPT	K67	P-RKF 461-124-*/14.5/NPT	K56
P-FS 4.6-124-*/14.5/NPT	K22	P-RKF 30D-*/14.75/NPT	K69	P-RKF 461-124-*/14.75/NPT	K58
P-FS 4.6-124-*/14.75/NPT	K24	P-RKF 30D-*/M20	K71	P-RKF 461-124-*/M20	K60
P-FS 4.6-124-*/M20	K26	P-RKF 321-*	K65	P-RKF 46-124-*/14.5/NPT	K56
P-FS 4.6D-*/14.5/NPT	K32	P-RKF 321-*/14.5/NPT	K67	P-RKF 46-124-*/14.75/NPT	K58
P-FS 4-162-*/14.5/NPT	K22	P-RKF 321-*/14.75/NPT	K69	P-RKF 46-124-*/M20	K60
P-FS 4-162-*/14.75/NPT	K24	P-RKF 321-*/M20	K71	P-RKF 51-108-*/14.5/NPT	K131
P-FS 4-162-*/M20	K26	P-RKF 321-880-*/14.5/NPT	K131	P-RKF 51-108-*/14.75/NPT	K135
P-FS 4-330-*/14.5/NPT	K22	P-RKF 321-880-*/14.75/NPT	K135	P-RKF 51-108-*/M20	K139
P-FS 4-330-*/14.75/NPT	K24	P-RKF 321-880-*/M20	K139	P-RKF 52-*	K147
P-FS 4-330-*/M20	K26	P-RKF 33-187-*/14.5/NPT	K131	P-RKF 52-*/14.5/NPT	K149
P-FS 4-949-*/14.5/NPT	K22	P-RKF 33-187-*/14.75/NPT	K135	P-RKF 52-*/14.75/NPT	K153
P-FS 4-949-*/14.75/NPT	K24	P-RKF 33-187-*/M20	K139	P-RKF 52-*/M20	K157
P-FS 4-949-*/M20	K26	P-RKF 40-*	K65	P-RKF 52-972-*/14.5/NPT	K131
P-FS 4-950-*/14.5/NPT	K22	P-RKF 40-*/14.5/NPT	K67	P-RKF 52-972-*/14.75/NPT	K135
P-FS 4-950-*/14.75/NPT	K24	P-RKF 40-*/14.75/NPT	K69	P-RKF 52-972-*/M20	K139
P-FS 4-950-*/M20	K26	P-RKF 40-*/M20	K71	P-RKF 55-099-*/14.5/NPT	K131
P-FS 4D-*	K30	P-RKF 40-162-*/14.5/NPT	K56	P-RKF 55-099-*/14.75/NPT	K135
P-FS 4D-*/14.5/NPT	K32	P-RKF 40-162-*/14.75/NPT	K58	P-RKF 55-099-*/M20	K139
P-FS 4D-*/14.75/NPT	K32	P-RKF 40-162-*/M20	K60	P-RKF 55-328-*/14.5/NPT	K131
P-FS 4D-*/M20	K32	P-RKF 40-330-*/14.5/NPT	K56	P-RKF 55-328-*/14.75/NPT	K135
P-FS 5.1-*/14.5/NPT	K110	P-RKF 40-330-*/14.75/NPT	K58	P-RKF 55-328-*/M20	K139
P-FS 5.1-*/14.75/NPT	K110	P-RKF 40-330-*/M20	K60	P-RKF 56-*/14.5/NPT	K149
P-FS 5.1-*/M20	K110	P-RKF 40-949-*/14.5/NPT	K56	P-RKF 56-*/14.75/NPT	K153
P-FS 5.1-108-*/14.5/NPT	K106	P-RKF 40-949-*/14.75/NPT	K58	P-RKF 56-*/M20	K157
P-FS 5.1-108-*/14.75/NPT	K106	P-RKF 40-949-*/M20	K60	P-RKF 60-*/14.5/NPT	K149
P-FS 5.1-108-*/M20	K106	P-RKF 40-950-*/14.5/NPT	K56	P-RKF 60-*/14.75/NPT	K153
P-FS 5.3-*/14.5/NPT	K112	P-RKF 40-950-*/14.75/NPT	K58	P-RKF 60-*/M20	K157
P-FS 5.3-*/14.75/NPT	K112	P-RKF 40-950-*/M20	K60	P-RKF 60-025-*/14.5/NPT	K132
P-FS 5.3-*/M20	K112	P-RKF 40D-*	K65	P-RKF 60-025-*/14.75/NPT	K136
P-FS 5.3-095-*/14.5/NPT	K108	P-RKF 40D-*/14.5/NPT	K67	P-RKF 60-025-*/M20	K140
P-FS 5.3-095-*/14.75/NPT	K108	P-RKF 40D-*/14.75/NPT	K69	P-RKF 60D-*	K147
P-FS 5.3-095-*/M20	K108	P-RKF 40D-*/M20	K71	P-RKF 60D-*/14.5/NPT	K149
PKZM0-*	C49, C53	P-RKF 44-*/14.5/NPT	K149	P-RKF 60D-*/14.75/NPT	K153
PKZM0-X*M*2	C53	P-RKF 44-*/14.75/NPT	K153	P-RKF 60D-*/M20	K157
PKZM0-XDM12	C49	P-RKF 44-*/M20	K157	P-RKF 63-*	K147
PKZM0-XDM32	C49	P-RKF 442-*	K147	P-RKF 63-*/14.5/NPT	K149
P-RKF 100-*/14.5/NPT	K150	P-RKF 442-*/14.5/NPT	K149	P-RKF 63-*/14.75/NPT	K153
P-RKF 100-*/14.75/NPT	K154	P-RKF 442-*/14.75/NPT	K153	P-RKF 63-*/M20	K157
P-RKF 100-*/M20	K158	P-RKF 442-*/M20	K157	P-RKF 63-*M	K147
P-RKF 30-*	K65	P-RKF 442-*M	K147	P-RKF 63-030-*/14.5/NPT	K132
P-RKF 30-*/14.5/NPT	K67	P-RKF 45-*	K147	P-RKF 63-030-*/14.75/NPT	K136
P-RKF 30-*/14.75/NPT	K69	P-RKF 45-*/14.5/NPT	K149	P-RKF 63-030-*/M20	K140
P-RKF 30-*/M20	K71	P-RKF 45-*/14.75/NPT	K153	P-RKF 63-233-*/14.5/NPT	K132
P-RKF 30-026-*/14.5/NPT	K56	P-RKF 45-*/M20	K157	P-RKF 63-233-*/14.75/NPT	K136



Index

P-RKF 63-233-*/M20	K140	P-RKG 4T-330-*	K15	P-RSF 30D-*	K66
P-RKF 66-318-*/14.5/NPT	K132	P-RKG 4T-949-*	K15	P-RSF 30D-*/14.5/NPT	K68
P-RKF 66-318-*/14.75/NPT	K136	P-RKG 4T-950-*	K15	P-RSF 30D-*/14.75/NPT	K70
P-RKF 66-318-*/M20	K140	P-RKG 5.1T-108-*	K101	P-RSF 30D-*/M20	K72
P-RKF 70-*/14.5/NPT	K150	P-RKG 5.3T-095-*	K101	P-RSF 30D-*M	K66
P-RKF 70-*/14.75/NPT	K154	P-RKM 30-026-*M	K47	P-RSF 321-*	K66
P-RKF 70-*/M20	K158	P-RKM 321-880-*M	K121	P-RSF 321-*/14.5/NPT	K68
P-RKF 71-219-*/14.5/NPT	K132	P-RKM 33-187-*M	K121	P-RSF 321-*/14.75/NPT	K70
P-RKF 71-219-*/14.75/NPT	K136	P-RKM 40-162-*M	K47	P-RSF 321-*/M20	K72
P-RKF 71-219-*/M20	K140	P-RKM 40-330-*M	K48	P-RSF 321-880-*/14.5/NPT	K133
P-RKF 71-329-*/14.5/NPT	K132	P-RKM 40-949-*M	K47	P-RSF 321-880-*/14.75/NPT	K137
P-RKF 71-329-*/14.75/NPT	K136	P-RKM 40-950-*M	K48	P-RSF 321-880-*/M20	K141
P-RKF 71-329-*/M20	K140	P-RKM 40A-947-*M	K48	P-RSF 33-187-*/14.5/NPT	K133
P-RKF 80-*/14.5/NPT	K150	P-RKM 442A-041-*M	K121	P-RSF 33-187-*/14.75/NPT	K137
P-RKF 80-*/14.75/NPT	K154	P-RKM 45-098-*M	K47	P-RSF 33-187-*/M20	K141
P-RKF 80-*/M20	K158	P-RKM 45-327-*M	K48	P-RSF 40-*	K66
P-RKFV 30 EX-*/14.5/NPT	K73	P-RKM 461-124-*M	K48	P-RSF 40-*/14.5/NPT	K68
P-RKFV 30 EX-*/14.75/NPT	K75	P-RKM 46-124-*M	K48	P-RSF 40-*/14.75/NPT	K70
P-RKFV 30D EX-*/14.5/NPT	K73	P-RKM 51-108-*M	K121	P-RSF 40-*/M20	K72
P-RKFV 30D EX-*/14.75/NPT	K75	P-RKM 52-972-*M	K121	P-RSF 40-162-*/14.5/NPT	K57
P-RKFV 40 EX-*/14.5/NPT	K73	P-RKM 55-099-*M	K121	P-RSF 40-162-*/14.75/NPT	K59
P-RKFV 40 EX-*/14.75/NPT	K75	P-RKM 55-328-*M	K121	P-RSF 40-162-*/M20	K61
P-RKFV 40D EX-*/14.5/NPT	K73	P-RKM 60-025-*M	K122	P-RSF 40-330-*/14.5/NPT	K57
P-RKFV 40D EX-*/14.75/NPT	K75	P-RKM 63-030-*M	K122	P-RSF 40-330-*/14.75/NPT	K59
P-RKFV 44 EX-*/14.5/NPT	K161	P-RKM 63-233-*M	K122	P-RSF 40-330-*/M20	K61
P-RKFV 44 EX-*/14.75/NPT	K165	P-RKM 66-318-*M	K122	P-RSF 40-949-*/14.5/NPT	K57
P-RKFV 45 EX-*/14.5/NPT	K161	P-RKM 71-219-*M	K122	P-RSF 40-949-*/14.75/NPT	K59
P-RKFV 45 EX-*/14.75/NPT	K165	P-RKM 71-329-*M	K122	P-RSF 40-949-*/M20	K61
P-RKFV 52 EX-*/14.5/NPT	K161	P-RKR 4A-993-*	K19	P-RSF 40-950-*/14.5/NPT	K57
P-RKFV 52 EX-*/14.75/NPT	K165	P-RKV 100-183-*M	K199	P-RSF 40-950-*/14.75/NPT	K59
P-RKFV 55 EX-*/14.5/NPT	K161	P-RKV 100-189-*M	K199	P-RSF 40-950-*/M20	K61
P-RKFV 55 EX-*/14.75/NPT	K165	P-RKV 40-180-*M	K198	P-RSF 40D-*	K66
P-RKFV 56 EX-*/14.5/NPT	K161	P-RKV 40-181-*M	K198	P-RSF 40D-*/14.5/NPT	K68
P-RKFV 56 EX-*/14.75/NPT	K165	P-RKV 40-188-*M	K198	P-RSF 40D-*/14.75/NPT	K70
P-RKFV 60 EX-*/14.5/NPT	K162	P-RKV 56-964-*M	K198	P-RSF 40D-*/M20	K72
P-RKFV 60 EX-*/14.75/NPT	K166	P-RKV 70-182-*M	K199	P-RSF 44-*/14.5/NPT	K151
P-RKFV 60D EX-*/14.5/NPT	K162	P-RKV 80-073-*M	K199	P-RSF 44-*/14.75/NPT	K155
P-RKFV 60D EX-*/14.75/NPT	K166	P-RKV 80-158-*M	K199	P-RSF 44-*/M20	K159
P-RKFV 63 EX-*/14.5/NPT	K162	P-RSF 100-*/14.5/NPT	K152	P-RSF 442-*	K148
P-RKFV 63 EX-*/14.75/NPT	K166	P-RSF 100-*/14.75/NPT	K156	P-RSF 442-*/14.5/NPT	K151
P-RKFV 65 EX-*/14.5/NPT	K162	P-RSF 100-*/M20	K160	P-RSF 442-*/14.75/NPT	K155
P-RKFV 65 EX-*/14.75/NPT	K166	P-RSF 30-*	K66	P-RSF 442-*/M20	K159
P-RKFV 66 EX-*/14.5/NPT	K162	P-RSF 30-*/14.5/NPT	K68	P-RSF 45-*	K148
P-RKFV 66 EX-*/14.75/NPT	K166	P-RSF 30-*/14.75/NPT	K70	P-RSF 45-*/14.5/NPT	K151
P-RKG 4.4T-698-*	K101	P-RSF 30-*/M20	K72	P-RSF 45-*/14.75/NPT	K155
P-RKG 4.61T-124-*	K15	P-RSF 30-026-*/14.5/NPT	K57	P-RSF 45-*/M20	K159
P-RKG 4.6T-124-*	K15	P-RSF 30-026-*/14.75/NPT	K59	P-RSF 45-*M	K148
P-RKG 4T-162-*	K15	P-RSF 30-026-*/M20	K61	P-RSF 45-098-*/14.5/NPT	K57

TURCK

Process Automation Products

Index

P-RSF 45-098-*/14.75/NPT	K59	P-RSF 66-318-*/14.5/NPT	K134	P-RSFV RKFV-40EX-*/M20	K78
P-RSF 45-098-*/M20	K61	P-RSF 66-318-*/14.75/NPT	K138	P-RSFV RKFV-44EX-*/14.5/NPT	K169
P-RSF 461-124-*/14.5/NPT	K57	P-RSF 66-318-*/M20	K142	P-RSFV RKFV-44EX-*/14.75/NPT	K170
P-RSF 461-124-*/14.75/NPT	K59	P-RSF 70-*/14.5/NPT	K152	P-RSFV RKFV-44EX-*/M20	K170
P-RSF 461-124-*/M20	K61	P-RSF 70-*/14.75/NPT	K156	P-RSG 4.4T-698-*	K102
P-RSF 46-124-*/14.5/NPT	K57	P-RSF 70-*/M20	K160	P-RSG 4.61T-124-*	K17
P-RSF 46-124-*/14.75/NPT	K59	P-RSF 71-219-*/14.5/NPT	K134	P-RSG 4.6T-124-*	K17
P-RSF 46-124-*/M20	K61	P-RSF 71-219-*/14.75/NPT	K138	P-RSG 4T-162-*	K17
P-RSF 51-108-*/14.5/NPT	K133	P-RSF 71-219-*/M20	K142	P-RSG 4T-330-*	K17
P-RSF 51-108-*/14.75/NPT	K137	P-RSF 71-329-*/14.5/NPT	K134	P-RSG 4T-949-*	K17
P-RSF 51-108-*/M20	K141	P-RSF 71-329-*/14.75/NPT	K138	P-RSG 4T-950-*	K17
P-RSF 52-*	K148	P-RSF 71-329-*/M20	K142	P-RSG 5.1T-108-*	K102
P-RSF 52-*/14.5/NPT	K151	P-RSF 80-*/14.5/NPT	K152	P-RSG 5.3T-095-*	K102
P-RSF 52-*/14.75/NPT	K155	P-RSF 80-*/14.75/NPT	K156	P-RSM 30-026-*M	K51
P-RSF 52-*/M20	K159	P-RSF 80-*/M20	K160	P-RSM 321-880-*M	K123
P-RSF 52-972-*/14.5/NPT	K133	P-RSFV 30 EX-*/14.5/NPT	K74	P-RSM 33-187-*M	K123
P-RSF 52-972-*/14.75/NPT	K137	P-RSFV 30 EX-*/14.75/NPT	K76	P-RSM 40-162-*M	K51
P-RSF 52-972-*/M20	K141	P-RSFV 30D EX-*/14.5/NPT	K74	P-RSM 40-330-*M	K52
P-RSF 55-099-*/14.5/NPT	K133	P-RSFV 30D EX-*/14.75/NPT	K76	P-RSM 40-949-*M	K51
P-RSF 55-099-*/14.75/NPT	K137	P-RSFV 40 EX-*/14.5/NPT	K74	P-RSM 40-950-*M	K52
P-RSF 55-099-*/M20	K141	P-RSFV 40 EX-*/14.75/NPT	K76	P-RSM 40A-947-*M	K52
P-RSF 55-328-*/14.5/NPT	K133	P-RSFV 40D EX-*/14.5/NPT	K74	P-RSM 442A-041-*M	K123
P-RSF 55-328-*/14.75/NPT	K137	P-RSFV 40D EX-*/14.75/NPT	K76	P-RSM 45-098-*M	K51
P-RSF 55-328-*/M20	K141	P-RSFV 44 EX-*/14.5/NPT	K163	P-RSM 45-327-*M	K52
P-RSF 56-*/14.5/NPT	K151	P-RSFV 44 EX-*/14.75/NPT	K167	P-RSM 461-124-*M	K52
P-RSF 56-*/14.75/NPT	K155	P-RSFV 45 EX-*/14.5/NPT	K163	P-RSM 46-124-*M	K52
P-RSF 56-*/M20	K159	P-RSFV 45 EX-*/14.75/NPT	K167	P-RSM 51-108-*M	K123
P-RSF 60-*/14.5/NPT	K151	P-RSFV 52 EX-*/14.5/NPT	K163	P-RSM 52-972-*M	K123
P-RSF 60-*/14.75/NPT	K155	P-RSFV 52 EX-*/14.75/NPT	K167	P-RSM 55-099-*M	K123
P-RSF 60-*/M20	K159	P-RSFV 55 EX-*/14.5/NPT	K163	P-RSM 55-328-*M	K123
P-RSF 60-025-*/14.5/NPT	K134	P-RSFV 55 EX-*/14.75/NPT	K167	P-RSM 60-025-*M	K124
P-RSF 60-025-*/14.75/NPT	K138	P-RSFV 56 EX-*/14.5/NPT	K163	P-RSM 63-030-*M	K124
P-RSF 60-025-*/M20	K142	P-RSFV 56 EX-*/14.75/NPT	K167	P-RSM 63-233-*M	K124
P-RSF 60D-*	K148	P-RSFV 60 EX-*/14.5/NPT	K164	P-RSM 66-318-*M	K124
P-RSF 60D-*/14.5/NPT	K151	P-RSFV 60 EX-*/14.75/NPT	K168	P-RSM 71-219-*M	K124
P-RSF 60D-*/14.75/NPT	K155	P-RSFV 60D EX-*/14.5/NPT	K164	P-RSM 71-329-*M	K124
P-RSF 60D-*/M20	K159	P-RSFV 60D EX-*/14.75/NPT	K168	P-RSR 4A-993-*	K19
P-RSF 63-*	K148	P-RSFV 63 EX-*/14.5/NPT	K164	P-RSV 100-183-*M	K203
P-RSF 63-*/14.5/NPT	K151	P-RSFV 63 EX-*/14.75/NPT	K168	P-RSV 100-189-*M	K203
P-RSF 63-*/14.75/NPT	K155	P-RSFV 65 EX-*/14.5/NPT	K164	P-RSV 40-180-*M	K202
P-RSF 63-*/M20	K159	P-RSFV 65 EX-*/14.75/NPT	K168	P-RSV 40-181-*M	K202
P-RSF 63-*M	K148	P-RSFV 66 EX-*/14.5/NPT	K164	P-RSV 40-188-*M	K202
P-RSF 63-030-*/14.5/NPT	K134	P-RSFV 66 EX-*/14.75/NPT	K168	P-RSV 56-964-*M	K202
P-RSF 63-030-*/14.75/NPT	K138	P-RSFV RKFV-40BEX-*/14.5/NPT	K77	P-RSV 70-182-*M	K203
P-RSF 63-030-*/M20	K142	P-RSFV RKFV-40BEX-*/14.75/NPT	K78	P-RSV 80-073-*M	K203
P-RSF 63-233-*/14.5/NPT	K134	P-RSFV RKFV-40BEX-*/M20	K78	P-RSV 80-158-*M	K203
P-RSF 63-233-*/14.75/NPT	K138	P-RSFV RKFV-40EX-*/14.5/NPT	K77	PS.../S1733	M32
P-RSF 63-233-*/M20	K142	P-RSFV RKFV-40EX-*/14.75/NPT	K78	PS001R-401-2UP8X-H1141	M19



PS001R-401-LI2UPN8X-H1141	M13	PS01VR-401-LI2UPN8X-H1141	M13	PS250R-401-LI2UPN8X-H1141	M13
PS001R-401-LIUP8X-H1141	M19	PS01VR-401-LIUP8X-H1141	M19	PS250R-401-LIUP8X-H1141	M19
PS001R-401-LUUP8X-H1141	M19	PS01VR-401-LUUP8X-H1141	M19	PS250R-401-LUUP8X-H1141	M19
PS001R-403-2UP8X-H1141	M17	PS01VR-403-2UP8X-H1141	M17	PS250R-403-2UP8X-H1141	M17
PS001R-403-LI2UPN8X-H1141	M13	PS01VR-403-LI2UPN8X-H1141	M13	PS250R-403-LI2UPN8X-H1141	M13
PS001R-403-LIUP8X-H1141	M17	PS01VR-403-LIUP8X-H1141	M17	PS250R-403-LIUP8X-H1141	M17
PS001R-403-LUUP8X-H1141	M17	PS01VR-403-LUUP8X-H1141	M17	PS250R-403-LUUP8X-H1141	M17
PS001R-503-2UP8X-H1141	M15	PS01VR-503-2UP8X-H1141	M15	PS250R-503-2UP8X-H1141	M15
PS001R-503-LI2UPN8X-H1141	M13	PS01VR-503-LI2UPN8X-H1141	M13	PS250R-503-LI2UPN8X-H1141	M13
PS001R-503-LIUP8X-H1141	M15	PS01VR-503-LIUP8X-H1141	M15	PS250R-503-LIUP8X-H1141	M15
PS001R-503-LUUP8X-H1141	M15	PS01VR-503-LUUP8X-H1141	M15	PS250R-503-LUUP8X-H1141	M15
PS003R-401-2UP8X-H1141	M19	PS025R-401-2UP8X-H1141	M19	PS-30VDC-3PH BW1676	G96
PS003R-401-LI2UPN8X-H1141	M13	PS025R-401-LI2UPN8X-H1141	M13	PS-30VDC-4A-C1D2 BW1597	G95
PS003R-401-LIUP8X-H1141	M19	PS025R-401-LIUP8X-H1141	M19	PS-30VDC-8A BW1593	G95
PS003R-401-LUUP8X-H1141	M19	PS025R-401-LUUP8X-H1141	M19	PS-30VDC-8A-C1D2 BW1598	G95
PS003R-403-2UP8X-H1141	M17	PS025R-403-2UP8X-H1141	M17	PS400R-401-2UP8X-H1141	M19
PS003R-403-LI2UPN8X-H1141	M13	PS025R-403-LI2UPN8X-H1141	M13	PS400R-401-LI2UPN8X-H1141	M13
PS003R-403-LIUP8X-H1141	M17	PS025R-403-LIUP8X-H1141	M17	PS400R-401-LIUP8X-H1141	M19
PS003R-403-LUUP8X-H1141	M17	PS025R-403-LUUP8X-H1141	M17	PS400R-401-LUUP8X-H1141	M19
PS003R-503-2UP8X-H1141	M15	PS025R-503-2UP8X-H1141	M15	PS400R-403-2UP8X-H1141	M17
PS003R-503-LI2UPN8X-H1141	M13	PS025R-503-LI2UPN8X-H1141	M13	PS400R-403-LI2UPN8X-H1141	M13
PS003R-503-LIUP8X-H1141	M15	PS025R-503-LIUP8X-H1141	M15	PS400R-403-LIUP8X-H1141	M17
PS003R-503-LUUP8X-H1141	M15	PS025R-503-LUUP8X-H1141	M15	PS400R-403-LUUP8X-H1141	M17
PS010R-401-2UP8X-H1141	M19	PS040R-401-2UP8X-H1141	M19	PS400R-503-2UP8X-H1141	M15
PS010R-401-LI2UPN8X-H1141	M13	PS040R-401-LI2UPN8X-H1141	M13	PS400R-503-LI2UPN8X-H1141	M13
PS010R-401-LIUP8X-H1141	M19	PS040R-401-LIUP8X-H1141	M19	PS400R-503-LIUP8X-H1141	M15
PS010R-401-LUUP8X-H1141	M19	PS040R-401-LUUP8X-H1141	M19	PS400R-503-LUUP8X-H1141	M15
PS010R-403-2UP8X-H1141	M17	PS040R-403-2UP8X-H1141	M17	PS416-ZBX-405	C62
PS010R-403-LI2UPN8X-H1141	M13	PS040R-403-LI2UPN8X-H1141	M13	PS-COVER	M35
PS010R-403-LIUP8X-H1141	M17	PS040R-403-LIUP8X-H1141	M17	PSD24EX	D21
PS010R-403-LUUP8X-H1141	M17	PS040R-403-LUUP8X-H1141	M17	PT.../S1733	M32
PS010R-503-2UP8X-H1141	M15	PS040R-503-2UP8X-H1141	M15	PT0.5R-11-LI3-H1131	M27
PS010R-503-LI2UPN8X-H1141	M13	PS040R-503-LI2UPN8X-H1141	M13	PT001A-11-LI3-H1131	M27
PS010R-503-LIUP8X-H1141	M15	PS040R-503-LIUP8X-H1141	M15	PT001R-11-LI3-H1131	M27
PS010R-503-LUUP8X-H1141	M15	PS040R-503-LUUP8X-H1141	M15	PT001R-11-LU2-H1131	M27
PS016R-401-2UP8X-H1141	M19	PS100R-401-2UP8X-H1141	M19	PT001R-13-LI3-H1131	M25
PS016R-401-LI2UPN8X-H1141	M13	PS100R-401-LI2UPN8X-H1141	M13	PT001R-13-LU2-H1131	M25
PS016R-401-LIUP8X-H1141	M19	PS100R-401-LIUP8X-H1141	M19	PT002A-11-LI3-H1131	M27
PS016R-401-LUUP8X-H1141	M19	PS100R-401-LUUP8X-H1141	M19	PT002R-11-LI3-H1131	M27
PS016R-403-2UP8X-H1141	M17	PS100R-403-2UP8X-H1141	M17	PT002R-11-LU2-H1131	M27
PS016R-403-LI2UPN8X-H1141	M13	PS100R-403-LI2UPN8X-H1141	M13	PT002R-13-LI3-H1131	M25
PS016R-403-LIUP8X-H1141	M17	PS100R-403-LIUP8X-H1141	M17	PT002R-13-LU2-H1131	M25
PS016R-403-LUUP8X-H1141	M17	PS100R-403-LUUP8X-H1141	M17	PT003A-11-LI3-H1131	M27
PS016R-503-2UP8X-H1141	M15	PS100R-503-2UP8X-H1141	M15	PT003R-11-LI3-H1131	M27
PS016R-503-LI2UPN8X-H1141	M13	PS100R-503-LI2UPN8X-H1141	M13	PT003R-11-LU2-H1131	M27
PS016R-503-LIUP8X-H1141	M15	PS100R-503-LIUP8X-H1141	M15	PT003R-13-LI3-H1131	M25
PS016R-503-LUUP8X-H1141	M15	PS100R-503-LUUP8X-H1141	M15	PT003R-13-LU2-H1131	M25
PS01VR-401-2UP8X-H1141	M19	PS250R-401-2UP8X-H1141	M19	PT004R-11-LI3-H1131	M27

TURCK

Process Automation Products

Index

PT004R-11-LU2-H1131	M27	PT200psig-13-LU2-H1131	M23	P-VBMV 40-978-*/C	K113
PT004R-13-LI3-H1131	M25	PT250R-11-LI3-H1131	M27	P-VBMV 40-CSV12	K41
PT004R-13-LU2-H1131	M25	PT250R-11-LU2-H1131	M27	P-VBMV 40-CSV12/C	K41
PT006R-11-LI3-H1131	M27	PT250R-13-LI3-H1131	M25	P-VBMV 80-416-*/C	K37
PT006R-11-LU2-H1131	M27	PT250R-13-LU2-H1131	M25	P-VBMV 80-959-*	K37
PT006R-13-LI3-H1131	M25	PT3000psig-13-LI3-H1131	M23	P-VBMV 80-977-*	K113
PT006R-13-LU2-H1131	M25	PT3000psig-13-LU2-H1131	M23	P-VBMV 80-977-*/C	K113
PT010R-11-LI3-H1131	M27	PT300psig-13-LI3-H1131	M23	P-VBMV 80-CSV19	K41
PT010R-11-LU2-H1131	M27	PT300psig-13-LU2-H1131	M23	P-VBMV 80-CSV19/C	K41
PT010R-13-LI3-H1131	M25	PT-30HG-13-LI3-H1131	M23	P-VBMV 84-CSV12	K115
PT010R-13-LU2-H1131	M25	PT-30HG-13-LU2-H1131	M23	P-VBMV 84-CSV12/C	K115
PT016R-11-LI3-H1131	M27	PT30psig-13-LI3-H1131	M23	P-WKE 4.4T-698-*	K103
PT016R-11-LU2-H1131	M27	PT30psig-13-LU2-H1131	M23	P-WKE 4.61T-124-*	K16
PT016R-13-LI3-H1131	M25	PT400R-11-LI3-H1131	M27	P-WKE 4.6T-124-*	K16
PT016R-13-LU2-H1131	M25	PT400R-11-LU2-H1131	M27	P-WKE 4T-162-*	K16
PT01VR-11-LI3-H1131	M27	PT400R-13-LI3-H1131	M25	P-WKE 4T-330-*	K16
PT01VR-11-LU2-H1131	M27	PT400R-13-LU2-H1131	M25	P-WKE 4T-949-*	K16
PT01VR-13-LI3-H1131	M25	PT5000psig-13-LI3-H1131	M23	P-WKE 4T-950-*	K16
PT01VR-13-LU2-H1131	M25	PT5000psig-13-LU2-H1131	M23	P-WKE 5.1T-108-*	K103
PT025R-11-LI3-H1131	M27	PT500psig-13-LI3-H1131	M23	P-WKE 5.3T-095-*	K103
PT025R-11-LU2-H1131	M27	PT500psig-13-LU2-H1131	M23	P-WKM 30-026-*M	K49
PT025R-13-LI3-H1131	M25	PT600R-11-LI3-H1131	M27	P-WKM 321-880-*M	K125
PT025R-13-LU2-H1131	M25	PT600R-11-LU2-H1131	M27	P-WKM 33-187-*M	K125
PT040R-11-LI3-H1131	M27	PT600R-13-LI3-H1131	M25	P-WKM 40-162-*M	K49
PT040R-11-LU2-H1131	M27	PT600R-13-LU2-H1131	M25	P-WKM 40-330-*M	K50
PT040R-13-LI3-H1131	M25	PT60psig-13-LI3-H1131	M23	P-WKM 40-949-*M	K49
PT040R-13-LU2-H1131	M25	PT60psig-13-LU2-H1131	M23	P-WKM 40-950-*M	K50
PT060R-11-LI3-H1131	M27	PT7500psig-13-LI3-H1131	M23	P-WKM 45-098-*M	K49
PT060R-11-LU2-H1131	M27	PT7500psig-13-LU2-H1131	M23	P-WKM 45-327-*M	K50
PT060R-13-LI3-H1131	M25	PT750psig-13-LI3-H1131	M23	P-WKM 461-124-*M	K50
PT060R-13-LU2-H1131	M25	PT750psig-13-LU2-H1131	M23	P-WKM 46-124-*M	K50
PT1000psig-13-LI3-H1131	M23	P-VBM 40-415-*/C	K37	P-WKM 51-108-*M	K125
PT1000psig-13-LU2-H1131	M23	P-VBM 40-960-*	K37	P-WKM 52-972-*M	K125
PT100psig-13-LI3-H1131	M23	P-VBM 40-978-*	K113	P-WKM 55-099-*M	K125
PT100psig-13-LU2-H1131	M23	P-VBM 40-978-*/C	K113	P-WKM 55-328-*M	K125
PT100R-11-LI3-H1131	M27	P-VBM 40-CS12	K41	P-WKM 60-025-*M	K126
PT100R-11-LU2-H1131	M27	P-VBM 40-CS12/C	K41	P-WKM 63-030-*M	K126
PT100R-13-LI3-H1131	M25	P-VBM 80-416-*/C	K37	P-WKM 63-233-*M	K126
PT100R-13-LU2-H1131	M25	P-VBM 80-959-*	K37	P-WKM 66-318-*M	K126
PT15psig-13-LI3-H1131	M23	P-VBM 80-977-*	K113	P-WKM 71-219-*M	K126
PT15psig-13-LU2-H1131	M23	P-VBM 80-977-*/C	K113	P-WKM 71-329-*M	K126
PT160R-11-LI3-H1131	M27	P-VBM 80-CS19	K41	P-WKV 100-183-*M	K201
PT160R-11-LU2-H1131	M27	P-VBM 80-CS19/C	K41	P-WKV 100-189-*M	K201
PT160R-13-LI3-H1131	M25	P-VBM 84-CS12	K115	P-WKV 40-180-*M	K200
PT160R-13-LU2-H1131	M25	P-VBM 84-CS12/C	K115	P-WKV 40-181-*M	K200
PT2000psig-13-LI3-H1131	M23	P-VBMV 40-415-*/C	K37	P-WKV 40-188-*M	K200
PT2000psig-13-LU2-H1131	M23	P-VBMV 40-960-*	K37	P-WKV 56-964-*M	K200
PT200psig-13-LI3-H1131	M23	P-VBMV 40-978-*	K113	P-WKV 70-182-*M	K201



Index

P-WKV 80-073-*M	K201	RB50672-*M	H52	RB51235-*M	J85
P-WKV 80-158-*M	K201	RB50683-*M	H52	RB51240-*M	G142
P-WSE 4.4T-698-*	K104	RB50692-*M	H52	RB51241-*M	G142
P-WSE 4.61T-124-*	K18	RB50693-*M	E5	RB51242-*M	G142
P-WSE 4.6T-124-*	K18	RB50708-*M	H52	RB51259-*M	H52
P-WSE 4T-162-*	K18	RB50721-*M	J85	RB51296-*M	J84
P-WSE 4T-330-*	K18	RB50764-*M	J84	RB51300-*M	E6
P-WSE 4T-949-*	K18	RB50782-*M	G142	RB51305-*M	F17
P-WSE 4T-950-*	K18	RB50783-*M	E5	RB51306-*M	F31
P-WSE 5.1T-108-*	K104	RB50784-*M	E5	REP-ASI BW1273	G77
P-WSE 5.3T-095-*	K104	RB50785-*M	H68	REP-ASI BW1855	G75
P-WSM 30-026-*M	K53	RB50785-*M	E6	REP-ASI-C1D2 BW1712	G77
P-WSM 321-880-*M	K127	RB50786-*M	H68	REP-DN	J51
P-WSM 33-187-*M	K127	RB50786-*M	E5	REP-DP-0002	H38
P-WSM 40-162-*M	K53	RB50787-*M	J93	RE-Q21	L45
P-WSM 40-330-*M	K54	RB50791-*M	G112	RJ11S RJ11S 4412-*M	F49
P-WSM 40-949-*M	K53	RB50793-*M	J86	RJ45 44x-*M	F32
P-WSM 40-950-*M	K54	RB50803-*M	E5	RJ45 84x-*M	F18
P-WSM 45-098-*M	K53	RB50852-*M	G112	RJ45 FKFD 84x-*M	F18
P-WSM 45-327-*M	K54	RB50856-*M	F17	RJ45 FKFD 44x-*M	F32
P-WSM 461-124-*M	K54	RB50859-*M	J85	RJ45 FSFD 84x-*M	F18
P-WSM 46-124-*M	K54	RB50860-*M	H68	RJ45 FSFDD 44x-*M	F32
P-WSM 51-108-*M	K127	RB50874-*M	E5	RJ45 RJ45 44x-*M	F32
P-WSM 52-972-*M	K127	RB50875-*M	H52	RJ45 RJ45 84x-*M	F18
P-WSM 55-099-*M	K127	RB50876-*M	J85	RJ45S 44x-*M	F33
P-WSM 55-328-*M	K127	RB50877-*M	J85	RJ45S 84x-*M	F19
P-WSM 60-025-*M	K128	RB50881-*M	H52	RJ45S FKSDE 84x-*M	F19
P-WSM 63-030-*M	K128	RB50884-*M	F17	RJ45S FKSDED 44x-*M	F33
P-WSM 63-233-*M	K128	RB50891-*M	E6	RJ45S FSSDE 84x-*M	F19
P-WSM 66-318-*M	K128	RB50893-*M	F17	RJ45S FSSDED 44x-*M	F33
P-WSM 71-219-*M	K128	RB50894-*M	F17	RJ45S RJ45S 44x-*M	F33
P-WSM 71-329-*M	K128	RB50929-*M	H68	RJ45S RJ45S 84x-*M	F19
P-WSV 100-183-*M	K205	RB50952-*M	H68	RK 4.21T-*	K179
P-WSV 100-189-*M	K205	RB50962-*M	G112	RK 4.21T-*/S90	K179
P-WSV 40-180-*M	K204	RB50966-*M	G112	RK 4.41T-*	K179
P-WSV 40-181-*M	K204	RB50994-*M	J84	RKC 25x-*M	G114
P-WSV 40-188-*M	K204	RB51038-*M	J86	RKC 2RSC 25	G139
P-WSV 56-964-*M	K204	RB51057-*M	H52	RKC 57x-*M	J88
P-WSV 70-182-*M	K205	RB51100-*M	F17	RKC 6T-*/S90/CS10476	K179
P-WSV 80-073-*M	K205	RB51106-*M	J86	RKC 84x-*M	F18
P-WSV 80-158-*M	K205	RB51178-*M	G112	RKC BK52C 57x-*M	J90
RB21603-*M	G142	RB51179-*M	G112	RKC CBC5 57x-*M	J90
RB21605-*M	G142	RB51210-*M	F31	RKC FKFD 25x-*M	G114
RB50603-*M	J84	RB51211-*M	F31	RKC FKFD 57x-*M	J88
RB50629-*M	J84	RB51212-*M	F31	RKC FKFD 84x-*M	F18
RB50633-*M	J86	RB51213-*M	F31	RKC FSFD 25x-*M	G114
RB50651-*M	J84	RB51225-*M	H52	RKC FSFD 57x-*M	J88
RB50652-*M	J86	RB51231-*M	J86	RKC FSFD 84x-*M	F18

TURCK

Process Automation Products

Index

RKC RJ45 84x-*M	F18	RKFB-CC	K230	RKM RSC 57x-*M	J87
RKC RKC 25x-*M	G114	RKFB-MC	K230	RKM RSFP 25x-*M	G114
RKC RKC 57x-*M	J88	RKFBV-CC	K230	RKM RSFP 57x-*M	J88
RKC RKC 84x-*M	F18	RKFBV-MC	K230	RKM WKC 25x-*M	G114
RKC RKFP 25x-*M	G114	RKF-CC	K229	RKM WKC 57x-*M	J88
RKC RKFP 57x-*M	J88	RKFC-CC	K231	RKM WKM 25x-*M	G113
RKC RSFP 25x-*M	G114	RKFC-MC	K231	RKM WKM 57x-*M	J87
RKC RSFP 57x-*M	J88	RKFCV-CC	K231	RKM WSC 25x-*M	G114
RKC WKC 25x-*M	G114	RKFCV-MC	K231	RKM WSC 57x-*M	J88
RKC WKC 57x-*M	J88	RKF-MC	K229	RKMB-CC	K230
RK-CC	K232	RKFP 25x-*M	G114	RKMBV-CC	K230
RKCD 44x-*M	F32	RKFP 57x-*M	J88	RK-MC	K233
RKCD FKFD 44x-*M	F32	RKFP BK52C 57x-*M	J90	RKM-CC	K229
RKCD FSFD 44x-*M	F32	RKFP CBC5 57x-*M	J90	RKMC-CC	K231
RKCD RJ45 44x-*M	F32	RKFPV 48x-*M	H70	RKMCV-CC	K231
RKCD RKCD 44x-*M	F32	RKFPV 49x-*M	E18	RKMV-CC	K229
RKCN 5T-*	K179	RKFV 48-*M	H96	RKS 84x-*M	F19
RKCV 48x-*M	H70	RKFV 48-*M/14.5	H96	RKS FKSDE 84-*M	F19
RKCV 49x-*M	E18	RKFV 48-*M/14.75	H96	RKS RJ45S 84x-*M	F19
RKCV FKFDV 48x-*M	H70	RKFV 48-*M/M20	H96	RKS RKS 84x-*M	F19
RKCV FKFDV 49x-*M	E18	RKFV 48-*M/NPT	H96	RKSD 44x-*M	F33
RKCV FSFDV 48x-*M	H70	RKFV 49-*M	E60	RKSD FKSDE 44x-*M	F33
RKCV FSFDV 49x-*M	E18	RKFV 49-*M/14.5	E60	RKSD FSSDE 44x-*M	F33
RKCV RKC 48x-*M	H70	RKFV 49-*M/14.75	E60	RKSD RJ45S 44x-*M	F33
RKCV RKC 49x-*M	E18	RKFV 49-*M/M20	E60	RKSD RKSD 44x-*M	F33
RKCV RKFPV 48x-*M	H70	RKFV 49-*M/NPT	E60	RKSS FSSDE 84x-*M	F19
RKCV RKFPV 49x-*M	E18	RKFV-CC	K229	RKSW	H60
RKCV RSFPV 48x-*M	H70	RKFV-MC	K229	RKSW 2RSSW 45	H62
RKCV RSFPV 49x-*M	E18	RKGV-49x-*M	E21	RKSW 2RSSW 45-0001	H62
RKCV WKC 48x-*M	H70	RKK-CC	K233	RKSW 45x-*M	H53
RKCV WKC 49x-*M	E18	RKM 25x-*M	G113	RKSW D9S RKSW 45x-*M-*M	H56
RKE 57-TR2	J95	RKM 57-TR2	J95	RKSW D9S/T 45x-*M	H55
RKF 25-*M	G144	RKM 57x-*M	J87	RKSW D9SM/T 45x-*M	H55
RKF 25-*M/14.5	G144	RKM BK52C 57x-*M	J89	RKSW RKSW 45x-*M	H53
RKF 25-*M/14.75	G144	RKM CBC5 57x-*M	J89	RKSW SD9S RKSW 45x-*M-*M	H56
RKF 25-*M/M20	G144	RKM FKFD 25x-*M	G114	RKSW WKS 45x-*M	H53
RKF 25-*M/NPT	G144	RKM FKFD 57x-*M	J88	RKV 48x-*M	H69
RKF 40-IDC	J94	RKM FSFD 25x-*M	G114	RKV 49x-*M	E17
RKF 40-IDC ET	J94	RKM FSFD 57x-*M	J88	RKV FKFDV 48x-*M	H70
RKF 57	J134	RKM RKC 25x-*M	G114	RKV FKFDV 49x-*M	E18
RKF 57 PCB	J134	RKM RKC 57x-*M	J88	RKV FSFDV 48x-*M	H70
RKF 57-*M	J131	RKM RKFP 25x-*M	G114	RKV FSFDV 49x-*M	E18
RKF 57-*M/14.5	J131	RKM RKFP 57x-*M	J88	RKV RKC 48x-*M	H70
RKF 57-*M/14.75	J131	RKM RKM 25	G140	RKV RKC 49x-*M	E18
RKF 57-*M/M20	J131	RKM RKM 25x-*M	G113	RKV RKFPV 48x-*M	H70
RKF 57-*M/NPT	J131	RKM RKM 57	J128	RKV RKFPV 49x-*M	E18
RKF 57-IDC	J94	RKM RKM 57x-*M	J87	RKV RKV 48	H92
RKF 57-IDC ET	J94	RKM RSC 25x-*M	G113	RKV RKV 48x-*M	H69



Index

RKV RKV 49	E56	RS-CC	K232	RSFBV-CC	K230
RKV RKV 49x-*M	E17	RSCD 44x-*M	F32	RSFBV-MC	K230
RKV RSCV 48x-*M	H69	RSCD FKFD 44x-*M	F32	RSF-CC	K229
RKV RSCV 49x-*M	E17	RSCD FSFD 44x-*M	F32	RSFC-CC	K231
RKV RSFPV 48x-*M	H70	RSCD RJ45 44x-*M	F32	RSFC-MC	K231
RKV RSFPV 49x-*M	E18	RSCD RKCD 44x-*M	F32	RSFCV-CC	K231
RKV WKCV 48x-*M	H70	RSCD RSCD 44x-*M	F32	RSFCV-MC	K231
RKV WKCV 49x-*M	E18	RSCN 5T-*	K180	RSF-MC	K229
RKV WKV 48x-*M	H69	RSCS 2RKCS 48	H91	RSFP 25x-*M	G114
RKV WKV 49x-*M	E17	RSCV 2RKCV 25	G139	RSFP 57x-*M	J88
RKV WSCV 48x-*M	H70	RSCV 2RKCV 49	E55	RSFP BK52C 57x-*M	J90
RKV WSCV 49x-*M	E18	RSCV 48x-*M	H69	RSFP CBC5 57x-*M	J90
RKV-CC	K232	RSCV 49x-*M	E17	RSFPV 48x-*M	H70
RKV-MC	K233	RSCV FKFDV 48x-*M	H70	RSFPV 49x-*M	E18
RP-Q21	L46	RSCV FKFDV 49x-*M	E18	RSFV 48-*M	H95
RS 4.21T-*	K180	RSCV FSFDV 48x-*M	H70	RSFV 48-*M/14.5	H95
RS 4.21T-*/S90	K180	RSCV FSFDV 49x-*M	E18	RSFV 48-*M/14.75	H95
RS 4.41T-*	K180	RSCV RKCV 48x-*M	H70	RSFV 48-*M/M20	H95
RSC 25x-*M	G113	RSCV RKCV 49x-*M	E18	RSFV 49-*M	E59
RSC 2RKC 57	J127	RSCV RKFPV 48x-*M	H70	RSFV 49-*M/14.5	E59
RSC 2RKC 57/KS	J127	RSCV RKFPV 49x-*M	E18	RSFV 49-*M/14.75	E59
RSC 57x-*M	J87	RSCV RSCV 48x-*M	H69	RSFV 49-*M/M20	E59
RSC 6T-*/S90/CS10476	K180	RSCV RSCV 49x-*M	E17	RSFV 49-*M/NPT	E59
RSC 84x-*M	F18	RSCV RSFPV 48x-*M	H70	RSFV RKFV 48/22	H74
RSC BK52C 57x-*M	J89	RSCV RSFPV 49x-*M	E18	RSFV RKFV 49/22	E23
RSC CBC5 57x-*M	J89	RSCV WKCV 48x-*M	H70	RSFV-CC	K229
RSC FKFD 25x-*M	G114	RSCV WKCV 49x-*M	E18	RSFV-MC	K229
RSC FKFD 57x-*M	J88	RSCV WSCV 48x-*M	H70	RSGV-49x-*M	E21
RSC FKFD 84x-*M	F18	RSCV WSCV 49x-*M	E18	RSK-CC	K233
RSC FSFD 25x-*M	G114	RSE 57-TR2	J95	RSM 25-FK 4.5	G153
RSC FSFD 57x-*M	J88	RSEV 48-TR	H73	RSM 25x-*M	G113
RSC FSFD 84x-*M	F18	RSEV 49-TR	E22	RSM 2RKM 57	J124
RSC RJ45 84x-*M	F18	RSF 25-*M	G143	RSM 2RKM 57 DGT	J125
RSC RKC 25x-*M	G114	RSF 25-*M/14.5	G143	RSM 2RKM 57-KF	J124
RSC RKC 57x-*M	J88	RSF 25-*M/14.75	G143	RSM 2RKM 57-KM	J124
RSC RKC 84x-*M	F18	RSF 25-*M/M20	G143	RSM 48-FK 4.5	H105
RSC RKFP 25x-*M	G114	RSF 25-*M/NPT	G143	RSM 49-FK 4.5	E69
RSC RKFP 57x-*M	J88	RSF 48-*M/NPT	H95	RSM 57-FK 4.5	J129
RSC RSC 25x-*M	G113	RSF 57	J134	RSM 57-TR2	J95
RSC RSC 57x-*M	J87	RSF 57 PCB	J134	RSM 57-TR2/VM	J95
RSC RSC 84x-*M	F18	RSF 57-*M	J130	RSM 57x-*M	J87
RSC RSFP 25x-*M	G114	RSF 57-*M/14.5	J130	RSM BK52C 57x-*M	J89
RSC RSFP 57x-*M	J88	RSF 57-*M/14.75	J130	RSM CBC5 57x-*M	J89
RSC WKC 25x-*M	G114	RSF 57-*M/M20	J130	RSM FKFD 25x-*M	G114
RSC WKC 57x-*M	J88	RSF 57-*M/NPT	J130	RSM FKFD 57x-*M	J88
RSC WSC 25x-*M	G114	RSF 57-RKF 57/22	J96	RSM FSFD 25x-*M	G114
RSC WSC 57x-*M	J88	RSFB-CC	K230	RSM FSFD 57x-*M	J88
RSC-8VBRK-RKC-5724-DCL	J148	RSFB-MC	K230	RSM RKC 25x-*M	G114

TURCK

Process Automation Products

Index

RSM RKC 57x-*M	J88	RSSW D9S RKSX 45x-*M-*M	H56	RSV-CC	K232
RSM RKC 57x-*M RKM 57	J126	RSSW D9S RSSW 45x-*M-*M	H56	RSV-MC	K233
RSM RKFP 25x-*M	G114	RSSW D9S/T 45x-*M	H55	Sanitary Diaphragm S1593	M31
RSM RKFP 57x-*M	J88	RSSW D9SM/T 45x-*M	H55	Sanitary Diaphragm S1689	M30
RSM RKM 25x-*M	G113	RSSW RKSX 45x-*M	H53	Sanitary Diaphragm S1691	M29
RSM RKM 57 WSM 40 PST	J125	RSSW RSSW 45x-*M	H53	Sanitary Diaphragm S1692	M29
RSM RKM 57x-*M	J87	RSSW SD9S RKSX 45x-*M-*M	H56	Sanitary Diaphragm S1694	M30
RSM RSC 25x-*M	G113	RSSW SD9S RSSW 45x-*M-*M	H56	Sanitary Diaphragm S1695	M30
RSM RSC 57x-*M	J87	RSSW WKSX 45x-*M	H53	Sanitary Diaphragm S1701	M32
RSM RSFP 25x-*M	G114	RSSW WSSW 45x-*M	H53	Sanitary Diaphragm S1704	M33
RSM RSFP 57x-*M	J88	RSV 2RKV 25	G139	Sanitary Diaphragm S1705	M33
RSM RSM 25	G140	RSV 2RKV 48	H91	SA-Q21	L45
RSM RSM 25x-*M	G113	RSV 2RKV 49	E55	SC12-EX	D23
RSM RSM 57	J128	RSV 48-TR	H73	SCH-1-WINBLOC	C62
RSM RSM 57x-*M	J87	RSV 48x-*M	H69	SD9S 45x-*M	H56
RSM WKC 25x-*M	G114	RSV 49-TR	E22	SE-44M-E924	F41
RSM WKC 57x-*M	J88	RSV 49x-*M	E17	SE-44X4-E524	F37
RSM WKM 25x-*M	G113	RSV FKFDV 48x-*M	H70	SE-44X4-E924	F37
RSM WKM 57x-*M	J87	RSV FKFDV 49x-*M	E18	SE-44X-E524	F37
RSM WSC 25x-*M	G114	RSV FKV RKV 25	G139	SE-44X-E924	F37
RSM WSC 57x-*M	J88	RSV FKV RKV 48	H91	SE-84ST-E524/C1165	F39
RSM WSM 25x-*M	G113	RSV FKV RKV 49	E55	SE-84ST-E924/C1165	F39
RSM WSM 57x-*M	J87	RSV FSFDV 48x-*M	H70	SE-84ST-E924/C1190	F39
RSMB-CC	K230	RSV FSFDV 49x-*M	E18	SE-84X4-E524	F23
RSMBV-CC	K230	RSV RKCV 48x-*M	H70	SE-84X4-E924	F23
RS-MC	K233	RSV RKCV 49x-*M	E18	SE-84X-E524	F23
RSM-CC	K229	RSV RKFPV 48x-*M	H70	SE-84X-E924	F23
RSMC-CC	K231	RSV RKFPV 49x-*M	E18	SM-Q21	L45
RSMCV-CC	K231	RSV RKV 48 SS	H93	SPTC1	J145
RSM-FKM-RKM 57	J126	RSV RKV 48x-*M	H69	SPTC2	J145
RSMV-CC	K229	RSV RKV 49 SS	E57	SPTT1	J145
RSS 84x-*M	F19	RSV RKV 49x-*M	E17	SPTT1-A25	G141
RSS FKSDE 84x-*M	F19	RSV RSCV 48x-*M	H69	SPTT1-A48	H94
RSS FSSDE 84x-*M	F19	RSV RSCV 49x-*M	E17	SPTT1-A49	E24
RSS RJ45S 84x-*M	F19	RSV RSFPV 48x-*M	H70	SPTTM13-A25	G141
RSS RKS 84x-*M	F19	RSV RSFPV 49x-*M	E18	SPTTM13-A48	H94
RSS RSS 84x-*M	F19	RSV RSV 48	H92	SPTTM13-A49	E24
RSSD 44x-*M	F33	RSV RSV 48x-*M	H69	TB2-LDT	L46
RSSD FKSDED 44x-*M	F33	RSV RSV 49	E56	TB2-LDT-LI	L46
RSSD FSSDED 44x-*M	F33	RSV RSV 49x-*M	E17	TB-R16S	M117
RSSD RJ45S 44x-*M	F33	RSV WKCV 48x-*M	H70	TC01-G1/2A4P-2AP8X-H1140	M101
RSSD RKSD 44x-*M	F33	RSV WKCV 49x-*M	E18	TC01-G1/2A4P-LIAP8X-H1140	M101
RSSD RSSD 44x-*M	F33	RSV WKV 48x-*M	H69	TC01-N1/2A4P-2AP8X-H1140	M101
RSSW 456SP-1M	H57	RSV WKV 49x-*M	E17	TC01-N1/2A4P-LIAP8X-H1140	M101
RSSW 456SP-2M	H57	RSV WSCV 48x-*M	H70	TC-R16-S	M117
RSSW 456SP-5M	H57	RSV WSCV 49x-*M	E18	THW-3-N1/2-A4-L050	M94
RSSW 45-TR	H60	RSV WSV 48x-*M	H69	THW-3-N1/2-A4-L100	M94
RSSW 45x-*M	H53	RSV WSV 49x-*M	E17	THW-3-N1/2-A4-L150	M94



THW-3-N1/2-A4-L250	M94	TS-400-LIUP8X-H1141	M87	WKC RKFP 57x-*M	J88
THW-3-N1/4-A4-L050	M94	TS-500-2UN8X-H1141	M87	WKC RSFP 25x-*M	G114
THW-3-N1/4-A4-L100	M94	TS-500-2UP8X-H1141	M87	WKC RSFP 57x-*M	J88
THW-3-N1/4-A4-L150	M94	TS-500-LI2UPN8X-H1141	M87	WKC WKC 25x-*M	G114
THW-3-N1/4-A4-L200	M94	TS-500-LIUN8X-H1141	M87	WKC WKC 57x-*M	J88
THW-3-N1/8-A4-L050	M94	TS-500-LIUP8X-H1141	M87	WKC 5T-*	K181
THW-3-N1/8-A4-L100	M94	TS-500-LUUN8X-H1141	M87	WKC 48x-*M	H70
THW-3-N1/8-A4-L150	M94	TS-500-LIUP8X-H1141	M87	WKC 49x-*M	E18
THW-3-N1/8-A4-L200	M94	UB-Q21	L46	WKC FKFDV 48x-*M	H70
THW-3-TRI3/4-A4-L035	M94	UB-Q21 (2/bag)	L46	WKC FKFDV 49x-*M	E18
THW-3-TRI3/4-A4-L050	M94	VB 40.5N-*	K189	WKC FSFDV 48x-*M	H70
THW-3-TRI3/4-A4-L100	M94	VB 40.5N-CS12	K189	WKC FSFDV 49x-*M	E18
THW-3-TRI3/4-A4-L150	M94	VB 40N-*	K187	WKC RKFPV 48x-*M	H70
THW-3-TRI3/4-A4-L250	M94	VB 40N-H1151	K187	WKC RKFPV 49x-*M	E18
THW-6-N1/2-A4-L050	M95	VB 4X1.5N-*	K189	WKC RSFPV 48x-*M	H70
THW-6-N1/2-A4-L100	M95	VB 4X1.5N-CS16	K189	WKC RSFPV 49x-*M	E18
THW-6-N1/2-A4-L150	M95	VB 4X1N-*	K187	WKC WKC 48x-*M	H70
THW-6-N1/2-A4-L250	M95	VB 4X1N-CS12	K187	WKC WKC 49x-*M	E18
THW-6-TRI3/4-A4-L050	M95	VB2/FSW/FKW/FSW 45	H62	WKM 25x-*M	G113
THW-6-TRI3/4-A4-L100	M95	VB2-FKM/FKM/FSM 57	J119	WKM 57x-*M	J87
THW-6-TRI3/4-A4-L150	M95	VB2-FKM/RKC RSC 57x-*M/*M	J119	WKM BK52C 57x-*M	J89
THW-6-TRI3/4-A4-L250	M95	VB2-FSM 4.41/2FKM 4.21	K183	WKM CBC5 57x-*M	J89
TI40EX	D17	VB2-FSM 4.41/2RK 4.21T-*/*	K183	WKM FKFD 25x-*M	G114
TMF 12-G	L51	VB2-RKC 57x-*M-FKM FSM	J119	WKM FKFD 57x-*M	J88
TMF 18-G	L51	VB2-RS 4.41T-*/*2FKM 4.21	K183	WKM FSFD 25x-*M	G114
TMF 18-MS	L51	VB2-RS 4.41T-*/*2RK 4.21T-*/*	K183	WKM FSFD 57x-*M	J88
TMF 30-G	L51	VB2-SP1	M109	WKM RKC 25x-*M	G114
TMF 30-MS	L51	VBR5 4.41-2RK 4.21T-*/*	K185	WKM RKC 57x-*M	J88
TP-104A-TRI3/4-H1141-L100	M91	VZ3 (8/BAG)	K233	WKM RKFP 25x-*M	G114
TP-104A-TRI3/4-H1141-L035	M91	VZ3-RED (8/BAG)	K233	WKM RKFP 57x-*M	J88
TP-203A-CF-H1141-L100	M91	WCC-1138	M123	WKM RSC 25x-*M	G113
TP-203A-CF-H1141-L150	M91	WCT-2	M123	WKM RSC 57x-*M	J87
TP-203A-CF-H1141-L200	M91	WFS 57 PCB	J136	WKM RSFP 25x-*M	G114
TP-203A-CF-H1141-L250	M91	WFS 84 PCB	F28	WKM RSFP 57x-*M	J88
TP-203A-CF-H1141-L300	M91	WFSW 45 PCB	H64	WKM WKC 25x-*M	G114
TP-206A-CF-H1141-L100	M91	WK 4.21T-*	K181	WKM WKC 57x-*M	J88
TP-206A-CF-H1141-L150	M91	WK 4.21T-*/*S90	K181	WKM WKM 25x-*M	G113
TP-206A-CF-H1141-L200	M91	WK 4.41T-*	K181	WKM WKM 57x-*M	J87
TP-206A-CF-H1141-L300	M91	WKC 25x-*M	G114	WKM WSC 25x-*M	G114
TP-306A-CF-H1141-L1000	M92	WKC 57x-*M	J88	WKM WSC 57x-*M	J88
TP-306A-CF-H1141-L2000	M92	WKC 6T-*/*S90/CS10476	K181	WK-R16 Weight Kit	M118
TP-306A-CF-H1141-L5000	M92	WKC BK52C 57x-*M	J90	WKS 45x-*M	H53
TS-400-2UN8X-H1141	M87	WKC CBC5 57x-*M	J90	WKS D9S WKS 45x-*M-*M	H56
TS-400-2UP8X-H1141	M87	WKC FKFD 25x-*M	G114	WKS D9S/T 45x-*M	H55
TS-400-LI2UPN8X-H1141	M87	WKC FKFD 57x-*M	J88	WKS D9SM/T 45x-*M	H55
TS-400-LIUN8X-H1141	M87	WKC FSFD 25x-*M	G114	WKS SD9S WKS 45x-*M-*M	H56
TS-400-LIUP8X-H1141	M87	WKC FSFD 57x-*M	J88	WKS WKS 45x-*M	H53
TS-400-LUUN8X-H1141	M87	WKC RKFP 25x-*M	G114	WKV 48x-*M	H69

TURCK

Process Automation Products

Index

WKV 49x-*M	E17	WSCV FSFDV 49x-*M	E18	WSSW WSSW 45x-*M	H53
WKV FKFDV 48x-*M	H70	WSCV RKCVC 48x-*M	H70	WSV 48x-*M	H69
WKV FKFDV 49x-*M	E18	WSCV RKCVC 49x-*M	E18	WSV 49x-*M	E17
WKV FSFDV 48x-*M	H70	WSCV RKFPV 48x-*M	H70	WSV FKFDV 48x-*M	H70
WKV FSFDV 49x-*M	E18	WSCV RKFPV 49x-*M	E18	WSV FKFDV 49x-*M	E18
WKV RKCVC 48x-*M	H70	WSCV RSFPV 48x-*M	H70	WSV FSFDV 48x-*M	H70
WKV RKCVC 49x-*M	E18	WSCV RSFPV 49x-*M	E18	WSV FSFDV 49x-*M	E18
WKV RKFPV 48x-*M	H70	WSCV WKCVC 48x-*M	H70	WSV RKCVC 48x-*M	H70
WKV RKFPV 49x-*M	E18	WSCV WKCVC 49x-*M	E18	WSV RKCVC 49x-*M	E18
WKV RSCV 48x-*M	H69	WSCV WSCV 48x-*M	H70	WSV RKFPV 48x-*M	H70
WKV RSCV 49x-*M	E17	WSCV WSCV 49x-*M	E18	WSV RKFPV 49x-*M	E18
WKV RSFPV 48x-*M	H70	WSM 25x-*M	G113	WSV RKV 48	H92
WKV RSFPV 49x-*M	E18	WSM 57x-*M	J87	WSV RKV 48x-*M	H69
WKV WKCVC 48x-*M	H70	WSM BK52C 57x-*M	J89	WSV RKV 49	E56
WKV WKCVC 49x-*M	E18	WSM CBC5 57x-*M	J89	WSV RKV 49x-*M	E17
WKV WKV 48x-*M	H69	WSM FKFD 25x-*M	G114	WSV RSCV 48x-*M	H69
WKV WKV 49x-*M	E17	WSM FKFD 57x-*M	J88	WSV RSCV 49x-*M	E17
WKV WSCV 48x-*M	H70	WSM FSFD 25x-*M	G114	WSV RSFPV 48x-*M	H70
WKV WSCV 49x-*M	E18	WSM FSFD 57x-*M	J88	WSV RSFPV 49x-*M	E18
WS 4.21T-*	K182	WSM RKC 25x-*M	G114	WSV WKCVC 48x-*M	H70
WS 4.21T-*/S90	K182	WSM RKC 57x-*M	J88	WSV WKCVC 49x-*M	E18
WS 4.41T-*	K182	WSM RKFP 25x-*M	G114	WSV WKV 48x-*M	H69
WSC 25x-*M	G114	WSM RKFP 57x-*M	J88	WSV WKV 49x-*M	E17
WSC 57x-*M	J88	WSM RKM 25	G140	WSV WSCV 48x-*M	H70
WSC 6T-*/S90/CS10476	K182	WSM RKM 25x-*M	G113	WSV WSCV 49x-*M	E18
WSC BK52C 57x-*M	J90	WSM RKM 57	J128	WSV WSV 48x-*M	H69
WSC CBC5 57x-*M	J90	WSM RKM 57x-*M	J87	WSV WSV 49x-*M	E17
WSC FKFD 25x-*M	G114	WSM RSC 25x-*M	G113	XN-ABPL	C62
WSC FKFD 57x-*M	J88	WSM RSC 57x-*M	J87	XN-ANBZ-BL	C61
WSC FSFD 25x-*M	G114	WSM RSFP 25x-*M	G114	XN-ANBZ-BR	C61
WSC FSFD 57x-*M	J88	WSM RSFP 57x-*M	J88	XN-ANBZ-GN	C61
WSC RKC 25x-*M	G114	WSM WKC 25x-*M	G114	XN-ANBZ-RT	C61
WSC RKC 57x-*M	J88	WSM WKC 57x-*M	J88	XN-ANBZ-SW	C61
WSC RKFP 25x-*M	G114	WSM WKM 25x-*M	G113	XN-ANBZ-WS	C61
WSC RKFP 57x-*M	J88	WSM WKM 57x-*M	J87	XN-KLBU/S (10/PKG)	C62
WSC RSFP 25x-*M	G114	WSM WSC 25x-*M	G114	XN-KLBU/T (10/PKG)	C62
WSC RSFP 57x-*M	J88	WSM WSC 57x-*M	J88	XN-K0/10	C61
WSC WKC 25x-*M	G114	WSM WSM 25x-*M	G113	XN-K0/11	C61
WSC WKC 57x-*M	J88	WSM WSM 57x-*M	J87	XN-K0/12	C61
WSC WSC 25x-*M	G114	WSSW 45x-*M	H53	XN-K0/13	C61
WSC WSC 57x-*M	J88	WSSW D9S WKS45x-*M-*M	H56	XN-K0/14	C61
WSC-2VBWK-WKC-57-DCL	J147	WSSW D9S WSSW 45x-*M-*M	H56	XN-K0/16	C61
WSCN 5T-*	K182	WSSW D9S/T 45x-*M	H55	XN-K0/17	C61
WSCV 48x-*M	H70	WSSW D9SM/T 45x-*M	H55	XN-K0/2	C61
WSCV 49x-*M	E18	WSSW RKS45x-*M	H53	XN-K0/6	C61
WSCV FKFDV 48x-*M	H70	WSSW SD9S WKS45x-*M-*M	H56	XN-K0/8	C61
WSCV FKFDV 49x-*M	E18	WSSW SD9S WSSW 45x-*M-*M	H56	XN-K0/9	C61
WSCV FSFDV 48x-*M	H70	WSSW WKS45x-*M	H53	XN-PS2-CABLE	C62



XN-QV/1	C61
XN-QV/2	C61
XN-QV/3	C61
XN-QV/4	C61
XN-QV/5	C61
XN-QV/6	C61
XN-QV/7	C61
XN-QV/8	C61
XN-WEW-35/2-SW	C62
ZBW5-2	C62

TURCK

Process Automation Products

REGISTRATION INSTRUCTIONS

(TO BE COMPLETED BY THE END USER OF THE SENSORS)
THIS INFORMATION WILL BE KEPT IN STRICT CONFIDENCE

STEP 1: Please make a Photocopy of this form.

STEP 2: Fill in all information below.

STEP 3: Line 13 (to put this warranty into effect, it must be validated by the signature of the End-User and an authorized **TURCK** Distributor or Representative.

STEP 4: Return this Registration to **TURCK** (keep a copy for your records).

Date: _____

LIFETIME WARRANTY REGISTRATION (INDUCTIVE, INDUCTIVE MAGNET & CAPACITIVE SENSORS ONLY)

Please Print
End User

1. Company Name: _____

2. Division: _____ Dept: _____

3. Address: _____

4. City: _____ State: _____ Zip: _____

5. Phone: () _____ Your Name: _____

Your Title: _____

6. Industry (Type of Product Manufactured or Service Performed at this Location): _____

7. Approx. Date Purchased: _____

8. Approx. Date Installed: _____

9. What is the General Application for this Product? _____

10. Which OEM Supplied the Mechanical Equipment on which the Sensors are Installed?

Name: _____ Location: _____

11. **TURCK** Sensors Installed:
Catalog Number

Approx.
Quantity

_____	_____
_____	_____
_____	_____
_____	_____

12. Why were **TURCK** Sensors Specified for this Application?

13. Distributor or Representative Signature: _____

Company Name: _____ Date: _____

End User Signature: _____ Date: _____

14. **Return to USA:**

TURCK Inc.
3000 Campus Drive
Minneapolis, MN. 55441
Attn: Warranty Department
Phone: (763) 553-7300
Fax: (763) 553-0708

Return to Canada:

CHARTWELL ELECTRONICS, INC.
140 Duffield Drive
Markham, Ontario
Canada, L6G 1B5
Phone: (905) 513-7100
Fax: (905) 513-7101



Warranty Terms and Conditions

RISK OF LOSS

Delivery of the equipment to a common carrier shall constitute delivery to the Purchaser and the risk of loss shall transfer at that time to Purchaser. Should delivery be delayed due to an act or omission on the part of the Purchaser, risk of loss shall transfer to the Purchaser upon notification by **TURCK Inc.** that the order is complete and ready for shipment.

WARRANTIES

TURCK INC. (hereinafter “**TURCK**”) offers five (5) **WARRANTIES** to cover all products sold. They are as follows:

- 1) The **12-MONTH WARRANTY** is available for the products listed - generally those not covered by **LIFETIME, 5-YEAR, 24-MONTH** or **18-MONTH** warranty. No registration required.
- 2) The **18-MONTH WARRANTY** is available for the products listed - generally those not covered by **LIFETIME** or **5-YEAR WARRANTY**. No registration is required.
- 3) The **24-MONTH WARRANTY** is available for the products listed - generally those not covered by **LIFETIME, 5-YEAR** or **18-MONTH**. No registration is required.
- 4) The **5-YEAR WARRANTY** is available generally for the products listed. No registration is required.
- 5) A **LIFETIME WARRANTY** is available for the products listed. It becomes effective when the accompanying **TURCK LIFETIME WARRANTY REGISTRATION** is completed and returned to **TURCK**.

GENERAL TERMS AND CONDITIONS FOR ALL WARRANTIES

- **12-MONTH STANDARD WARRANTY**
- **18-MONTH STANDARD WARRANTY**
- **24-MONTH STANDARD WARRANTY**
- **5-YEAR WARRANTY**
- **LIFETIME WARRANTY**

TURCK warrants the Products covered by the respective **WARRANTY AGREEMENTS** to be free from defects in material and workmanship under normal and proper usage for the respective time periods listed above from the date of shipment from **TURCK**. In addition, certain specific terms apply to the various **WARRANTIES**.

THESE EXPRESS WARRANTIES ARE IN LIEU OF AND EXCLUDE ALL OTHER REPRESENTATIONS MADE - BOTH EXPRESSED AND IMPLIED. THERE ARE NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE FOR PRODUCTS COVERED BY THESE TERMS AND CONDITIONS.

TURCK warrants that the goods sold are as described, but no promise, description, affirmation of fact, sample model or representation, oral or written shall be part of an order, unless set forth in these terms and conditions, or are in writing and signed by an authorized representative of **TURCK**. These **WARRANTIES** do not apply to any Product which has been subject to misuse, negligence, or accident - or to any Product which has been modified or repaired, improperly installed, altered, or disassembled -except according to **TURCK's** written instructions.

These **WARRANTIES** are subject to the following conditions:

- 1) These **WARRANTIES** are limited to the electronic and mechanical performance only, as expressly detailed in the Product specifications and **NOT** to cosmetic performance.
- 2) These **WARRANTIES** shall not apply to any cables attached to, or integrated with the Product. However, the **18-MONTH WARRANTY** shall apply to cables sold separately by **TURCK**.
- 3) These **WARRANTIES** shall not apply to any Products which are stored, or utilized, in harsh environmental or electrical conditions outside **TURCK's** written specifications.
- 4) The **WARRANTIES** are applicable only to Products shipped from **TURCK** subsequent to January 1, 1988.

ADDITIONAL SPECIFIC TERMS FOR -

(**12-MONTH STANDARD WARRANTY**) for Linear Displacement Transducers and RFID products.

(**18-MONTH STANDARD WARRANTY**) FOR ULTRASONIC SENSORS, CABLES AND ALL NON-SENSING PRODUCTS SOLD BY **TURCK INC.** INCLUDING MULTI-SAFE, MULTI-MODUL, MULTI-CART AND RELATED AMPLIFIER PRODUCTS, RELAYS AND TIMERS.

(**24-MONTH STANDARD WARRANTY**) FOR ENCODERS.

5-YEAR WARRANTY FOR INDUCTIVE AND CAPACITIVE PROXIMITY SENSORS: The periods covered for the above **WARRANTIES** and Products shall be 12 MONTHS, 18-MONTHS, 24-MONTHS and 5-YEARS, respectively, from the date of shipment from **TURCK**.

TURCK

Process Automation Products

Warranty Terms and Conditions

ADDITIONAL SPECIFIC TERMS FOR - (continued)

LIFETIME WARRANTY (OPTIONAL - REGISTRATION REQUIRED) FOR INDUCTIVE, INDUCTIVE MAGNET OPERATED AND CAPACITIVE PROXIMITY SENSORS SOLD TO THE ORIGINAL PURCHASER FOR THE LIFETIME OF THE ORIGINAL APPLICATION.

The following terms apply to the LIFETIME WARRANTY in addition to the General Terms:

- 1) This WARRANTY shall be effective only when the LIFETIME WARRANTY REGISTRATION has been completed, signed by the End User and an authorized **TURCK** Representative or Distributor and has been received by **TURCK** no later than six (6) months after installation in the End User's Plant, or two (2) years from the date product was shipped from **TURCK**, whichever is sooner.
- 2) This warranty is available only to **TURCK's** authorized Representatives, Distributors and to the Original User. (The term "Original User" means that person, firm, or corporation which first uses the Product on a continuous basis in connection with the operation of a production line, piece of machinery, equipment, or similar device.) In the event the ownership of the product is transferred to a person, firm or corporation other than the Original User, this WARRANTY shall terminate.
- 3) This WARRANTY is applicable only to the Original Application. In the event the machinery, equipment, or production line to which the Product is connected, or on which it is installed, is substituted, changed, moved or replaced, the WARRANTY shall terminate.
- 4) This WARRANTY shall be valid only if the Product was purchased by the Original User from **TURCK**, or from an authorized **TURCK** Distributor, or was an integral part of a piece of machinery and equipment obtained by the Original user from an Original Equipment Manufacturer, which itself, was purchased directly from **TURCK** or from an authorized Distributor.

PURCHASER'S REMEDIES

This Remedy shall apply to all WARRANTIES. If a **TURCK** Distributor desires to make a WARRANTY Claim, the Distributor shall, if requested by **TURCK**, ship the Product to **TURCK's** factory in Minneapolis, Minnesota, postage or freight prepaid. If the User desires to make a WARRANTY Claim, they shall notify the authorized **TURCK** Distributor from whom it was purchased or, if such Distributor is unknown, shall notify **TURCK**. **TURCK** shall, at its option, take any of the following two courses of action for any products which **TURCK** determines are defective in materials or workmanship.

- 1) Repair or replace the Product and ship the Product to the Original Purchaser or to the authorized **TURCK** Distributor, postage or freight prepaid; or
- 2) Repay to the Original Purchaser that price paid by the Original Purchaser; provided that if the claim is made under the LIFETIME WARRANTY, and such Product is not then being manufactured by **TURCK**, then the amount to be repaid by **TURCK** to the Original Purchaser shall be reduced according to the following schedule:

<u>Number of Years Since Date of Purchase by Original Purchaser</u>	<u>Percent of Original Purchase Price To Be Paid by TURCK</u>
10	50%
15	25%
20	10%
More than 20	5%

PURCHASER'S REMEDIES SHALL BE LIMITED EXCLUSIVELY TO THE RIGHT OF REPLACEMENT, REPAIR OR REPAYMENT AS PROVIDED AND DOES NOT INCLUDE ANY LABOR COST OR REPLACEMENT AT ORIGINAL PURCHASER'S SITE. TURCK SHALL NOT BE LIABLE FOR ANY CONSEQUENTIAL DAMAGES RESULTING FROM ANY BREACH OF ANY WARRANTY, EXPRESSED OR IMPLIED, APPLICABLE TO THE PRODUCT, INCLUDING WITHOUT LIMITATION, ANY DAMAGES RESULTING FROM PROPERTY DAMAGE, PERSONAL INJURY OR BUSINESS INTERRUPTION.

CONSIDER SAFETY AND PROTECTION PRECAUTIONS

TURCK takes great care to design and build reliable and dependable products, however, some products can fail eventually. You must take precautions to design your equipment to prevent property damage and personal injury in the unlikely event of failure. As a matter of policy, **TURCK** does NOT recommend the installation of electronic controls as the sole device FOR THE PROTECTION OF PERSONNEL in connection with power driven presses, brakes, shears and similar equipment and, therefore, the customer should build in redundancy or dual control using approved safety devices for these applications.

GOVERNING LAW

The sale and purchase of Products covered hereby and all terms and conditions hereof shall be governed by the law of the State of Minnesota.