



Sixnet Ethernet Series

INDUSTRIAL SWITCHES



www.redlion.net/sixnet

Sixnet Ethernet Series

Sixnet industrial Ethernet switches combine enterprise-class performance with rugged reliability to provide a “best of both worlds” solution for many of today’s industrial applications. Our hardened switches are ideally suited for harsh and outdoor environments that include oil and gas, water/wastewater power, transportation and other industries where real-time performance under extreme operating conditions is required.

rugged reliable

devices



www.redlion.net/sixnet

Advanced

Extremeline (EL) Layer 2 & 3 Ethernet Switches

- **Innovative enterprise-class networking in a rugged package**
 - Advanced security features prevent unauthorized access
 - QoS traffic classification ensures real-time message delivery
 - Sophisticated multicast controls reduce traffic
 - Built-in redundancy ensures quick failover
 - Powerful network management and plug-and-play functionality simplify deployment
 - DIN-rail and rack mount form factors



LAYER 2 PART NUMBER	TYPE	TOTAL PORTS	FAST ETHERNET		GIGABIT ETHERNET		INGRESS PROTECT	MOUNTING & CASE	OPERATING TEMP
			10 / 100	100 FIBER	10 / 100 / 1000	GIG FIBER			
EL228-A0-1 single universal AC/DC power input	Managed	28	up to 24	up to 26	4	up to 2	IP50	19" rack	-40 to 85° C
EL228-AA-1 dual universal AC/DC power inputs	Managed	28	up to 24	up to 26	4	up to 2	IP50	19" rack	-40 to 85° C
EL228-DO-1 single 18-75 VDC power input	Managed	28	up to 24	up to 26	4	up to 2	IP50	19" rack	-40 to 85° C
EL228-DD-1 dual 18-75 VDC power inputs	Managed	28	up to 24	up to 26	4	up to 2	IP50	19" rack	-40 to 85° C
EL121F-AC-V1 single universal AC/DC power input	Managed	12	up to 8	up to 12	up to 4	up to 4	IP40	DIN rail - metal	-40 to 85° C
EL121F-DC-V1 dual redundant 18-59 VDC power inputs	Managed	12	up to 8	up to 12	up to 4	up to 4	IP40	DIN rail - metal	-40 to 85° C

LAYER 3 PART NUMBER	TYPE	TOTAL PORTS	GIGABIT ETHERNET		OPTIONAL 10 GIG PORTS	INGRESS PROTECT	MOUNTING & CASE	OPERATING TEMP
			10 / 100 / 1000	GIG FIBER				
EL326-A0-1 single universal AC/DC power input	Managed	26	24	up to 4	up to 2	IP40	19" rack	-35 to 75° C
EL326-AA-1 dual universal AC/DC power inputs	Managed	26	24	up to 4	up to 2	IP40	19" rack	-35 to 75° C
EL326-DO-1 single 18-59 VDC power input	Managed	26	24	up to 4	up to 2	IP40	19" rack	-35 to 75° C
EL326-DD-1 dual 18-59 VDC power inputs	Managed	26	24	up to 4	up to 2	IP40	19" rack	-35 to 75° C

Standard

SlimLine Plus (SLX) Ethernet Switches



- **Versatile networking solutions**
 - Managed, unmanaged, ring and PoE switches
- **Flexible deployment options**
 - 3 to 18 port DIN-rail style
 - Plug-and-play functionality works out of box
 - Fast redundant ring and mesh network support
- **Hardened for the toughest applications**
 - Supports temperatures ranging from -40 to 75/85° C
 - Class I, Div 2 and Zone 2 hazardous locations

Advanced features and security

- Configurable network management
- Real-time data access and prioritization
- Modbus monitoring capable

PART NUMBER	TYPE	TOTAL PORTS	FAST ETHERNET		GIGABIT ETHERNET		INGRESS PROTECT	MOUNTING & CASE	OPERATING TEMP
			10 / 100	100 FIBER	10 / 100 / 1000	GIG FIBER			
SLX-5MS-1	Managed	5	5	—	—	—	IP40	DIN rail - metal	-40 to 75° C
SLX-5MS-4/5	Managed	5	3	2	—	—	IP40	DIN rail - metal	-40 to 75° C
SLX-5MS-MDM-1	Managed	5	5	—	—	—	IP40	DIN rail - metal	-40 to 75° C
SLX-8MS-1	Managed	8	8	—	—	—	IP40	DIN rail - metal	-40 to 75° C
SLX-8MS-4/5/8/9	Managed	8	4 or 6	2 or 4	—	—	IP40	DIN rail - metal	-40 to 75° C
SLX-8MG-1	Managed	8	—	up to 4	8	up to 4	IP40	DIN rail - metal	-40 to 75° C
SLX-10MG-1	Managed	10	7	up to 2	3	up to 2	IP40	DIN rail - metal	-40 to 75° C
SLX-16MS-1	Managed	16	16	—	—	—	IP40	DIN rail - metal	-40 to 75° C
SLX-18MG-1	Managed	18	16	up to 2	2	up to 2	IP40	DIN rail - metal	-40 to 75° C
EB-5ES-PSE-1	Unmanaged	5	5 (4 PoE)	—	—	—	IP40	DIN rail - Lexan	-40 to 75° C
SLX-3ES-2/3	Unmanaged	3	2	1	—	—	IP40	DIN rail - metal	-40 to 85° C
SLX-3EG-1SFP	Unmanaged	3	—	—	2	1	IP40	DIN rail - metal	-40 to 85° C
SLX-5EG-1	Unmanaged	5	—	—	5	—	IP40	DIN rail - metal	-40 to 85° C
SLX-5ES-1	Unmanaged	5	5	—	—	—	IP40	DIN rail - metal	-40 to 85° C
SLX-5ES-2/3	Unmanaged	5	4	1	—	—	IP40	DIN rail - metal	-40 to 85° C
SLX-6ES-4/5	Unmanaged	6	4	2	—	—	IP40	DIN rail - metal	-40 to 85° C
SLX-8ES-1	Unmanaged	8	8	—	—	—	IP40	DIN rail - metal	-40 to 85° C
SLX-8ES-6/7	Unmanaged	8	5	3	—	—	IP40	DIN rail - metal	-40 to 85° C
SLX-9ES-2/3	Unmanaged	9	8	1	—	—	IP40	DIN rail - metal	-40 to 85° C
SLX-6RS-1	Ring	6	6	—	—	—	IP40	DIN rail - metal	-40 to 85° C
SLX-6RS-4/5	Ring	6	4	2	—	—	IP40	DIN rail - metal	-40 to 85° C

Light

SlimLine (SL) Ethernet Switches

- **Robust-edge devices**
 - Unmanaged and ring switches
- **Flexible deployment options**
 - 2 to 9 port DIN-rail or panel mount
 - Plug-and-play functionality works out of box
- **Trouble-free operation**
 - Ultra-reliable 1,000,000+ hours MTBF
 - Dual power inputs with industrial spike protection
- **Industrial indoor rated**
 - Class I, Div 2 and Zone 2 hazardous locations



PART NUMBER	TYPE	TOTAL PORTS	FAST ETHERNET		GIGABIT ETHERNET		INGRESS PROTECT	MOUNTING & CASE	OPERATING TEMP
			10 / 100	100 FIBER	10 / 100 / 1000	GIG FIBER			
SL-2ES-2/3	Unmanaged	2	1	1	—	—	IP30	DIN rail - Lexan	-10 to 60° C
SL-5ES-1	Unmanaged	5	5	—	—	—	IP30	DIN rail - Lexan	-40 to 60° C
SL-5ES-2/3	Unmanaged	5	4	1	—	—	IP30	DIN rail - Lexan	-40 to 60° C
SL-6ES-4/5	Unmanaged	6	4	2	—	—	IP30	DIN rail - Lexan	-40 to 60° C
SL-8ES-1	Unmanaged	8	8	—	—	—	IP30	DIN rail - Lexan	-40 to 60° C
SL-9ES-2/3	Unmanaged	9	8	1	—	—	IP30	DIN rail - Lexan	-40 to 60° C
SL-6RS-1	Ring	6	6	—	—	—	IP30	DIN rail - Lexan	-40 to 60° C
SL-6RS-4/5	Ring	6	4	2	—	—	IP30	DIN rail - Lexan	-40 to 60° C

CONNECT. MONITOR. CONTROL.

“Sixnet is offering specialized ‘rugged’ infrastructure solution packages that provide the kind of durability, reliability and redundancy needed to get the job done.” — Smart Technology

“Managed switch delivers ‘lowest cost ownership’.” — Drives & Controls

www.redlion.net/sixnet

CONNECT. MONITOR. CONTROL.

About

As the global experts in communication, monitoring and control for industrial automation, Red Lion has been delivering innovative solutions to customers for forty years. Our award-winning technology enables companies worldwide to gain real-time data visibility that drives productivity. Product brands include Red Lion, Sixnet and N-Tron. With headquarters in York, Pennsylvania, the company has offices across the Americas, Asia-Pacific and Europe. Red Lion is a Spectris company.

Visit www.redlion.net/sixnet, email info@redlion.net or call +1 (518) 877-5173 to learn more.

